



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
EAG-11-254-EXT	309.5	FW3U	753.0	452369	5434676	320	-57	684.1	690.9	6.8	24.7	
		including						686.5	688.7	2.2	39.7	
EAG-11-269	403.3	FW3U	567.2	452471	5434647	330	-56	737.1	740.0	6.9	7.1	
		including						738.7	740.7	1.0	42.1	
EAG-11-269	403.3	FW4	567.2	452471	5434647	330	-56	886.6	898.3	11.7	0.30	
EAG-13-404	398.83	FW3 HW	706.5	452731	5434537	330	-60	1013.0	1016.0	3.0	5.70	
EAG-13-404	398.83	FW3	706.5	452731	5434537	330	-60	1055.1	1057.1	2.0	8.38	
		including						1050.1	1055.6	0.5	32.1	
EAG-13-525	400.31		539.5	452563	5434638	331	-60				No significant results	
OSK-W-16-309-W1	399.02	Quartz vein in Red Dog	1273.5	452548	5434514	326	-63	612.2	615.0	2.8	9.11	
		including						614.0	615.0	1.0	24.5	
OSK-W-16-309-W1	399.02	FW3	1273.5	452548	5434514	326	-63	965.0	967.0	2.0	1.19	
OSK-W-16-309-W1	399.02	New	1273.5	452548	5434514	326	-63	1115.0	1117.0	2.0	5.80	
		including						1116.0	1117.0	1.0	11.2	
OSK-W-16-309-W2	399.02	Caribou North 1	1109.5	452548	5434514	326	-63	520.8	522.7	1.9	0.84	
OSK-W-16-309-W2	399.02	FW3	1109.5	452548	5434514	326	-63	924.0	926.0	2.0	0.23	
OSK-W-16-309-W2	399.02	New - Underdog corridor	1109.5	452540	5434514	326	-63	972.0	975.0	3.0	5.58	
OSK-W-16-309-W2	399.02	New under Red Dog	1109.5	452548	5434514	326	-63	988.0	992.0	4.0	3.27	
OSK-W-16-309-W3	399.02	New Zone - Caribou	1172.5	452548	5434514	326	-63	474.0	476.2	2.2	7.63	
OSK-W-16-309-W3	399.02	New Zone - Caribou	1172.5	452548	5434514	326	-63	480.4	482.5	2.1	6.32	
		including						481.3	482.0	0.7	17.3	
OSK-W-16-309-W3	399.02	New Zone - Caribou	1172.5	452548	5434514	326	-63	538.2	543.8	4.6	11.8	
		including						542.0	543.0	1.0	47.9	
OSK-W-16-309-W3	399.02	New Zone - Caribou	1172.5	452548	5434514	326	-63	883.7	886.5	2.8	0.48	
OSK-W-16-311-W1	399.4	FW3	1153.5	452311	5434424	330	-62	753.5	756.0	2.5	0.42	
OSK-W-16-311-W1	399.4	FW3 hanging wall	1153.5	452311	5434424	330	-62	927.5	930.5	3.0	9.40	
		including						927.5	929.4	1.9	14.5	
OSK-W-16-311-W1	399.4	FW3	1153.5	452311	5434424	330	-62	991.0	993.0	2.0	14.4	
OSK-W-16-311-W1	399.4	FW4 hangingwall	1153.5	452311	5434424	330	-62	1118.0	1120.0	2.0	15.7	
OSK-W-16-311-W1	399.4	FW4	1153.5	452311	5434424	330	-62	1135.0	1137.9	1.9	8.32	
		including						1135.0	1137.0	1.0	15.7	
OSK-W-16-311-W2	399.4	FW3	1179.5	452311	5434424	330	-62	734.3	737.8	3.5	0.80	
OSK-W-16-311-W2	399.4	FW3 hanging wall	1179.5	452311	5434424	330	-62	918.8	921.0	2.2	13.0	
		including						919.3	919.6	0.3	88.3	
OSK-W-16-311-W2	399.4	FW3 hanging wall	1179.5	452311	5434424	330	-62	970.0	972.0	2.0	6.44	
OSK-W-16-311-W2	399.4	FW3	1179.5	452311	5434424	330	-62	992.5	994.9	2.4	6.55	
		including						993.3	993.9	0.6	24.7	
OSK-W-16-311-W2	399.4	FW3 footwall	1179.5	452311	5434424	330	-62	1050.7	1053.4	2.7	7.87	
		including						1052.4	1053.4	1.0	20.9	
OSK-W-16-311-W2	399.4	FW4	1179.5	452311	5434424	330	-62	1149.3	1152.0	2.7	5.24	
		including						1150.3	1151.0	0.7	19.9	
OSK-EAG-12-314	402.98	Underdog	1062.0	452534	5434589	330	-59	836.7	838.8	2.1	4.60	
OSK-EAG-12-333	402.21	FW3	982.6	452459	5434565	333	-58	787.0	789.0	2.0	5.38	
		including						787.8	788.1	0.3	34.7	
OSK-EAG-12-333	402.21	FW3	982.6	452459	5434565	333	-58	818.2	823.0	4.8	3.07	
		including						822.7	823.0	0.3	23.1	
OSK-EAG-12-333	402.21	FW3	982.6	452459	5434565	333	-58	848.1	850.2	2.1	118	59.4
		including						849.2	850.2	1.0	219	100
OSK-EAG-12-333	402.21	FW3U	982.6	452459	5434565	333	-58	934.0	936.3	2.3	198	21.8
		including						935.2	935.7	0.5	920	100
OSK-EAG-12-399	403.31	FW3U	795.0	452584	5434701	328	-56	765.5	768.0	2.5	5.57	
OSK-EAG-12-399	403.31	FW3U	795.0	452584	5434701	328	-56	773.9	776.0	2.1	5.21	
OSK-EAG-12-424	403.08	FW3	1002.5	452598	5434580	330	-55	802.9	805.3	2.4	7.85	
		including						804.7	805.3	0.6	28.5	
OSK-EAG-12-424	403.08	FW3	1002.5	452598	5434580	330	-55	815.5	818.0	2.5	10.0	
		including						816.0	817.0	1.0	20.9	
OSK-EAG-12-424	403.08	FW3	1002.5	452598	5434580	330	-55	832.6	835.1	2.5	6.72	
OSK-EAG-12-427	401.08	FW3 HW	1215.0	452701	5434438	330	-51	918.0	920.0	2.0	13.0	
		including						918.9	920.0	1.1	29.6	
OSK-EAG-12-427	401.08	VNCR	1215.0	452701	5434438	330	-51	1110.0	1112.2	2.2	4.29	
OSK-W-17-466-W1	403.28	FW3 Upper	861.0	452484	5434643	330	-52	718.8	724.0	5.2	8.52	
		including						718.8	719.8	1.0	35.7	
OSK-W-17-466-W1	403.28	FW3 Upper FW	861.0	452484	5434643	330	-52	736.0	738.4	2.4	8.38	
		including						737.5	738.4	0.9	39.3	
OSK-W-17-466-W2	403.28	FW3 Upper	900.0	452484	5434643	330	-52	721.0	723.0	2.0	26.6	
		including						721.3	722.3	1.0	51.5	
OSK-EAG-13-477	397.93	Underdog	1134.0	452401	5434431	330	-61	805.9	808.0	2.1	9.59	
		including						806.0	807.0	1.0	19.1	
OSK-EAG-13-477	397.93	Underdog	1134.0	452401	5434431	330	-61	1058.0	1060.0	2.0	9.31	
		including						1060.0	1060.7	0.7	24.3	
		and						1065.0	1066.0	1.0	37.1	
OSK-EAG-13-480	398.38	Vein	990.6	452400	5434486	331	-57	522.3	524.3	2.0	37.1	20.6
		including						524.0	524.3	0.3	210	100
OSK-EAG-13-480	398.38	FW1	990.6	452400	5434486	331	-57	643.2	646.8	3.6	28.3	
		including						645.2	646.8	1.6	63.0	
OSK-EAG-13-480	398.38	FW1 FW	990.6	452400	5434486	331	-57	681.0	684.0	3.0	4.67	
		including						683.0	684.0	1.0	11.8	
OSK-EAG-13-480	398.38	FW1 FW	990.6	452400	5434486	331	-57	692.0	694.0	2.0	6.48	
		including						692.0	693.0	1.0	12.4	
OSK-EAG-13-480	398.38	FW2	990.6	452400	5434486	331	-57	722.7	725.5	2.8	4.09	
OSK-EAG-13-480	398.38	FW2	990.6	452400	5434486	331	-57	728.0	730.0	2.0	19.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 µm
			including					729.3	729.7	0.4	82.6	
OSK-EAG-13-480	398.38	FW2	990.6	452400	5434486	331	-57	749.5	751.6	2.1	50.5	15.2
			including					750.7	751.0	0.3	40.0	100
OSK-EAG-13-480	398.38	FW3	990.6	452400	5434486	331	-57	804.0	814.4	10.4	9.45	
			including and					807.5	810.4	2.9	25.5	
								814.1	814.4	0.3	25.0	
OSK-EAG-13-480	398.38	FW3	990.6	452400	5434486	331	-57	820.0	822.6	2.6	6.4	
			including					821.4	821.7	0.3	30.5	
OSK-EAG-13-480	398.38	FW3	990.6	452400	5434486	331	-57	835.0	837.0	2.0	3.35	
OSK-EAG-13-480	398.38	FW3U	990.6	452400	5434486	331	-57	911.8	914.0	2.2	7.04	
OSK-EAG-13-480	398.38	FW3U	990.6	452400	5434486	331	-57	923.0	925.0	2.0	5.30	
OSK-EAG-13-480-W1	398.38	Underlog	651.0	452400	5434486	331	-57	634.4	640.3	5.9	6.36	
			including					634.4	636.7	0.3	56.6	
OSK-EAG-13-480-W1	398.38	Underlog	651.0	452400	5434486	331	-57	644.1	646.3	2.2	34.5	
			including					644.7	645.7	1.0	56.2	
OSK-EAG-13-480-W2	398.38	Underlog	770.2	452400	5434486	331	-57	656.0	660.1	4.1	38.0	11.5
			including					659.8	660.1	0.3	114.5	100
OSK-EAG-13-480-W2	398.38	Underlog	770.2	452400	5434486	331	-57	694.0	697.6	3.7	3.93	
			including					694.9	695.6	0.7	11.2	
OSK-EAG-13-494	398.83	Wolf	1197.0	452731	5434537	330	-60	738.5	740.6	2.1	6.52	
			including					740.0	740.6	0.6	19.6	
OSK-EAG-13-494	398.83	Wolf	1197.0	452731	5434537	330	-60	749.0	751.0	2.0	4.56	
OSK-EAG-13-502	402.92	FW30 HW	802.0	452506	5434696	330	-57	688.5	690.5	2.0	28.0	
OSK-EAG-13-502	402.92	FW3 Upper	802.0	452506	5434696	330	-57	695.5	698.2	2.7	37.9	31.6
			including					695.5	695.8	0.3	66.3	
			including					695.8	696.1	0.3	39.4	
			and					696.1	696.6	0.5	13.4	100
OSK-EAG-13-503	401.57	Underlog	918.0	451969	5434525	330	-56	342.5	344.9	2.4	8.96	
			including					343.5	344.9	1.4	13.3	
OSK-EAG-13-504	396.81	Wolf	810.0	452769	5434975	331	-62	749.9	749.9	0.0	1.0	
OSK-EAG-13-504	396.81	Wolf	810.0	452769	5434975	331	-62	753.0	755.1	2.1	4.22	
OSK-EAG-13-504	396.81	Wolf	810.0	452769	5434975	331	-62	753.0	755.1	2.1	4.22	
OSK-EAG-13-505	403.59	FW1	852.3	451930	5434493	330	-51	329.0	333.8	4.8	8.37	
			including					332.0	332.8	0.8	28.8	
			including					332.0	333.4	1.4	30.4	
OSK-EAG-13-508	403.03	227	827.0	452588	5434608	330	-60	612.5	613.4	0.9	30.4	
OSK-EAG-13-509	403.31	Zone 27	579.0	452								



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OBM-15-559	397.75	Potential new lens	1319.5	452748	5434559	333	-60	646.5	666.9	20.4	7.04	
		including						646.5	650.5	4.0	12.9	
		and						646.5	647.5	1.0	39.0	
		and						654.0	657.4	3.4	12.9	
		and						662.5	666.9	4.4	8.90	
OBM-15-559	397.75	Potential new lens	1319.5	452748	5434559	333	-60	681.0	684.7	3.7	10.0	
OBM-15-559	397.75	Potential new lens	1319.5	452748	5434559	333	-60	751.0	761.0	10.0	7.00	
OBM-15-559	397.75	-	1319.5	452748	5434559	333	-60	876.1	879.0	2.9	5.74	
		including						977.3	978.0	0.7	23.0	
OBM-15-560	399.78	Caribou S1	1500.0	452670	5434252	333	-57	701.9	708.0	6.1	11.0	
		including						702.3	703.4	1.1	45.7	
		and						705.1	707.0	2.0	8.38	
OBM-15-560	399.78	Vain in Red Dog	1500.0	452670	5434252	333	-57	737.8	738.3	0.5	69.6	
OBM-15-560	399.78	FW0	1500.0	452670	5434252	333	-57	957.0	959.0	2.0	12.5	
		including						958.0	959.0	1.0	18.6	
OBM-15-560	399.78	FW1	1500.0	452670	5434252	333	-57	1123.0	1136.0	13.0	5.71	
		including						1131.5	1132.4	0.9	40.0	
		and						1132.4	1133.0	0.6	21.3	
OBM-15-560	399.78	Splay FW3	1500.0	452670	5434252	333	-57	1196.8	1203.0	6.2	11.1	
		including						1199.4	1199.9	0.5	48.1	
OBM-15-561	398.02	shallow mineralization	60.5	452184	5434597	330	-52	21.0	22.0	1.0	123	100
OBM-15-563	398.71	Zone 27	125.4	452594	5434755	331	-64	77.0	89.0	12.0	0.98	
OBM-15-563	399.04	-	213.0	452237	5434683	330	-50				No significant results	
OBM-15-564	402.54	Potential new lens	1527.0	452759	5434367	330	-60	436.6	439.9	3.3	22.3	
		including						439.5	439.9	0.4	173	100
OBM-15-564	402.54	Caribou S1	1527.0	452759	5434367	330	-60	666.7	674.1	7.4	5.59	
		including						666.7	668.8	2.1	17.9	
OBM-15-564	402.54	-	1527.0	452759	5434367	330	-60	865.4	867.8	2.4	8.20	
OBM-15-564	402.54	New potential lens	1527.0	452759	5434367	330	-60	947.0	954.0	7.0	7.49	
		including						948.8	949.3	0.5	85.4	
OBM-15-564	402.54	FW1	1527.0	452759	5434367	330	-60	1102.9	1105.0	2.1	7.19	
OBM-15-564	402.54	Hanging wall of FW3	1527.0	452759	5434367	330	-60	1268.9	1275.0	6.1	4.09	
OBM-15-564	402.54	Hanging wall of FW3	1527.0	452759	5434367	330	-60	1286.9	1288.0	2.0	5.30	
		including						1286.9	1287.4	0.5	18.5	
OBM-15-564	402.54	FW3	1527.0	452759	5434367	330	-60	1295.0	1297.1	2.1	5.32	
OBM-15-568	399.88	Caribou	285.0	452263	5434628	330	-50	30.0	35.0	5.0	3.59	
		including						30.5	31.0	0.5	19.3	
		and						37.5	39.0	1.5	6.58	
OBM-15-568	399.88	Zone 27	285.0	452263	5434628	330	-50	234.4	241.0	6.6	2.78	
		including						234.4	237.0	2.6	4.94	
		and						234.4	235.8	1.4	8.28	
OSK-OBM-15-565	399.88	No name	669.0	452263	5434628	330	-50	393.0	395.0	2.0	48.6	
		including						394.0	395.0	1.0	96.9	
OBM-15-566	399.44	Zone 27	195.0	452096	5434745	331	-72	68.5	75.0	6.5	2.37	
		including						71.1	72.1	1.0	4.94	
OBM-15-567	398.4	Zone 27	69.0	452071	5434692	330	-63	85.8	89.0	3.2	8.45	
OBM-15-568	398.82	Upper Zone 27	214.4	452259	5434698	330	-50	72.5	92.5	20.0	1.04	
		including						82.5	87.0	4.5	2.34	
OBM-15-568	398.82	Extension Upper Zone 27	214.4	452259	5434698	330	-50	98.0	101.0	3.0	4.52	
OBM-15-568	398.82	Zone 27	214.4	452259	5434698	330	-50	179.5	182.0	2.5	3.63	
OBM-15-569	398.95	Zone 27	231.0	452271	5434688	331	-54	79.5	90.5	20.0	0.62	
OBM-15-569	398.95	New splay of zone 27	231.0	452271	5434688	331	-54	125.3	127.5	2.2	18.2	
		including						126.5	127.0	0.5	56.3	
OBM-15-569	398.95	Zone 27	231.0	452271	5434688	331	-54	218.3	220.5	2.2	10.6	
		including						218.3	218.9	0.6	26.8	
OBM-15-570	399.12	Caribou W2	200.5	452122	5434403	331	-50	107.0	109.6	2.6	31.1	
		including						107.9	108.6	0.7	131	100
OBM-15-571	401.62	-	263.5	452148	5434364	331	-50	28.4	31.0	2.6	4.20	
		including						28.4	29.2	0.8	13.6	
OBM-15-571	401.62	-	263.5	452148	5434364	331	-50	162.0	164.0	2.0	32.3	
		including						162.0	162.4	0.4	163	100
OBM-15-571	401.62	Caribou	263.5	452148	5434364	331	-50	165.5	172.7	7.2	1.20	
		including						168.5	169.5	1.0	4.50	
OBM-15-572	399.13	Upper Zone 27	261.0	452262	5434662	331	-50	101.5	103.5	2.0	97.3	
		including						101.5	102.5	1.0	194	100
OBM-15-572	399.13	Hanging wall Zone 27	261.0	452262	5434662	331	-50	199.0	203.0	4.0	2.17	
		including						200.0	200.6	0.6	10.3	
OBM-15-572	399.13	Zone 27	261.0	452262	5434662	331	-50	226.0	232.0	6.0	1.81	
		including						229.3	230.0	0.7	5.83	
		and						231.0	232.0	1.0	3.52	
OBM-15-573	399.25	-	651.0	452639	5434672	332	-51	107.0	109.0	2.0	3.77	
OBM-15-573	399.25	-	651.0	452639	5434672	332	-51	302.0	304.0	2.0	5.43	
		including						302.0	303.0	1.0	10.6	
OBM-15-573	399.25	-	651.0	452639	5434672	332	-51	313.0	315.0	2.0	32.9	
		including						315.5	316.6	1.1	99.7	
OBM-15-573	399.25	-	651.0	452639	5434672	332	-51	443.4	446.1	2.7	4.86	
		including						444.4	444.8	0.4	17.3	
OBM-15-573	399.25	Zone 27-3	651.0	452639	5434672	332	-51	569.3	571.8	2.5	25.3	
		including						569.3	569.8	0.5	48.8	
OBM-15-574	400.51	Caribou W2	228.0	452182	5434397	331	-50	159.0	168.0	9.0	0.75	
		including						165.5	165.8	0.3	4.46	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OBM-16-575	402.56	Caribou W2	231.0	452118	5434354	331	-50	182.4	193.1	10.7	0.68	
		including						187.0	193.1	6.1	1.06	
OBM-16-576	401.41		201.0	452068	5434363	331	-50				No significant results	
OBM-16-577	397	-	345.0	452829	5434777	330	-62	125.0	133.0	4.0	4.13	
		including						132.0	133.0	1.0	11.1	
OBM-16-578	401.79	Caribou W1	201.0	452040	5434347	331	-50	164.0	179.5	15.5	0.39	
		including						171.9	172.5	0.6	3.29	
OBM-16-579	398.24	-	240.0	452184	5434611	331	-48	36.6	39.0	2.4	19.7	
		including						36.6	37.5	0.9	51.8	
OBM-16-579	398.24	Zone 27	240.0	452184	5434611	331	-48	196.5	199.8	3.3	1.28	
OBM-16-580	396.86		1271.0	452818	5434773	332	-63	441.4	446.8	5.4	4.30	
OBM-16-580	396.86	Zone 27	1271.0	452818	5434773	332	-63	672.4	675.8	3.4	9.49	
OBM-16-580	396.86	FW4	1271.0	452818	5434773	332	-63	1162.2	1168.2	6.0	19.6	
		including						1162.2	1162.8	0.6	150	
		and						1167.9	1168.2	0.3	87.7	100
OBM-16-581	403.5	Caribou W	201.0	451955	5434301	331	-50	153.6	166.4	11.8	0.78	
		including						153.6	155.1	1.5	3.32	
OBM-16-582	397.37	-	509.5	452690	5434696	334	-52	216.0	218.8	2.8	15.9	
OBM-16-583	402.9	-	801.0	451766	5434111	334	-55	774.0	777.0	3.0	19.0	
		including						776.0	777.0	1.0	55.9	
OBM-16-584	407.17	-	83.5	452722	5434870	327	-65	36.0	38.0	2.0	5.87	
		including						36.5	37.1	0.6	16.9	
OBM-16-584	407.17	Vein	83.5	452722	5434870	327	-65	57.0	58.0	2.0	287	100
		including						57.0	58.0	1.0	166	100
OBM-16-584	407.17	-	83.5	452722	5434870	327	-65	70.9	74.5	3.6	6.19	
		including						73.7	74.5	0.8	26.4	
OBM-16-585	404.99	-	83.5	452768	5434887	330	-67				No significant results	
OBM-16-586	399.33	-	152.5	452835	5434860	330	-65	8.6	10.7	2.1	6.62	
OBM-16-586	399.33	-	152.5	452835	5434860	330	-65	18.0	21.0	3.0	17.6	
OBM-16-587	404.9	-	83.5	452806	5434914	331	-66	12.9	15.3	3.4	3.08	
OBM-16-588	402.4	-	101.5	452873	5434899	329	-67	65.9	69.9	2.0	5.45	
		including						67.0	67.5	0.5	19.3	
OBM-16-589	405.29	-	83.5	452856	5434930	331	-70				No significant results	
OBM-16-590	402.21	-	742.0	451726	5434583	330	-55				No significant results	
OBM-16-591	403.21	-	119.5	452962	5434948	327	-59				No significant results	
OBM-16-592	404.18	-	50.5	452559	5434841	330	-78				No significant results	
OBM-16-593	404.61	Crustiform vein	77.5	452606	5434862	150	-72	46.4	48.6	2.2	5.17	
OBM-16-593	404.61	Crustiform vein	77.5	452606	5434862	150	-72	53.0	57.6	4.6	8.43	
		including						55.3	55.6	0.3	230	100
OBM-16-594	405.59	C-south-2	149.5	452624	5434932	150	-80	88.8	100.0	11.2	1.13	
OBM-16-594	405.59	C-south-2	149.5	452624	5434932	150	-80	136.9	139.3	2.4	2.56	
OBM-16-595	406.44	New zone	74.5	452679	5435033	150	-80	63.0	65.5	2.5	4.08	
OBM-16-596	397.13	-	36.5	452855	5434568	333	-69				No significant results	
OBM-16-597	399.82	-	276.0	452005	5434512	331	-53				No significant results	
OBM-16-598	397.26	Caribou S1	1382.0	452855	5434568	333	-61	504.7	508.0	3.3	9.44	
		including						507.0	508.0	1.0	25.1	
OBM-16-598	397.26	C-south-3	1382.0	452855	5434568	333	-61	542.1	558.8	16.7	1.62	
OBM-16-598	397.26	FW3	1382.0	452855	5434568	333	-61	1115.0	1122.4	7.4	5.56	
		including						1118.0	1119.0	1.0	9.33	
		and						1121.9	1122.4	0.5	56.8	
OBM-16-599	399.53	Zone 27	270.0	451988	5434517	332	-50	193.0	198.6	5.6	2.11	
OBM-16-600	398.15	Zone 27 hanging wall	252.0	452030	5434563	331	-48	166.6	170.8	4.2	12.9	
		including						166.6	167.7	1.1	18.9	
		and						169.7	170.8	1.1	23.5	
OBM-16-600	398.15	Zone 27	252.0	452030	5434563	331	-48	176.5	182.0	5.5	5.36	
OBM-16-601	403.23	Caribou	594.0	452476	5434677	332	-51	231.1	235.5	2.4	5.43	
OBM-16-601	403.23	Zone 27	504.0	452476	5434677	332	-51	425.0	427.3	2.3	0.90	
OSK-OBM-16-601	403.23	FW3u	801.0	452476	5434677	332	-51	657.6	659.6	2.0	16.2	
OSK-OBM-16-601	403.23	FW4	801.0	452476	5434677	332	-51	795.0	797.8	2.8	5.26	
		including						797.1	797.8	0.7	20.7	
OBM-16-602	403.65	-	759.0	451679	5434254	330	-57	193.5	196.5	3.0	14.1	
		including						194.5	195.1	0.6	68.2	
OBM-16-602	403.65	FW1	759.0	451679	5434254	330	-57	407.0	409.0	2.0	7.84	
		including						407.6	408.1	0.5	25.7	
OBM-16-603	403.65	FW3	759.0	451679	5434254	330	-57	489.5	491.5	2.0	0.35	
OBM-16-603	403.65	FW4	759.0	451679	5434254	330	-57	748.0	751.0	2.0	2.86	
OBM-16-603	397.93	Zone 27	240.0	452042	5434548	331	-50	188.0	207.9	19.9	11.4	
		including						188.0	189.4	1.4	54.1	
		and						205.4	207.9	7.5	20.3	
		and						206.0	207.9	1.9	71.5	
		and						206.7	207.0	0.3	142	100
OBM-16-603	397.93	Feetwall Zone 27	240.0	452042	5434548	331	-50	233.0	235.5	2.5	4.31	
OBM-16-604	397.88	Zone 27	279.0	452046	5434533	330	-53	234.0	237.0	3.0	4.29	
OBM-16-605	399.96	New vein	443.0	452445	5434706	332	-51	320.0	322.0	2.0	3.64	
OBM-16-605	399.96	Zone 27	443.0	452445	5434706	332	-51	345.0	347.8	2.8	0.90	
OBM-16-606	397.92	Zone 27	278.6	452072	5434559	331	-50	192.1	197.1	5.0	13.8	
		including						196.0	196.8	0.8	76.9	
OBM-16-607	404.39	-	624.0	451641	5434330	332	-55				FW1 - No significant results	
OBM-16-607	404.39	-	624.0	451641	5434330	332	-55				FW3 - No significant results	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OBM-16-609	404.39	-	624.0	451641	5434330	332	-55	FW4 - No significant results				
OBM-16-608	398.21	-	249.0	452095	5434590	331	-50	87.0	89.1	2.1	5.64	
OBM-16-608	398.21	Zone 27	249.0	452095	5434590	331	-50	88.3	89.1	0.8	14.2	
								177.3	186.6	9.3	10.3	
								178.5	181.5	2.0	12.9	
OBM-16-608	398.21	Footwall of Zone 27	249.0	452095	5434590	331	-50	183.0	183.5	0.5	232	100
								183.8	184.4	0.4	13.7	
								201.2	205.0	3.8	7.21	
OBM-16-609	403.75	Zone 27	555.0	452459	5434642	331	-49	203.2	204.2	1.0	21.4	
								426.5	437.7	11.2	5.21	
								635.0	637.0	2.0	3.07	
OSK-OBM-16-609	403.75	FW3U HW	738.0	452459	5434642	331	-49	641.8	646.0	4.2	1.17	
OSK-OBM-16-609	403.75	FW3U HW	738.0	452459	5434642	331	-49	641.8	646.0	4.2	1.17	
OSK-OBM-16-609	403.75	FW3U	738.0	452459	5434642	331	-49	654.3	662.0	7.7	63.2	23.7
OBM-16-630	398.15	Zone 27	270.0	452108	5434572	331	-50	656.0	658.0	2.0	18.9	
								660.0	662.0	2.0	222	69.7
								191.0	192.0	1.0	8.35	
OBM-16-630	398.15	Footwall of Zone 27	270.0	452108	5434572	331	-50	198.1	203.0	4.9	3.81	
OBM-16-611	398.19	Zone 27	249.0	452122	5434587	332	-49	198.1	198.9	0.8	9.06	
								202.1	203.0	0.9	6.82	
								223.5	224.5	1.0	419	100
OBM-16-611	398.19	Footwall of Zone 27	249.0	452122	5434587	332	-49	87.0	182.0	4.4	3.44	
OBM-16-612	401.97	Caribou	140.0	452851	5434378	331	-58	177.6	178.9	0.9	5.70	
								151.0	151.2	2.2	4.83	
								157.8	160.0	2.2	4.43	
OBM-16-613	400.8	Footwall Caribou	251.0	452430	5434676	332	-55	417.0	429.0	2.0	8.06	
OBM-16-614	401.98	Caribou S3	1118.0	452851	5434378	333	-60	797.1	799.6	2.5	0.69	
OBM-16-614	401.98	Caribou S3	1118.0	452851	5434378	333	-60	1020.0	1022.1	2.1	3.85	
OBM-16-614	401.98	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1026.8	1030.2	3.4	11.2	
OBM-16-614	401.98	New zone between FW1 et FW3	1118.0	452851	5434378	333	-60	1028.9	1030.2	0.3	84.9	
								1036.7	1039.0	2.3	3.99	
								1037.5	1038.0	0.5	13.2	
OBM-16-614-W1	401.98	FW1	1518.0	452851	5434378	333	-60	1020.7	1023.0	2.9	4.96	
								1020.7	1021.3	0.6	17.9	
								1023.0	1024.0	2.0	3.60	
OBM-16-614-W1	401.98	New zone below 12F intrusion	1518.0	452851	5434378	333	-60	1043.7	1046.0	2.3	5.34	
OBM-16-614-W1	401.98	New zone below 12F intrusion	1518.0	452851	5434378	333	-60	1204.0	1205.0	2.0	3.40	
OBM-16-614-W1	401.98	FW1	1518.0	452851	5434378	333	-60	1204.0	1205.0	1.0	6.30	
OBM-16-614-W1	401.98	Quartz veins	1518.0	452851	5434378	333	-60	1301.0	1302.0	1.0	6.40	
								1340.0	1342.0	2.0	4.22	
								1341.0	1342.0	1.0	8.26	
OBM-16-615	398.37	Zone 27	84.0	452038	5434645	331	-64	54.5	57.0	2.5	4.35	
								122.4	124.8	2.4	18.9	
								123.8	124.5	0.7	37.3	
OBM-16-617	398.32	Footwall Zone 27	96.0	451986	5434636	327	-73	44.3	50.0	5.7	6.94	
OBM-16-618	401.6	Extension Caribou N2	751.5	452426	5434636	333	-51	281.3	281.8	2.5	5.77	
OBM-16-618	401.6	-	751.5	452426	5434636	333	-51	286.9	289.0	2.1	6.25	
OBM-16-618	401.6	Hanging wall Zone 27	751.5	452426	5434636	333	-51	398.0	408.0	10.0	1.00	
OBM-16-618	401.6	Footwall Zone 27	751.5	452426	5434636	333	-51	433.5	436.3	2.8	8.95	
								435.5	436.3	0.8	23.6	
								685.0	688.4	3.4	0.34	
OBM-16-619	399.21	Zone 27	126.0	451964	5434676	328	-70	69.0	72.1	3.1	1.64	
OBM-16-619	399.21	Zone 27-1	126.0	451964	5434676	328	-70	96.5	101.0	2.5	1.61	
								99.6	100.0	0.4	8.27	
								25.0	27.1	2.1	3.70	
OBM-16-621	407.34	Malard	54.0	451964	5434677	330	-57	Malard - No significant results				
OBM-16-622	406.65	-	114.0	451605	5434722	330	-71	No significant results				
OBM-16-623	406.84	-	48.0	451951	5434600	330	-57	No significant results				
OBM-16-624	398.40	Zone 27	60.0	452117	5434711	150	-67	37.4	30.7	2.3	1.60	
OBM-16-624	398.40	Zone 27	60.0	452117	5434711	150	-67	26.7	38.8	2.1	1.09	
OBM-16-625	399.69	-	525.0	452404	5434675	333	-51	167.0	169.2	2.2	11.2	
OBM-16-625	399.69	-	525.0	452404	5434675	333	-51	269.0	271.0	2.0	4.29	
OBM-16-625	399.69	Zone 27 HW	525.0	452404	5434675	333	-51	333.3	336.0	2.7	7.07	
OBM-16-625	399.69	Zone 27 FW	525.0	452404	5434675	333	-51	331.3	334.2	0.9	15.6	
								349.0	352.0	3.0	3.83	
								518.7	521.0	2.3	23.8	
OSK-OBM-16-625	399.69	FW3U HW	801.0	452404	5434675	331	-51	588.0	590.1	2.1	4.00	
OSK-OBM-16-625	399.69	FW3U	801.0	452404	5434675	331	-51	588.5	588.9	0.4	36.9	
								605.3	610.6	5.3	0.35	
								Caribou - No significant results				
OBM-16-626	398.49	Caribou (upper extension)	81.0	452224	5434626	151	-68	40.5	43.0	2.5	41.8	
OBM-16-626	398.49	Crustiform vein	81.0	452224	5434626	151	-68	40.5	41.4	0.9	136	100
								60.9	63.3	2.4	23.3	
								60.9	62.2	0.3	69.5	
OBM-16-627	407.21	Crustiform vein	102.0	451590	5434766	320	-56	62.6	63.3	0.7	40.3	
								Crustiform vein - No significant results				
								Hole abandoned				



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OBM-16-629	406.41		81.0	451582	5434795	322	-88				Crustiform vein - No significant results	
OBM-16-630	399.17	Zone 27	279.0	452252	5434613	329	-51	244.3	248.6	4.3	1.13	
OSK-OBM-16-630	399.17	FW3U HW	699.0	452252	5434613	329	-51	518.2	521.0	2.8	4.82	
OBM-16-631	406.55		120.0	451561	5434780	351	-56				Crustiform vein - No significant results	
OBM-16-632	406.4		105.0	451462	5434740	350	-51				Crustiform vein - No significant results	
OBM-16-633	398.52	Zone 27	27.7	452222	5434637	332	-51	203.6	205.9	2.2	7.81	
		including						204.0	204.3	0.3	51.5	
OBM-16-634	407.11		165.0	451547	5434650	346	-57				Crustiform vein - No significant results	
OBM-16-635	401.19		99.0	452260	5434862	333	-78				Caribou - No significant results	
OBM-16-636	398.73	Caribou	300.0	452240	5434584	331	-50	43.6	51.2	7.6	0.51	
OBM-16-636	398.73	Zone 27	300.0	452240	5434584	331	-50	253.1	256.0	2.9	0.56	
OBM-16-636	398.73		300.0	452240	5434584	331	-50				C-west 4 - No significant results	
OBX-16-637	394		165.0	450413	5439271	360	-49				No significant results	
OBX-16-638	400		249.0	450296	5439131	1	-47				No significant results	
OBM-16-639	397.33	Shear Zone	266.0	452710	5434725	330	-61	18.0	20.0	2.0	2.96	
OBM-16-640	398.9		399.0	452214	5434604	330	-50				No significant results	
OBX-16-641	400	Exploration	378.0	450580	5439413	182	-45	248.8	253.3	2.5	1.12	
OBX-16-641	400	Exploration	378.0	450580	5439413	182	-45	256.0	259.0	3.0	1.09	
OBM-16-642	397.25	New zone	1089.8	452719	5434726	334	-61	318.4	321.0	2.6	10.0	
OBM-16-642	397.25	Caribou North 2	1089.8	452719	5434726	334	-61	510.0	521.0	11.0	3.46	
OBM-16-642	397.25	Closing of Zone 27-3	1089.8	452719	5434726	334	-61	610.0	620.6	10.6	1.11	
OBM-16-642	397.25	FW3	1089.8	452719	5434726	334	-61	816.4	817.8	1.4	0.26	
OBM-16-642	397.25	New underground corridor	1089.8	452719	5434726	334	-61	934.0	937.9	3.9	17.2	
		including						934.0	934.3	0.3	264	100
OBM-16-643	398.21	Caribou	300.0	452217	5434580	330	-50	35.0	38.0	3.0	4.95	
OBM-16-643	398.21	New zone	300.0	452217	5434580	330	-50	172.0	172.4	5.4	2.48	
		including						174.0	176.0	1.0	6.93	
OBM-16-643	398.21	Zone 27	300.0	452217	5434580	330	-50	245.6	247.9	2.3	25.2	
		including						245.6	246.1	0.5	254	100
OBM-16-643	398.21	Zone 27 footwall	300.0	452217	5434580	330	-50	261.7	264.0	2.3	5.03	
OBM-16-643	398.21		300.0	452217	5434580	330	-50				No significant results	
OBM-16-645	398.18	Pyrite vein	396.0	452201	5434629	330	-50	155.0	155.4	0.4	46.4	
OBM-16-645	398.18	Zone 27 (pyrite vein)	396.0	452201	5434629	330	-50	184.3	187.0	2.7	2.31	
		including						184.3	184.6	0.3	6.88	
OBM-16-645	398.18	Zone 27 footwall	396.0	452201	5434629	330	-50	219.9	222.0	2.1	5.67	
OBM-16-645	398.18		396.0	452201	5434629	330	-50				No significant results	
OBM-16-647	399.9	Caribou	120.0	452383	5434658	332	-44	107.8	108.0	2.2	5.00	
OBM-16-648	399.78		87.0	452327	5434648	329	-85				No significant results	
OBM-16-649	398.81	Caribou	126.0	452368	5434647	331	-78	30.0	39.1	2.1	4.37	
OBM-16-649	398.81	Caribou	126.0	452368	5434647	331	-78	48.6	51.0	2.4	9.55	
OBM-16-649	398.81	Caribou	126.0	452368	5434647	331	-78	81.0	83.5	2.5	3.33	
OBM-16-649	398.81	Caribou	126.0	452368	5434647	331	-78	95.5	98.0	2.5	3.93	
OBM-16-650	401.06		138.0	452749	5434816	331	-45				No significant results	
OBM-16-651	398.43	Zone 27	186.0	452213	5434676	322	-46	73.1	79.1	6.0	0.73	
OBM-16-651	398.43	Zone 27 footwall	186.0	452213	5434676	322	-46	158.5	163.8	5.3	8.94	
		including						163.8	163.8	0.0	30.5	
OBX-16-652	400	Crustiform vein	234.0	448639	5434175	167	-44	208.7	210.3	1.6	12.7	
OBM-16-653	400.54		311.4	452727	5434960	330	-53				No significant results	
OBM-16-654	398.15	Zone 27	267.0	452134	5434591	330	-52	171.9	183.0	11.1	0.96	
OBM-16-655	398.43	New zone	954.0	452439	5434353	333	-61	207.0	209.5	2.5	3.82	
		including						208.0	209.5	1.5	6.82	
OBM-16-655	398.43	Tourmaline vein	954.0	452439	5434353	333	-61	410.0	412.0	2.0	10.8	
		including						410.0	411.0	1.0	22.6	
OBM-16-655	398.43	Quartz vein in 12F	954.0	452439	5434353	333	-61	539.4	539.8	0.4	6.06	
OBM-16-655	398.43	Quartz-carbonate-chlorite vein in 12F	954.0	452439	5434353	333	-61	550.0	550.3	0.3	75.5	
OBM-16-655	398.43	New zone	954.0	452439	5434353	333	-61	917.5	928.5	11.0	5.30	
		including						924.0	928.5	4.5	10.2	
OBM-16-656	399.34	Caribou	336.0	452359	5434680	329	-48	60.4	62.5	2.1	6.48	
OBM-16-656	399.34	Caribou footwall	336.0	452359	5434680	329	-48	67.7	73.4	5.7	6.39	
		including						72.5	73.4	0.9	24.4	
OBM-16-656	399.34	New zone	336.0	452359	5434680	329	-48	195.5	198.3	2.8	3.39	
		including						197.8	198.3	0.5	9.20	
OBM-16-656	399.34	Hanging wall of Zone 27	336.0	452359	5434680	329	-48	255.2	261.0	5.8	9.04	
		including						260.0	260.5	0.5	73.8	
OBM-16-656	399.34	Zone 27	336.0	452359	5434680	329	-48	273.3	276.4	3.1	80.6	
		including						274.2	275.3	1.1	70.8	
OBM-16-656	399.34		336.0	452359	5434680	329	-48	296.0	299.0	3.0	8.30	
		including						296.0	297.0	1.0	22.2	
OBX-16-657	395		261.0	448718	5433925	360	-55				No significant results	
OBM-16-658	401.65	Caribou South 1	924.0	452611	5434621	333	-60	380.0	382.0	2.0	45.8	
		including						380.0	381.0	1.0	90.0	
OBM-16-658	401.65	Caribou South 3	924.0	452611	5434621	333	-60	450.0	454.0	4.0	1.66	
OBM-16-658	401.65	New zone	924.0	452611	5434621	333	-60	519.0	527.0	8.0	8.90	
		including						521.0	521.8	0.8	18.8	
		and						522.4	523.4	1.0	37.1	
OBM-16-658	401.65	Caribou North 2	924.0	452611	5434621	333	-60	562.4	564.5	2.1	3.96	
OBM-16-658	401.65	Zone 27-3	924.0	452611	5434621	333	-60	675.0	676.8	1.8	3.98	
		including						676.0	676.8	0.8	8.80	
OBM-16-658	401.65	FW3	924.0	452611	5434621	333	-60	851.0	854.0	3.0	0.39	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OBM-16-659	399		240.0	448629	5433901	356	-46			No significant results		
OBM-16-660	399.42	Caribou	426.0	452376	5434669	329	-52	93.0	96.7	5.7	2.36	
OBM-16-660	399.42	Caribou	426.0	452376	5434669	329	-52	125.1	132.0	6.9	7.25	
								129.6	130.7	1.1	24.3	
								301.7	305.4	3.7	2.38	
OBM-16-660	399.42	Zone 27	426.0	452376	5434669	329	-52					
OSK-OBM-16-660	399.42	FW3U	651.0	452376	5434669	329	-52	573.9	576.8	2.9	15.0	
								573.9	575.0	1.1	17.9	
								576.0	576.8	0.8	22.8	
OBM-16-661	400		555.0	448773	5433866	330	-59			No significant results		
OBM-16-662	400.76	Hanging wall of Caribou	210.0	452423	5434665	330	-53	129.3	131.4	2.1	3.08	
OBM-16-662	400.76	Caribou	210.0	452423	5434665	330	-53	173.7	179.7	6.0	0.95	
OSK-OBM-16-662	400.76	227	435.0	452423	5434665	330	-53	395.0	400.0	5.0	4.25	
OBM-16-663	400.22	New zone	450.0	452402	5434658	330	-53	233.7	236.1	2.4	30.2	
								233.7	234.4	0.7	169	100
OBM-16-663	400.22	Zone 27 hanging wall	450.0	452402	5434658	330	-53	366.8	371.0	4.2	2.92	
								366.8	367.2	0.4	11.4	
								370.0	371.0	1.0	5.11	
OBM-16-663	400.22	Zone 27	450.0	452402	5434658	330	-53	383.5	395.2	11.7	5.68	
								384.3	388.5	4.2	10.9	
OSK-W-17-663-W1	400.22	FW3U	822.2	452402	5434658	330	-53	648.0	650.0	2.0	4.64	
OBM-16-664	402.32	Caribou	498.0	452396	5434618	329	-55	172.9	175.9	3.0	7.34	
								173.7	174.6	0.9	17.8	
OBM-16-664	402.32	Zone 27	498.0	452396	5434618	329	-55	439.3	449.5	10.2	4.64	
								439.3	440.0	0.7	29.7	
								440.0	449.5	0.5	19.1	
OBM-16-664	402.32	Crustiform vein	498.0	452396	5434618	329	-55	453.0	453.3	0.3	178	100
OSK-OBM-16-664	402.32	FW3U win	810.0	452396	5434618	329	-55	649.0	652.0	3.0	12.8	
OSK-OBM-16-664	402.32	FW3U	810.0	452396	5434618	329	-55	725.7	728.4	2.7	1.01	
OSK-W-17-664-W1	402.32	FW3U win	996.0	452396	5434618	329	-55	631.0	640.0	7.0	0.39	
OSK-W-17-664-W1	402.32	FW3U	996.0	452396	5434618	329	-55	754.0	756.4	2.4	4.89	
								754.9	755.8	0.9	12.8	
OBM-16-665	400		20.5	449316	5434379	335	-48			No significant results		
OBM-16-666	400	New zone	420.0	449316	5434385	335	-48	151.5	152.5	1.0	44.1	
OBM-16-665	400		420.0	449316	5434385	335	-48	384.0	384.3	0.3	188	100
OBM-16-667	399.65	Quartz-tourmaline vein	525.0	452410	5434597	330	-55	111.6	114.0	2.4	3.70	
								111.6	112.6	1.0	8.86	
OBM-16-667	399.65	Zone 27	525.0	452410	5434597	330	-55	482.5	485.5	3.0	0.81	
OSK-OBM-16-667	399.65	FW3	852.0	452410	5434597	330	-55	665.0	669.0	8.5	12.5	
								663.0	665.0	2.0	37.4	
								663.0	664.2	1.2	50.1	
OBM-16-667	399.65		525.0	452410	5434597	330	-55			Caribou - No significant results		
OBM-16-668	402.83	Caribou hanging wall	438.0	452450	5434674	330	-45	129.1	131.5	2.4	4.67	
								130.0	130.6	0.6	17.6	
OBM-16-668	402.83	New Zone	438.0	452450	5434674	330	-45	197.0	199.0	2.0	6.35	
								198.0	199.0	1.0	12.7	
OBM-16-668	402.83	New Zone	438.0	452450	5434674	330	-45	220.5	223.0	2.5	29.3	
								222.1	223.0	0.9	76.1	
OBM-16-668	402.83	Zone 27	438.0	452450	5434674	330	-45	351.6	356.0	4.0	75.4	
OBM-16-668	402.83		438.0	452450	5434674	330	-45			Caribou - No significant results		
OBM-16-669	402.89	Caribou South 2	402.0	452503	5434712	330	-45	141.0	143.0	2.0	0.86	
OBM-16-669	402.89	Caribou	402.0	452503	5434712	330	-45	175.8	177.8	2.0	2.98	
OBM-16-669	402.89	Caribou footwall	402.0	452503	5434712	330	-45	189.0	192.0	3.0	3.02	
								189.0	189.8	0.8	6.75	
OBM-16-669	402.89	New zone	402.0	452503	5434712	330	-45	307.0	309.0	2.0	5.00	
OBM-16-669	402.89	Zone 27	402.0	452503	5434712	330	-45	330.0	332.3	2.3	0.84	
OBM-16-669	402.89	Zone 27 footwall	402.0	452503	5434712	330	-45	384.7	387.0	2.5	3.92	
OBM-16-670	410		420.0	448298	5432887	333	-45			No significant results		
OBM-16-671	401.23	New zone	489.0	452374	5434591	330	-57	89.5	90.0	0.5	3.62	
								92.0	93.0	1.0	8.04	
OBM-16-671	401.23	Crustiform vein	489.0	452374	5434591	330	-57	339.4	342.0	2.6	15.9	
								339.4	339.8	0.4	152	100
OBM-16-671	401.23	New zone	489.0	452374	5434591	330	-57	361.4	365.8	4.5	5.99	
OBM-16-671	401.23	Tourmaline vein	489.0	452374	5434591	330	-57	377.1	379.2	2.1	37.4	
								378.6	379.2	0.6	19.5	
OBM-16-671	401.23	Zone 27	489.0	452374	5434591	330	-57	466.5	470.8	4.3	0.49	
OBM-16-671	401.23		489.0	452374	5434591	330	-57			Caribou - No significant results		
OBM-16-672	401.54	Caribou West 2	351.0	452106	5434421	333	-47	82.5	87.0	4.5	1.69	
OBM-16-672	400.54		351.0	452106	5434431	333	-47			Zone 27 - No significant results		
OBM-16-673	403.51	Crustiform veining	495.0	452518	5434736	330	-57	117.0	119.6	2.6	3.19	
								118.8	119.6	0.8	7.61	
OBM-16-673	403.51	Caribou South 2	495.0	452518	5434736	330	-57	132.0	134.3	2.3	2.27	
OBM-16-673	403.51	Caribou	495.0	452518	5434736	330	-57	226.5	226.7	10.2	0.88	
OBM-16-673	403.51	Zone 27 hanging wall	495.0	452518	5434736	330	-57	450.0	453.3	3.3	0.84	
OBM-16-674	400.55	New zone	171.0	451021	5434715	150	-60	17.0	19.0	2.0	7.71	
								17.7	18.0	0.3	90.1	
OBM-16-674	400.55	Zone 27 footwall	171.0	451021	5434715	150	-60	61.0	64.0	3.0	2.88	
								63.0	64.0	1.0	7.39	
OBM-16-674	400.55	Zone 27 footwall	171.0	451021	5434715	150	-60	72.0	74.0	2.0	6.62	
								72.7	74.0	1.3	9.77	
OBM-16-674	400.55	Zone 27 footwall	171.0	451021	5434715	150	-60	76.2	78.8	2.6	4.30	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OBM-16-674	400.55	Zone 27	171.0	451021	5434715	150	-60	106.3	113.0	6.7	16.6	
		including						106.3	107.0	0.7	47.0	
		and						110.4	111.8	1.4	45.7	
OBM-16-674	400.55	Zone 27 hanging wall	171.0	451021	5434715	150	-60	159.0	161.2	2.2	10.4	
		including						159.6	161.2	1.6	14.3	
OBM-16-675	400.62	Caribou	432.0	452338	5434607	332	-55	98.6	101.0	2.4	0.52	
OBM-16-675	400.62	New zone	432.0	452338	5434607	332	-55	297.6	301.7	4.1	8.23	
OBM-16-675	400.62	Crustiform vein	432.0	452338	5434607	332	-55	331.0	333.0	2.0	3.50	
		including						331.5	331.9	0.4	42.8	
OBM-16-675	400.62	Zone 27	432.0	452338	5434607	332	-55	395.9	400.2	4.3	3.18	
OBM-16-676	399.46	Quartz vein	156.0	452261	5434543	330	-54	25.2	26.0	0.8	43.4	
OBM-16-676	399.46	Caribou West 4	156.0	452261	5434543	330	-54	124.5	127.0	2.5	0.49	
OBM-16-677	398.47	Zone 27 upper	125.0	452177	5434724	328	-51	43.8	46.0	2.2	3.34	
		including						43.8	45.0	1.2	5.75	
OBM-16-677	398.47	Zone 27	125.0	452177	5434724	328	-51	70.5	73.0	2.5	4.26	
OBM-16-678	399.44	Caribou	186.0	452347	5434661	330	-53	71.0	73.0	2.0	2.07	
OSK-OBM-16-678	399.44	227	717.0	452347	5434661	330	-53	256.0	258.4	2.4	24.8	
		including						257.5	258.4	0.9	45.4	
OSK-OBM-16-678	399.44	227	717.0	452347	5434661	330	-53	318.0	320.0	2.0	43.5	
		including						319.0	320.0	1.0	82.8	
OSK-OBM-16-678	399.44	FW3U	717.0	452347	5434661	330	-53	599.0	601.0	2.0	3.22	
OSK-OBM-16-678	399.44	FW3U	717.0	452347	5434661	330	-53	604.0	606.2	2.2	3.56	
OSK-OBM-16-678	399.44	FW3U	717.0	452347	5434661	330	-53	618.0	621.0	2.0	7.10	
		including						620.0	621.0	1.0	12.9	
OBM-16-679	399.54	Zone 27 upper	138.0	452254	5434790	325	-45	50.0	53.6	3.6	2.09	
OBM-16-679	399.54	Zone 27	138.0	452254	5434790	325	-45	108.5	112.1	5.6	1.35	
OBM-16-680	402.02	New zone	372.0	452626	5434626	331	-53	78.0	80.3	2.3	4.87	
OBM-16-681	405.02	Caribou South 2	372.0	452626	5434626	331	-53				No significant results	
OBM-16-681	405.02		372.0	452626	5434626	331	-53	56.0	58.0	2.0	3.47	
OBM-16-682	399.29	Zone 27	129.0	452269	5434798	331	-55	57.6	58.0	0.4	16.4	
		including										
OBM-16-683	400		39.0	452314	5434640	330	-53				Abandoned	
OBM-16-684	402.13	Caribou	210.0	452382	5434629	331	-53	130.0	134.0	1.0	5.22	
		including						132.0	133.0	1.0	15.0	
OBM-16-685	399.93	Caribou	384.0	452315	5434638	332	-53	41.4	43.7	2.3	0.82	
OBM-16-685	399.93	Zone 27	384.0	452315	5434638	332	-53	321.7	333.4	11.7	5.40	
		including						321.7	325.0	3.3	9.63	
OBM-16-686	404.08	Zone 27 hanging wall	195.0	452207	5434907	153	-57	133.5	135.0	1.5	8.80	
		including						133.5	134.5	1.0	19.5	
OBM-16-686	404.08	Zone 27	195.0	452207	5434907	153	-57	153.0	155.0	2.0	2.39	
		including						154.5	155.0	0.5	6.36	
OBM-16-686	404.08	Zone 27 footwall	195.0	452207	5434907	153	-57	179.0	181.4	2.4	1.39	
OBM-16-687	402.84	New zone	570.0	452476	5434592	330	-56	105.0	107.0	2.0	3.36	
OBM-16-687	402.84	New zone	570.0	452476	5434592	330	-56	194.0	197.0	3.0	4.32	
OBM-16-687	402.84	Caribou - Caribou South 1 connection	570.0	452476	5434592	330	-56	309.0	311.6	2.6	0.35	
OBM-16-687	402.84	Zone (between Caribou S1 and Caribou S2)	570.0	452476	5434592	330	-56	354.0	361.0	7.0	6.61	
		including						354.8	355.4	0.6	67.0	
OBM-16-687	402.84	Zone 27	570.0	452476	5434592	330	-56	537.9	540.0	2.1	4.78	
		including						537.9	539.2	1.3	7.69	
OSK-OBM-16-687	402.84	FW3U HW	882.0	452476	5434592	330	-56	749.0	751.0	2.0	3.48	
OBM-16-688	404.06		8.6	452207	5434907	148	-61				Abandoned	
OBM-16-689	399.33	Caribou	687.0	452630	5434688	330	-54	359.3	361.8	1.0	3.45	
		including						359.3	360.8	1.5	1.45	
OBM-16-689	399.33	New zone	687.0	452630	5434688	330	-54	492.3	495.4	3.1	9.12	
		including						492.3	493.4	1.1	25.1	
OBM-16-689	399.33	Zone 27 hanging wall	687.0	452630	5434688	330	-54	577.0	579.3	2.3	4.54	
OBM-16-689	399.33	Zone 27 hanging wall	687.0	452630	5434688	330	-54	587.3	589.4	2.1	4.65	
OBM-16-689	399.33	Zone 27	687.0	452630	5434688	330	-54	594.0	602.0	8.0	4.36	
		including						597.4	599.3	1.9	12.1	
OBM-16-689	399.33	Zone 27 footwall	687.0	452630	5434688	330	-54	601.0	602.0	1.0	6.81	
		including						615.7	618.0	2.3	9.85	
OBM-16-690	404.06	Zone 27	198.0	452240	5434915	150	-54	117.4	124.9	7.5	0.32	
OBM-16-691	401.28	Caribou	327.6	452456	5434636	331	-53	198.4	200.8	2.4	4.36	
OBM-16-692	402.99	Crustiform vein	182.0	452273	5434930	150	-54	42.6	47.0	4.4	13.2	
		including						42.6	44.9	2.3	23.9	
		and						43.0	44.0	1.0	27.9	
OBM-16-692	403.99	Zone 27	182.0	452273	5434930	150	-54	44.6	44.9	0.3	81.1	
OBM-16-693	401.39	Caribou	540.0	452443	5434600	331	-54	161.9	164.0	2.1	0.66	
		including						280.3	283.2	2.9	8.22	
OBM-16-693	401.39	Caribou - Caribou South 1 connection	540.0	452443	5434600	331	-54	297.0	298.6	0.7	31.5	
OBM-16-693	401.39	Caribou North 2	540.0	452443	5434600	331	-54	336.0	339.9	3.9	0.11	
OBM-16-693	401.39	Zone 27	540.0	452443	5434600	331	-54	499.0	501.0	2.0	3.23	
OBM-16-693	401.39	Zone 27 footwall	540.0	452443	5434600	331	-54	504.8	507.0	2.2	3.28	
		including						505.5	505.9	0.4	13.3	
OSK-OBM-16-693	401.39	FW3U HW	861.0	452443	5434600	331	-54	645.4	649.0	3.6	13.3	
OSK-OBM-16-693	401.39	FW3U HW	861.0	452443	5434600	331	-54	654.1	664.0	9.9	30.8	22.2
		including						654.1	656.0	1.9	80.0	45.5
		including						658.1	661.9	3.8	37.4	32.1



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-OBM-16-693	401.39	FW3U	861.0	452443	5434600	331	-54	805.0	807.0	2.0	7.36	
		including						805.0	807.0	1.0	14.2	
OBM-16-694	405.31	Crustiform vein	90.0	452367	5434996	150	-56	19.6	21.6	2.0	7.52	
		including						19.6	20.3	0.7	26.5	
OBM-16-695	398.12		147.0	452702	5434784	332	-61			Abandoned		
OBM-16-696	401.87	Caribou	510.0	452710	5434810	333	-61	348.2	351.5	3.3	5.50	
		including						350.0	351.5	1.5	7.82	
OBM-16-697	403.25	Quartz tourmaline vein	420.0	452501	5434610	330	-54	228.7	230.7	2.0	16.0	
		including						228.7		0.5	63.5	
OBM-16-697	403.25		420.0	452501	5434610	330	-54			Caribou hanging wall -		
OBM-16-697	403.25	Caribou	420.0	452501	5434610	330	-54	292.0	302.3	10.3	0.61	
OBM-16-697	403.25	Caribou South 1	420.0	452501	5434610	330	-54	315.0	319.3	4.3	1.17	
OBM-16-697	403.25	Caribou North 1	420.0	452501	5434610	330	-54	338.0	340.0	2.0	1.23	
OBM-16-697	403.25	Caribou North 2	420.0	452501	5434610	330	-54	386.0	388.5	2.5	0.45	
OSK-OBM-16-697	403.25	FW3U	885.0	452501	5434610	330	-54	799.0	801.1	2.1	15.3	
		including						800.3	801.1	0.8	40.1	
OSK-OBM-16-697	403.25	FW3U	885.0	452501	5434610	330	-54	804.1	806.7	2.6	29.1	
		including						804.1	806.7	0.6	90.1	
OBM-16-698	397.08	New zone, shear	684.0	452738	5434749	332	-60	79.5	82.5	3.0	2.97	
OBM-16-698	397.08	New zone	684.0	452738	5434749	332	-60	156.5	159.0	2.5	8.06	
		including						156.5	157.5	1.0	19.0	
OBM-16-698	397.08	low hanging wall - Quartz tourmaline	684.0	452738	5434749	332	-60	443.1	446.0	2.9	3.62	
OBM-16-698	397.08	Caribou North 2	684.0	452738	5434749	332	-60	492.3	495.8	3.4	4.49	
		including						495.1	495.8	0.6	19.3	
OBM-16-699	407.72	FW3	351.0	451486	5434418	330	-60	118.5	121.0	2.5	0.02	
OBM-16-699	407.72	New zone	351.0	451486	5434418	330	-60	270.0	272.5	2.5	6.63	
OBM-16-700	402.75		126.0	452469	5434608	331	-53			Abandoned		
OBM-16-701	398.19	New zone	699.0	452818	5434799	328	-63	262.0	264.0	2.0	3.20	
		including						262.5	263.0	0.5	11.9	
OBM-16-701	398.19	Tourmaline veins	699.0	452818	5434799	328	-63	310.7	313.0	2.3	33.6	
		including						310.7	311.0	0.3	12.1	
OBM-16-701	398.19	Quartz vein	699.0	452818	5434799	328	-63	374.7	377.0	2.3	3.28	
		including						376.7	377.0	0.3	14.4	
OBM-16-701	398.19	New zone	699.0	452818	5434799	328	-63	414.7	420.8	6.1	5.14	
OBM-16-701	398.19	Caribou hanging wall	699.0	452818	5434799	328	-63	463.0	470.0	7.0	4.82	
		including						463.0	464.0	1.0	22.4	
OBM-16-701	398.19	Crustiform vein	699.0	452818	5434799	328	-63	409.0	412.2	3.2	4.51	
OBM-16-701	398.19	Extension of Caribou North 2	699.0	452818	5434799	328	-63	551.1	558.0	6.9	8.86	
		including						557.0	558.0	1.0	47.7	
OBM-16-701	398.19	Eastern extension of Zone 27	699.0	452818	5434799	328	-63	620.2	622.3	2.1	6.68	
		including						621.3	622.3	1.0	31.3	
OBM-16-702	400.76	Caribou	308.0	452311	5434627	329	-55	52.9	55.7	2.8	2.66	
		including						52.9	53.6	0.7	9.69	
OBM-16-703	402.32	New zone	678.0	451622	5434235	329	-56	250.5	252.8	2.3	7.81	
		including						250.5	251.3	0.8	22.0	
OBM-16-703	402.32	Quartz-carbonate veins	678.0	451622	5434235	329	-56	256.1	259.0	2.9	3.34	
OBM-16-703	402.32	FW1	678.0	451622	5434235	329	-56	302.7	303.0	0.3	18.4	
		including						301.4	302.5	1.1	38.2	
OBM-16-703	402.32	New zone	678.0	451622	5434235	329	-56	336.5	338.5	2.0	3.17	
		including						336.5	337.7	1.2	5.09	
OBM-16-703	402.32	FW3	678.0	451622	5434235	329	-56	469.5	472.5	3.0	0.60	
OBM-16-704	400.63	Caribou	408.0	452311	5434627	329	-57	56.0	58.0	2.0	0.79	
OBM-16-704	400.63	Zone 27	408.0	452311	5434627	329	-57	346.0	350.2	4.2	3.55	
OBM-16-704	400.63	FW3	408.0	452311	5434627	329	-57	594.9	599.2	4.3	0.72	
OSK-W-16-704-W1	400.63	FW3 hanging wall	852.0	452311	5434627	329	-57	641.8	644.5	2.8	6.59	
		including						641.1	643.5	0.4	39.1	
OSK-W-16-704-W1	400.63	FW3	852.0	452311	5434627	329	-57	649.6	652.5	2.9	15.5	
		including						649.6	650.3	0.7	63.6	
OSK-W-16-704-W1	400.63	New - Underdrift corridor	852.0	452311	5434627	329	-57	671.2	677.5	6.3	6.10	
		including						671.2	671.7	0.5	98.3	
OSK-W-16-704-W1	400.63	FW4	852.0	452311	5434627	329	-57	797.0	799.0	2.0	25.1	
		including						797.5	798.1	0.6	50.5	
OSK-W-16-705	403.08	Caribou South 1	636.0	452599	5434581	333	-60	403.5	406.8	3.3	1.31	
OSK-W-16-705	403.08	Caribou South 3	636.0	452599	5434581	333	-60	462.7	465.0	2.3	0.54	
OSK-W-16-705	403.08	Wall	636.0	452599	5434581	333	-60	565.0	567.0	2.0	4.04	
		including						565.7	566.4	0.7	10.7	
OSK-W-16-705	403.08	New Zone	636.0	452599	5434581	333	-60	594.0	596.2	2.2	3.64	
OSK-W-16-705	403.08	FW3	636.0	452599	5434581	333	-60	899.0	901.9	2.9	3.54	
		including						901.1		0.8	32.8	
OSK-W-16-706	401.59	Caribou South 1	1335.0	452611	5434418	327	-57	956.6	952.6	4.0	1.66	
OSK-W-16-706	401.59	FW0	1335.0	452611	5434418	327	-57	829.5	831.6	2.1	1.44	
OSK-W-16-706	401.59	FW1	1335.0	452611	5434418	327	-57	950.3	952.6	2.3	12.3	
		including						950.3	951.3	1.0	29.4	
OSK-W-16-706	401.59	FW3	1335.0	452611	5434418	327	-57	1139.0	1139.8	0.8	0.72	
OSK-W-16-706-W1	401.59	Caribou South 1	1275.0	452611	5434418	327	-57	546.5	553.0	16.5	5.75	
OSK-W-16-706-W1	401.59	Caribou South 1 - cut to 100 g/t Au	1275.0	452611	5434418	327	-57	546.5	563.0	16.5	3.53	
		including						549.2	549.5	0.3	222	100
OSK-W-16-706-W1	401.59	Caribou South 1 footwall	1275.0	452611	5434418	327	-57	558.3	563.0	4.7	3.41	
		including						558.3	558.7	0.4	14.5	
OSK-W-16-706-W1	401.59	FW0	1275.0	452611	5434418	327	-57	818.8	821.3	2.5	28.1	
		including						819.4	820.0	0.6	327	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-16-706-W1	401.59	FW1 hanging wall	1275.0	452611	5434418	327	-57	886.2	888.2	2.0	4.93	
		including						886.2	887.2	1.0	9.72	
OSK-W-16-706-W1	401.59	FW1	1275.0	452611	5434418	327	-57	902.5	904.5	2.0	2.85	
OSK-W-16-706-W1	401.59	FW2	1275.0	452611	5434418	327	-57	981.1	992.0	10.9	10.6	
		including						981.9	983.7	1.8	24.0	
								988.5	992.0	3.5	19.4	
OSK-W-16-706-W1	401.59	FW2	1275.0	452611	5434418	327	-57	1007.0	1012.0	5.0	7.50	
		including						1008.0	1010.0	2.0	13.8	
OSK-W-16-706-W1	401.59	FW2	1275.0	452611	5434418	327	-57	1022.0	1024.3	2.3	18.6	
		including						1022.9	1023.7	0.8	49.9	
OSK-W-16-706-W1	401.59	FW3	1275.0	452611	5434418	327	-57	1033.0	1041.9	8.9	16.6	15.9
		including						1033.5	1034.3	0.8	91.6	
								1041.0	1041.4	0.4	137	100
OSK-W-16-706-W1	401.59	FW4	1275.0	452611	5434418	327	-57	1073.1	1077.0	3.9	8.74	
OSK-W-16-706-W1	401.59	New - under Red Dog	1275.0	452611	5434418	327	-57	1248.4	1250.9	2.5	3.95	
OSK-W-16-706-W2	401.59	Caribou South 1	1296.0	452611	5434418	327	-57	552.0	556.3	4.3	1.87	
OSK-W-16-706-W2	401.59	FW0	1296.0	452611	5434418	327	-57	827.0	829.0	2.0	2.43	
OSK-W-16-706-W2	401.59	Quartz-tourmaline veins	1296.0	452611	5434418	327	-57	903.0	905.0	2.0	3.12	
OSK-W-16-706-W2	401.59	FW1 (AQ zone)	1296.0	452611	5434418	327	-57	945.1	951.4	6.3	9.17	
OSK-W-16-706-W2	401.59	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1018.0	1020.4	2.4	5.67	
OSK-W-16-706-W2	401.59	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1093.8	1098.3	4.5	3.06	
		including						1093.8	1094.4	0.6	12.7	
		and						1097.4	1098.3	0.9	6.44	
OSK-W-16-706-W2	401.59	FW3	1296.0	452611	5434418	327	-57	1146.0	1149.5	3.5	4.95	
		including						1147.8	1148.2	0.4	35.3	
OSK-W-16-706-W2	401.59	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1176.5	1179.0	2.5	3.20	
		including						1177.5	1178.0	0.5	15.7	
OSK-W-16-706-W2	401.59	New - Underdog Corridor	1296.0	452611	5434418	327	-57	1209.2	1205.2	2.0	7.33	
		including						1209.2	1204.6	4.6	33.6	
OSK-W-16-706-W3	401.59	FW1	1061.0	452611	5434418	327	-57	944.8	952.5	7.7	7.57	
		including						944.8	945.9	1.1	9.25	
		and						948.0	950.1	1.1	30.0	
OSK-W-16-706-W3	401.59	FW2	1061.0	452611	5434418	327	-57	1027.0	1029.2	2.2	7.88	
		including						1028.0	1028.7	0.7	20.3	
OSK-W-16-707	403.1	Caribou South 2	600.0	452572	5434688	331	-52	247.3	249.5	2.2	11.3	
		including						248.3	248.7	0.4	58.6	
OSK-W-16-707	403.1	Caribou	600.0	452572	5434688	331	-52	319.5	328.0	8.5	0.78	
OSK-W-16-708	403.25	Shear and quartz veins	1257.0	452818	5434423	331	-54	354.0	356.2	2.2	3.65	
		including						354.8	355.1	0.3	14.0	
OSK-W-16-708	403.25	Caribou South 3	1257.0	452818	5434423	331	-54	525.5	528.0	2.5	1.90	
OSK-W-16-708	403.25	New	1257.0	452818	5434423	331	-54	755.5	758.0	2.4	3.36	
OSK-W-16-708	403.25	Wolf hanging wall	1257.0	452818	5434423	331	-54	796.0	798.0	2.0	17.1	
OSK-W-16-708	403.25	New	1257.0	452818	5434423	331	-54	889.5	891.8	2.3	5.55	
		including						891.2	891.8	0.6	19.0	
OSK-W-16-708	403.25	FW1	1257.0	452818	5434423	331	-54	1021.7	1024.5	2.8	3.94	
		including						1022.5	1023.0	0.5	16.1	
OSK-W-16-708	403.25	FW3	1257.0	452818	5434423	331	-54	1206.5	1209.7	2.2	0.09	
OSK-W-16-708-W1	403.25	Caribou South 3 footwall	1272.0	452818	5434423	331	-54	633.3	635.9	2.6	1.28	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	706.3	708.7	2.4	3.25	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	725.3	733.0	3.7	3.80	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	738.1	740.7	2.6	4.01	
		including						739.0	739.7	0.7	12.0	
OSK-W-16-708-W1	403.25	Wolf hanging wall	1272.0	452818	5434423	331	-54	765.5	769.5	4.0	12.2	
OSK-W-16-708-W1	403.25	Wolf	1272.0	452818	5434423	331	-54	816.5	820.3	3.8	12.5	
OSK-W-16-708-W1	403.25	Wolf footwall	1272.0	452818	5434423	331	-54	834.0	836.4	2.4	4.79	
		including						835.6	836.4	0.8	13.9	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	838.1	844.5	6.4	15.4	
		including						840.5	841.4	0.9	31.5	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	1069.0	1071.0	2.0	8.27	
		including						1069.9	1070.2	0.3	41.7	
OSK-W-16-708-W1	403.25	FW3	1272.0	452818	5434423	331	-54	1088.0	1091.0	3.0	3.74	
OSK-W-16-708-W1	403.25	New	1272.0	452818	5434423	331	-54	1168.0	1181.5	2.1	6.14	
		including						1163.0	1164.0	1.0	11.1	
OSK-W-16-708-W2	403.25	Caribou South 3	1407.0	452818	5434423	330	-54	633.0	636.6	2.6	3.20	
OSK-W-16-708-W2	403.25	Shear - Caribou Corridor	1407.0	452818	5434423	330	-54	668.8	671.0	2.2	7.43	
		including						668.8	670.2	1.4	11.4	
OSK-W-16-708-W2	403.25	Caribou - Caribou Corridor	1407.0	452818	5434423	330	-54	795.0	798.0	3.0	7.66	
OSK-W-16-708-W2	403.25	Wolf - Caribou Corridor	1407.0	452818	5434423	330	-54	841.9	844.7	2.8	4.47	
		including						844.3	844.7	0.4	30.3	
OSK-W-16-708-W2	403.25	New zone - Underdog	1407.0	452818	5434423	330	-54	1135.5	1142.1	6.6	13.8	
		including						1136.1	1138.5	2.4	36.1	
OSK-W-16-708-W2	403.25	FW3	1407.0	452818	5434423	330	-54	1278.3	1276.3	2.0	0.63	
OSK-W-16-709	401.77	New zone - Shear	590.0	452647	5434573	330	-59	186.0	188.0	2.0	3.01	
		including						186.0	187.0	1.0	5.61	
OSK-W-16-709	401.77	New Zone	590.0	452647	5434573	330	-59	349.5	351.5	2.0	3.22	
OSK-W-16-709	401.77	Caribou South 1	590.0	452647	5434573	330	-59	418.2	421.9	3.7	4.90	
OSK-W-16-709	401.77	Caribou South 3	590.0	452647	5434573	330	-59	499.2	502.0	2.8	0.76	
OSK-W-16-710	400.23	Tourmaline breccia	704.0	452649	5434613	331	-60	68.0	70.0	2.0	3.25	
		including						69.3	70.0	0.7	8.93	
OSK-W-16-710	400.23	New zone	704.0	452649	5434613	331	-60	157.0	159.0	2.0	3.13	
		including						157.0	158.3	1.3	4.72	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-16-710	400.23	New zone	704.0	452649	5434613	331	-60	222.0	225.0	3.0	3.48	
		including						222.0	223.5	1.5	6.94	
OSK-W-16-710	400.23	Caribou South 1	704.0	452649	5434613	331	-60	402.8	403.5	0.7	1.94	
OSK-W-16-710	400.23	Quartz-tourmaline veins	704.0	452649	5434613	331	-60	498.0	Caribou South 1 - cross-cut by late felsic dike	2.5	10.8	
		including						498.0	499.5	1.5	17.8	
OSK-W-16-710	400.23	New zone	704.0	452649	5434613	331	-60	533.0	534.0	3.0	8.32	
		including						532.5	534.0	1.5	15.5	
OSK-W-16-710	400.23	Wolf	704.0	452649	5434613	331	-60	562.0	568.7	6.7	11.8	
		including						565.9	566.6	0.7	212	100
OSK-W-16-710	400.23	New zone	704.0	452649	5434613	331	-60	586.0	588.3	2.3	16.2	
		including						620.0	620.5	3.5	1.12	
OSK-W-16-710	400.23	Caribou North 2	704.0	452649	5434613	331	-60					
OSK-W-16-711	400.2		393.0	449352	5434556	329	-47					
		including										
OSK-W-16-712	397.25		39.0	452678	5434681	330	-55					
OSK-W-16-713	397.29	Caribou	523.0	452678	5434680	331	-56	421.0	423.0	2.0	0.80	
OSK-W-16-713	397.29	Caribou North 2 footwall	523.0	452678	5434680	331	-56	472.0	473.4	7.4	1.41	
OSK-W-16-714	399.8		510.0	449999	5435072	330	-49					
OSK-W-16-715	397.54	Eastern extension Caribou South 1	824.0	452786	5434527	334	-61	534.5	536.5	2.0	4.85	
OSK-W-16-715	397.54	Naze	804.0	452786	5434527	334	-61	541.5	543.5	2.0	4.17	
OSK-W-16-715	397.54	Caribou South 3	804.0	452786	5434527	334	-61	646.0	649.0	3.0	22.6	
		including						647.5	649.0	1.5	41.0	
OSK-W-16-715	397.54	New	804.0	452786	5434527	334	-61	668.5	671.5	3.0	6.84	
		including						668.5	670.0	1.5	13.1	
OSK-W-16-715	397.54	New	804.0	452786	5434527	334	-61	727.0	729.8	2.8	4.38	
OSK-W-16-715	397.54	Quartz vein in Red Dog	804.0	452786	5434527	334	-61	800.8	801.3	0.5	18.9	
OSK-W-16-716	399.66		602.0	448895	5435348	332	-45					
OSK-W-16-717	399.66	New	525.0	448758	5435642	331	-45	51.5	52.6	2.0	3.26	
OSK-W-16-717	399.66	New discovery - Fox	525.0	448758	5435642	331	-45	243.9	255.5	11.6	3.22	
OSK-W-16-718	397.58	Caribou North 1	798.0	452742	5434571	332	-61	431.9	434.9	3.0	23.2	
		including						432.9	434.2	1.3	44.5	
OSK-W-16-718	397.58	Caribou South 3	798.0	452742	5434571	332	-61	515.5	518.0	2.5	1.88	
OSK-W-16-718	397.58	Wolf	798.0	452742	5434571	332	-61	527.5	529.7	2.2	3.07	
OSK-W-16-718	397.58	Wolf 2	798.0	452742	5434571	332	-61	570.5	575.2	4.7	8.50	
OSK-W-16-718	397.58	Quartz-carbonate vein	798.0	452742	5434571	332	-61	679.0	681.2	2.2	10.4	
		including						680.7	682.2	0.5	44.4	
OSK-W-16-718	397.58	Wolf	798.0	452742	5434571	332	-61	735.3	737.9	2.6	4.78	
OSK-W-16-719	398		501.0	448757	5434606	329	-46					
OSK-W-16-720	397.75	Caribou	641.0	452665	5434716	332	-56	260.0	265.7	5.7	34.4	20.9
		including						262.0	262.5	0.5	45.9	
		and						263.1	263.6	0.5	105	100
		and						264.3	264.6	0.3	348	
OSK-W-16-720	397.75	Caribou	641.0	452665	5434716	332	-56	394.0	398.4	4.4	5.56	100
		including						394.0	394.5	0.5	18.7	
OSK-W-16-720	397.75	Caribou North 2 extension	641.0	452665	5434716	332	-56	436.5	439.0	2.5	3.07	
		including						437.0	438.0	1.0	7.25	
OSK-W-16-721	402		480.1	448442	5436942	327	-45					
OSK-W-16-722	400.53	New	773.5	452795	5434812	330	-60	53.0	55.0	2.0	6.08	
		including						53.0	54.0	1.0	12.0	
OSK-W-16-723	400.2		765.0	447874	5436916	332	-44					
OSK-W-16-724	397.84	New	822.0	452910	5434850	329	-65	157.0	159.0	2.0	3.18	
OSK-W-16-724	397.84	New - Caribou Corridor	822.0	452910	5434850	329	-65	385.0	386.0	1.0	8.11	
		including						478.6	480.7	2.1	3.64	
OSK-W-16-724	397.84	Caribou North 2 Zone Extension	822.0	452910	5434850	329	-65	576.7	580.0	3.3	5.06	
		including						579.7	580.0	0.3	26.7	
OSK-W-16-725	395.1	Quartz-carbonate veinlets	882.0	447947	5436106	330	-50	346.7	347.7	1.0	3.07	
OSK-W-16-726	401.04	PW3	996.0	451895	5434186	328	-59	937.0	939.9	2.9	0.60	
OSK-W-16-726	401.04	New zone under Red Dog	996.0	451895	5434186	328	-59	936.6	938.8	2.2	4.49	
		including						938.5	938.8	0.3	18.5	
OSK-W-16-726-w1	401.04	PW3	1106.0	451895	5434186	328	-59	962.9	966.3	3.4	0.27	
OSK-W-16-726-w2	401.04	PW3 Underdog	564.0	451895	5434186	328	-59					
OSK-W-16-727	404.55		381.0	451664	5434446	330	-51	274.4	276.5	2.1	9.45	
		including						274.9	276.0	1.1	17.2	
OSK-W-16-728	397.33	Crossiform vein	1419.0	453055	5434890	334	-66	363.0	365.4	2.4	42.2	17.2
		including						363.6	364.0	0.4	250	100
OSK-W-16-728	397.33	Crossiform vein	1419.0	453055	5434890	334	-66	404.0	405.5	0.4	29.8	
OSK-W-16-728	397.33	Caribou zone extension	1419.0	453055	5434890	334	-66	478.1	481.2	3.1	391	100
		including						478.1	481.2	3.1	34.7	
OSK-W-16-728	397.33	Caribou zone extension	1419.0	453055	5434890	334	-66	478.1	479.5	0.4	3020	100
OSK-W-16-728	397.33	New zone - Caribou corridor	1419.0	453055	5434890	334	-66	581.6	584.0	2.4	3.18	
		including						752.2	754.9	2.7	4.69	
OSK-U-16-729	403.9		482.0	450104	5433288	330	-43					
		including						753.1	753.9	0.8	15.6	
OSK-U-16-730	402.25		501.0	449901	5433572	330	-45					
		including										
OSK-U-16-731	405.5	New zone	498.0	449764	5433851	330	-43	358.5	360.5	2.0	6.78	
		including						358.5	359.4	0.9	11.1	
OSK-U-16-732	399.67	Fox	420.0	448758	5435641	331	-56	65.5	68.5	3.0	8.04	
		including						67.0	68.5	1.5	16.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-U-16-733	399.66	Shear veins	501.0	448759	5435642	359	-54	47.3	48.0	1.8	3.40	
		including						47.3	47.8	0.5	9.99	
OSK-U-16-734	399.67	Fox	559.0	448758	5435641	302	-46	407.0	409.1	2.1	39.2	
		including						407.0	407.7	0.7	96.2	
		and						408.8	409.1	0.3	48.0	
OSK-W-16-735	400.95	Shear vein	1110.0	452285	5434580	332	-64	58.3	60.5	2.2	13.8	
		including						58.3	58.9	0.6	48.7	
OSK-W-16-735	400.95	Caribou	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	17.0	
OSK-W-16-735	400.95	Caribou Cut to 100g/t Au	1110.0	452285	5434580	332	-64	101.8	137.2	35.4	6.30	
		including						103.0	103.5	0.5	10.1	
		and						112.0	113.7	1.7	338	100
		including						112.0	113.0	1.0	486	100
		and						113.0	113.7	0.7	79.2	
OSK-W-16-735	400.95	Zone 27	1110.0	452285	5434580	332	-64	322.8	325.0	2.2	14.6	
		including						322.8	323.4	0.6	53.0	
OSK-W-16-735	400.95	FW1	1110.0	452285	5434580	332	-64	532.4	534.5	2.1	14.1	
		including						532.4	533.1	0.7	32.8	
		and						534.2	534.5	0.3	19.6	
OSK-W-16-735	400.95	FW1 Footwall	1110.0	452285	5434580	332	-64	554.4	557.8	3.4	10.8	
		including						554.4	554.8	0.4	76.9	
OSK-W-16-735	400.95	FW3	1110.0	452285	5434580	332	-64	676.5	681.1	4.6	0.71	
OSK-W-16-735	400.95	FW4 Hangingwall	1110.0	452285	5434580	332	-64	797.8	800.0	2.2	6.75	
		including						798.8	799.1	0.3	48.4	
OSK-W-16-735	400.95	FW4 Hangingwall	1110.0	452285	5434580	332	-64	812.0	814.9	2.9	8.57	
		including						814.4	814.9	0.5	43.0	
		and						824.2	824.4	0.2	33.6	24.4
OSK-W-16-735	400.95	FW4	1110.0	452285	5434580	332	-64	824.2	824.5	0.3	228	100
		and						826.8	828.4	1.6	36.8	
OSK-W-16-735-W1	400.95	Z27-2	1071.0	452285	5434580	332	-64	345.8	348.0	2.2	4.50	
OSK-W-16-735-W1	400.95	Zone 27	1071.0	452285	5434580	332	-64	404.1	406.0	1.9	1.18	
OSK-W-16-735-W1	400.95	Quartz vein in Red Dog	1071.0	452285	5434580	332	-64	427.5	428.5	1.0	5.13	
OSK-W-16-735-W1	400.95	Quartz vein in Red Dog	1071.0	452285	5434580	332	-64	477.8	478.1	0.3	11.8	
OSK-W-16-735-W1	400.95	FW1	1071.0	452285	5434580	332	-64	520.5	527.3	6.8	11.6	8.70
		including						521.5	522.0	0.5	140	100
OSK-W-16-735-W1	400.95	FW3	1071.0	452285	5434580	332	-64	743.1	740.0	3.1	1.08	
OSK-W-16-735-W2	400.95	FW1	1089.5	452285	5434580	332	-64	532.2	535.7	3.5	12.2	
OSK-W-16-735-W2	400.95	FW1	1089.5	452285	5434580	332	-64	545.8	548.6	2.8	6.80	
OSK-W-16-735-W2	400.95	FW3	1089.5	452285	5434580	332	-64	805.8	813.8	8.0	7.92	
OSK-W-16-735-W2	400.95	FW3	1089.5	452285	5434580	332	-64	822.7	828.0	5.3	16.7	
		including						825.0	825.5	0.5	54.1	
OSK-U-16-736	399.69	Fox	589.0	448758	5435640	302	-60	260.6	262.7	2.1	5.14	
OSK-U-16-736	399.69	Fox	589.0	448758	5435640	302	-60	313.0	315.6	2.6	4.32	
OSK-W-16-737	397.5	Fox	72.0	451236	5434928	332	-66			Abandoned		
OSK-U-16-738	399.57	Fox	546.0	448758	5435640	276	-48	217.8	221.7	3.9	2.58	
OSK-U-16-738	399.57	Fox	546.0	448758	5435640	276	-48	272.7	274.4	1.7	2.86	
OSK-W-16-739	397.5		42.0	451236	5434928	332	-65			Abandoned		
OSK-W-16-740	397.31	Vein	1464.0	451238	5434925	340	-66	137.4	140.0	2.6	7.21	
		including						138.7	139.2	0.5	23.6	
OSK-W-16-740	397.31	Lynx	1464.0	451238	5434925	340	-66	155.0	161.0	2.0	4.49	
OSK-W-16-740	397.31	Lynx FW	1464.0	451238	5434925	340	-66	248.5	256.7	8.2	4.72	
		including						249.5	250.1	0.6	13.0	
		and						255.7	256.7	1.0	19.3	
OSK-W-16-740	397.31	Crustiform Vein	1464.0	451238	5434925	340	-66	305.4	310.0	4.6	5.69	
		including						305.4	306.1	0.7	11.8	
		and						309.0	310.0	1.0	16.3	
OSK-W-16-740	397.31	CN2	1464.0	451238	5434925	340	-66	720.5	722.8	2.3	9.66	
		including						720.5	721.5	1.0	19.5	
OSK-W-16-740	397.31	New Underdog	1464.0	451238	5434925	340	-66	1399.0	1391.4	2.4	8.71	
		including						1390.2	1390.5	0.3	67.9	
OSK-W-16-741	399.61		246.0	452652	5434236	329	-65			No significant results		
OSK-W-16-742	399.7		30.0	452651	5434236	330	-64			Abandoned		
OSK-W-16-743	399.48	New zone	1560.0	452652	5434236	334	-64	672.2	674.7	2.5	6.44	
OSK-W-16-743	399.48	New zone	1560.0	452652	5434236	334	-64	701.1	703.8	2.7	43.1	
		including						703.1	703.8	0.7	15.3	
OSK-W-16-743	399.48	CS1	1560.0	452652	5434236	334	-64	776.4	777.3	0.9	1.91	
OSK-W-16-743	399.48	New zone	1560.0	452652	5434236	334	-64	790.4	792.8	2.4	4.71	
		including						790.4	790.7	0.3	37.1	
OSK-W-16-743	399.48	FW0	1560.0	452652	5434236	334	-64	1007.0	1009.7	2.7	2.52	
OSK-W-16-743	399.48	FW1	1560.0	452652	5434236	334	-64	1173.6	1183.3	9.7	3.37	
		including						1179.2	1179.8	0.6	13.3	
OSK-W-16-743	399.48	FW2	1560.0	452652	5434236	334	-64	1235.7	1236.3	2.6	303	47.0
		including						1235.7	1235.8	2.1	375	57.7
OSK-W-16-743	399.48	FW3	1560.0	452652	5434236	334	-64	1366.0	1368.2	2.2	5.95	
OSK-W-16-743-W1	399.48	CS1	1488.0	452652	5434236	334	-64	774.0	776.0	2.0	1.30	
		including						774.6	775.0	0.4	5.06	
OSK-W-16-743-W1	399.48	FW0	1488.0	452652	5434236	334	-64	1004.5	1005.7	2.2	5.77	
		including						1001.3	1001.7	0.4	11.0	
OSK-W-16-743-W1	399.48	FW0 FW	1488.0	452652	5434236	334	-64	1060.0	1063.0	3.0	3.62	
		including						1060.0	1060.5	0.5	7.97	
OSK-W-16-743-W1	399.48	FW2 HW	1488.0	452652	5434236	334	-64	1245.5	1245.6	2.1	6.77	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-16-743-W1	399.48	FW2	1488.0	452652	5434236	334	-64	1251.8	1254.4	2.6	8.13	
		including						1252.1	1252.9	0.8	24.0	
OSK-W-16-743-W1	399.48	FW3	1488.0	452652	5434236	334	-64	1394.0	1396.0	2.0	6.29	
		including						1394.0	1394.0	0.9	12.9	
OSK-W-16-743-W2	399.48	CS1	1625.2	452652	5434236	334	-64	748.0	751.0	3.0	10.3	
		including						749.6	751.0	1.4	21.5	
OSK-W-16-743-W2	399.48	FW0	1625.2	452652	5434236	334	-64	1160.0	1162.9	2.9	3.52	
OSK-W-16-743-W2	399.48	FW1	1625.2	452652	5434236	334	-64	1279.0	1281.0	2.0	1.90	
OSK-W-16-743-W2	399.48	FW2	1625.2	452652	5434236	334	-64	1375.7	1375.3	2.6	9.30	
		including						1374.5	1375.3	0.8	27.5	
OSK-W-16-743-W2	399.48	FW3	1625.2	452652	5434236	334	-64	1465.5	1469.0	3.5	0.64	
OSK-W-16-743-W3	399.48	CS1	1473.0	452652	5434236	334	-64	816.9	821.6	4.7	1.28	
OSK-W-16-743-W3	399.48	FW0	1473.0	452652	5434236	334	-64	816.9	816.0	2.0	7.44	
OSK-W-16-743-W3	399.48	FW1	1473.0	452652	5434236	334	-64	1056.8	1059.5	2.7	1.43	
OSK-W-16-743-W3	399.48	FW3	1473.0	452652	5434236	334	-64	1424.0	1436.0	12.0	0.38	
OSK-W-16-743-W4	399.48	CS1	1476.0	452652	5434236	334	-64	796.2	799.0	2.8	585	11.5
		including						796.2	796.5	0.3	5450	100
OSK-W-16-743-W4	399.48	FW0	1476.0	452652	5434236	334	-64	997.0	1004.5	7.5	0.28	
OSK-W-16-743-W4	399.48	QTV	1476.0	452652	5434236	334	-64	1075.2	1078.0	2.8	3.89	
OSK-W-16-743-W4	399.48	FW1 HW	1476.0	452652	5434236	334	-64	1100.0	1103.0	3.0	6.86	
		including						1100.8	1102.2	0.4	42.6	
OSK-W-16-743-W4	399.48	FW1 HW	1476.0	452652	5434236	334	-64	1113.6	1116.1	2.5	3.62	
OSK-W-16-743-W4	399.48	FW2 HW	1476.0	452652	5434236	334	-64	1139.0	1142.0	3.0	3.21	
OSK-W-16-743-W4	399.48	FW2 HW	1476.0	452652	5434236	334	-64	1194.6	1197.0	2.4	16.6	
		including						1195.6	1196.0	0.4	95.1	
OSK-W-16-743-W4	399.48	FW2	1476.0	452652	5434236	334	-64	1211.6	1213.1	1.5	4.23	
OSK-W-16-743-W4	399.48	FW2 FW	1476.0	452652	5434236	334	-64	1261.4	1264.4	2.0	5.42	
		including						1262.4	1263.3	0.9	11.4	
OSK-W-16-743-W4	399.48	FW3	1476.0	452652	5434236	334	-64	1381.7	1384.5	2.8	0.57	
OSK-W-16-743-W4	399.48	FW3 FW	1476.0	452652	5434236	334	-64	1416.0	1418.6	2.6	1.49	
OSK-W-16-743-W5	399.48	Underdog	1554.0	452652	5434236	331	-64	946.5	951.2	4.7	2.38	
OSK-W-16-743-W5	399.48	FW0 HW	1554.0	452652	5434236	331	-64	946.5	957.0	2.5	5.36	
OSK-W-16-743-W5	399.48	FW1	1554.0	452652	5434236	331	-64	1187.1	1189.1	2.0	4.27	
OSK-W-16-743-W5	399.48	FW2	1554.0	452652	5434236	331	-64	1272.7	1275.3	2.6	55.4	19.4
		including						1275.7	1274.2	0.5	287	100
OSK-W-16-743-W5	399.48	FW2 FW	1554.0	452652	5434236	331	-64	1289.1	1291.0	2.0	5.94	
		including						1290.3	1290.8	0.5	12.4	
OSK-W-16-744	398.06	New zone	689.4	452665	5434732	331	-56	268.0	270.5	2.5	5.24	
		including						269.0	270.5	1.5	8.35	
OSK-W-16-744	398.06	Caribou	689.4	452665	5434732	331	-56	365.0	374.0	9.0	5.00	
		including						372.0	373.0	1.0	31.2	
OSK-W-16-744	398.06	Caribou North 2	689.4	452665	5434732	331	-56	417.4	419.9	2.5	4.44	
		including						419.5	419.9	0.4	20.0	
OSK-W-16-744	398.06	Zone 27	689.4	452665	5434732	331	-56	576.0	584.0	16.0	4.92	
		including						578.0	582.0	4.0	15.2	
OSK-W-16-746	402.49	Caribou	873.0	452551	5434670	331	-57	343.0	348.2	5.2	5.50	
		including						344.8	345.2	0.4	47.2	
OSK-W-16-746	402.49	Caribou North 2	873.0	452551	5434670	331	-57	378.2	378.9	0.7	0.35	
OSK-W-16-746	402.49	New zone	873.0	452551	5434670	331	-57	455.4	457.7	2.3	3.87	
		including						456.9	457.7	0.8	9.29	
OSK-W-16-746	402.49	Vein	873.0	452551	5434670	331	-57	603.0	606.7	3.7	16.5	
OSK-W-16-747	400.26	Quartz-tourmaline vein	1050.0	452449	5434488	331	-57	153.0	155.0	2.0	3.66	
		including						154.0	154.3	0.3	23.6	
OSK-W-16-747	400.26	Caribou	1050.0	452449	5434488	331	-57	298.3	300.7	2.4	13.7	
		including						298.3	299.3	1.0	31.5	
OSK-W-16-747	400.26	Caribou South 1	1050.0	452449	5434488	331	-57	417.0	419.0	2.0	11.4	
		including						417.8	418.3	0.5	45.3	
OSK-W-16-747	400.26	Caribou North 1	1050.0	452449	5434488	331	-57	467.1	468.9	1.8	21.7	
OSK-W-16-747	400.26		1050.0	452449	5434488	331	-57					Zone 27 - cross cut by Red Dog
OSK-W-16-747	400.26	FW1	1050.0	452449	5434488	331	-57	677.6	680.0	2.4	3.89	
OSK-W-16-747	400.26	FW2	1050.0	452449	5434488	331	-57	813.3	816.0	2.7	6.95	
		including						813.3	813.7	0.4	26.2	
		including						815.4	815.7	0.3	26.2	
OSK-W-16-747	400.26	FW2	1050.0	452449	5434488	331	-57	850.3	856.0	5.7	4.95	
		including						853.0	854.8	1.8	8.53	
OSK-W-16-747	400.26	FW3	1050.0	452449	5434488	331	-57	911.7	914.0	2.3	3.92	
OSK-W-16-747	400.26	FW3	1050.0	452449	5434488	331	-57	936.0	939.3	2.4	6.96	
		including						938.1	938.6	0.5	32.5	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	666.2	669.8	3.6	4.7	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	683.0	685.0	2.0	12.2	
		including						683.0	683.6	0.6	24.2	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	714.0	716.2	2.2	7.64	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	721.3	730.0	8.7	20.0	19.7
		including						725.9	728.0	2.1	64.4	63.1
		including						726.5	727.1	0.6	105	100
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	819.0	821.0	2.0	11.9	
		including						819.0	820.0	1.0	23.8	
OSK-W-18-747-W1	400.26	Underdog	1032.0	452449	5434488	331	-57	932.0	936.6	4.6	22.5	20.6
		including						932.0	933.2	1.2	78.9	71.7
OSK-W-18-747-W2	400.26	Underdog	798.0	452449	5434488	331	-57	681.0	683.5	2.5	8.58	
OSK-W-18-747-W2	400.26	Underdog	798.0	452449	5434488	331	-57	712.8	715.3	2.5	7.50	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-16-747-W2	400.26	Underdog	798.0	452449	5434488	331	-57	784.0	786.0	2.0	4.86	
OSK-W-16-749	400.49	CS1	551.5	452486	5434389	332	-58	504.6	510.0	5.4	12.7	
		including						504.6	505.3	0.7	35.2	
OSK-W-16-749	400.49	CS1 FW	551.5	452486	5434389	332	-58	520.0	525.1	5.1	34.3	
OSK-W-16-750	395.76	Lynx 1	1658.6	453440	5434933	339	-69	146.0	147.0	1.0	0.85	
OSK-W-16-750	395.76	Crustiform vein	1658.6	453440	5434933	339	-69	418.2	420.5	2.3	17.0	
OSK-W-16-750	395.76	Caribou	1658.6	453440	5434933	339	-69	709.0	711.0	2.0	41.8	
OSK-W-16-750	395.76	Underdog	1658.6	453440	5434933	339	-69	981.5	985.8	2.3	14.8	
		including						984.6	985.2	0.6	56.0	
OSK-W-16-750	395.76	Underdog	1658.6	453440	5434933	339	-69	1430.0	1432.0	2.0	4.65	
OSK-W-16-751	398.21	Caribou - Shear Zone	942.0	453032	5434930	337	-64	403.0	407.7	4.7	3.09	
OSK-W-16-751	398.21	Caribou - Shear Zone	942.0	453032	5434930	337	-64	466.9	469.0	2.1	5.21	
		including						466.9	467.8	0.9	11.5	
OSK-W-16-751	398.21	Caribou	942.0	453032	5434930	337	-64	504.6	507.0	2.4	3.17	
OSK-W-16-751	398.21	CN2	942.0	453032	5434930	337	-64	519.2	521.5	2.3	6.57	
OSK-W-16-751	398.21	Zone 27	942.0	453032	5434930	337	-64	795.6	796.9	1.3	0.07	
OSK-W-16-753	400.29	Caribou South 3	755.0	452756	5434463	332	-58	666.5	674.0	7.5	7.89	
		including						666.5	670.1	3.6	14.1	
OSK-W-16-753	400.29	Caribou	755.0	452756	5434463	332	-58	688.0	690.7	2.7	4.09	
OSK-W-16-754	401.73	CS1	1563.0	452767	5434303	332	-59	724.4	726.5	2.1	7.15	
		including						724.9	725.5	0.6	24.6	
OSK-W-16-754	401.73	FW0	1563.0	452767	5434303	332	-59	1108.0	1111.0	3.0	4.98	
		including						1110.0	1111.0	1.0	11.9	
OSK-W-16-754	401.73	FW0 FW	1563.0	452767	5434303	332	-59	1128.4	1131.0	2.6	3.66	
		including						1129.2	1129.5	0.3	22.0	
OSK-W-16-754	401.73	FW1	1563.0	452767	5434303	332	-59	1257.6	1259.8	1.3	2.67	
OSK-W-16-754	401.73	FW3	1563.0	452767	5434303	332	-59	1422.7	1430.0	7.3	0.76	
		including						1424.0	1425.6	1.6	34.6	
OSK-W-16-755	398.41	Lynx	1077.0	453213	5434971	336	-65	63.0	69.0	6.0	11.8	
		including						64.0	64.9	0.9	67.1	
OSK-W-16-755	398.41	Lynx Footwall	1077.0	453213	5434971	336	-65	147.0	149.0	2.0	8.12	
		including						147.4	147.9	0.5	30.4	
OSK-W-16-755	398.41	Caribou Hangingwall	1077.0	453213	5434971	336	-65	188.5	191.0	2.5	3.30	
		including						189.5	190.2	0.7	10.6	
OSK-W-16-755	398.41	Caribou	1077.0	453213	5434971	336	-65	668.0	672.9	4.9	21.1	
		including						668.7	670.1	0.5	11.6	
OSK-W-16-755	398.41	CN2	1077.0	453213	5434971	336	-65	617.0	621.8	4.8	2.08	
OSK-W-16-755	398.41	Vein	1077.0	453213	5434971	336	-65	668.0	670.0	2.0	5.60	
OSK-W-16-755-W1	398.41	CN2	684.0	453213	5434971	336	-65	670.7	674.5	3.8	0.61	
OSK-W-16-756	402.8	CS1	801.5	452809	5434390	331	-58	672.8	674.4	1.6	2.89	
		including						673.8	674.6	0.8	9.66	
OSK-W-16-756	402.8	Vein	801.5	452809	5434390	331	-58	756.6	759.1	2.5	3.70	
		including						758.8	759.1	0.3	26.4	
OSK-W-16-759	403.84	Caribou HW	890.0	452988	5434975	330	-65	189.1	193.5	4.4	4.20	
OSK-W-16-759	403.84	CN2	890.0	452988	5434975	330	-65	377.4	381.3	3.9	1.53	
OSK-W-16-759	403.84	Zone 27	890.0	452988	5434975	330	-65	540.2	542.4	2.2	0.46	
OSK-W-16-760	396.15	Lynx HW	1560.0	453403	5434971	331	-65	208.0	211.0	3.0	14.1	
		including						208.5	211.0	2.5	16.7	
OSK-W-16-760	396.15	Lynx	1560.0	453403	5434971	331	-65	223.0	232.0	9.0	95.3	42.7
OSK-W-16-760	396.15	Lynx HW	1560.0	453403	5434971	331	-65	223.0	232.0	5.7	148	65.0
OSK-W-16-760	396.15	Crustiform vein	1560.0	453403	5434971	331	-65	226.3	255.0	4.5	7.79	
OSK-W-16-760	396.15	Crustiform vein	1560.0	453403	5434971	331	-65	354.3	357.0	2.7	5.50	
OSK-W-16-761	398.30	Lynx FW	1386.0	453182	5434993	330	-63	54.5	56.5	2.0	19.4	
OSK-W-16-761	398.30	Lynx FW	1386.0	453182	5434993	330	-63	64.7	67.0	2.3	71.3	64.3
OSK-W-16-762	403.6	CS1 HW	1311.0	452730	5434409	332	-56	554.0	556.8	2.8	3.29	
		including						555.0	556.8	1.8	4.95	
OSK-W-16-762	403.6	Vein	1311.0	452730	5434409	332	-56	589.0	591.7	2.7	8.12	
OSK-W-16-762	403.6	CS1 FW	1311.0	452730	5434409	332	-56	622.0	624.7	2.0	8.80	
		including						623.0	624.0	1.0	17.7	
OSK-W-16-762	403.6	CS3	1311.0	452730	5434409	332	-56	666.0	673.0	7.0	7.61	
OSK-W-16-762	403.6	CS3 FW	1311.0	452730	5434409	332	-56	680.0	684.1	4.1	4.70	
		including						682.0	684.1	2.1	6.95	
OSK-W-16-762	403.6	Caribou	1311.0	452730	5434409	332	-56	693.0	696.0	3.0	4.47	
		including						694.0	696.0	1.0	7.34	
OSK-W-16-762	403.6	FW3	1311.0	452730	5434409	332	-56	1158.0	1160.5	2.5	6.59	
		including						1158.8	1158.8	0.8	17.8	
OSK-W-16-762-W1	403.6	Underdog	1299.0	452730	5434409	332	-56	901.0	904.5	2.5	8.70	
OSK-W-16-762-W1	403.6	FW4	1299.0	452730	5434409	332	-56	904.0	904.5	0.5	19.9	
		including						1220.0	1222.0	2.0	11.1	
OSK-W-16-764	398.58	Caribou extension	1334.8	453147	5435026	329	-60	1222.0	1221.5	0.5	48.5	
OSK-W-16-764	398.58	CN2 extension	1334.8	453147	5435026	329	-60	369.0	374.5	5.5	0.73	
		including						416.5	420.0	3.5	0.24	
OSK-W-16-765	406.93	New zone	900.0	452955	5435002	329	-63	41.3	52.9	11.6	1.11	
OSK-W-16-765	406.93	New zone	900.0	452955	5435002	329	-63	82.6	84.0	1.4	4.52	
		including						82.6	82.9	0.3	20.3	
OSK-W-16-765	406.93	Caribou extension	900.0	452955	5435002	329	-63	137.0	139.0	2.0	2.27	
		including						137.0	137.5	0.5	8.82	
OSK-W-16-765	406.93	Caribou extension	900.0	452955	5435002	329	-63	141.9	144.1	2.2	2.54	
OSK-W-16-765	406.93	CN2 extension	900.0	452955	5435002	329	-63	341.1	344.0	2.9	0.98	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-16-765	406.93	CN2 extension	900.0	452955	5435002	329	-63	364.3	371.0	6.7	0.21	
OSK-W-16-765	406.93	227 extension	900.0	452955	5435002	329	-63	376.1	577.1	1.0	0.13	
OSK-W-16-766	402	Vein - Caribou corridor	707.9	452690	5434340	333	-57	341.9	345.0	3.1	5.17	
OSK-W-16-766	402	CS1	707.9	452690	5434340	333	-57	343.0	345.0	0.6	16.2	
OSK-W-16-766	402	CS1 FW	742.0	452690	5434340	333	-55	651.1	653.9	2.8	3.69	
OSK-W-17-766-W1	402	CS1 FW	742.0	452690	5434340	333	-55	674.8	680.8	5.8	15.6	
OSK-W-16-767	401.17	Vein - Shear	1605.0	452887	5434330	331	-60	676.5	679.5	3.0	27.6	
OSK-W-16-767	401.17	Vein in late dyke	1605.0	452887	5434330	331	-60	431.7	433.1	1.4	1.70	
OSK-W-16-767	401.17	FW0	1605.0	452887	5434330	331	-60	432.8	433.1	0.3	6.72	
OSK-W-16-767	401.17	FW1	1605.0	452887	5434330	331	-60	865.9	870.0	4.1	3.68	
OSK-W-16-767	401.17	FW2	1605.0	452887	5434330	331	-60	1121.0	1123.0	2.0	4.34	
OSK-W-16-767	401.17	FW3	1605.0	452887	5434330	331	-60	1122.0	1123.0	1.0	7.57	
OSK-W-16-767	401.17	FW4	1605.0	452887	5434330	331	-60	1359.7	1365.5	5.8	2.06	
OSK-W-16-767	401.17	FW5	1605.0	452887	5434330	331	-60	1359.7	1360.1	0.4	22.2	
OSK-W-16-767	401.17	FW6	1605.0	452887	5434330	331	-60	1535.5	1548.0	12.5	0.40	
OSK-W-16-769	413.64	Vein	921.0	452932	5435051	331	-64	235.6	238.7	3.1	3.52	
OSK-W-16-769	413.64	CN2	921.0	452932	5435051	331	-64	237.1	237.0	0.6	13.4	
OSK-W-16-769	413.64	CN2	921.0	452932	5435051	331	-64	238.0	300.1	2.1	32.8	24.1
OSK-W-17-770	404.03	227 extension	28.5	453095	5435084	327	-63	233.5	237.1	3.6	1.06	
OSK-W-17-770	404.03	Caribou extension	218.0	453095	5435085	333	-61	466.5	468.6	2.1	0.21	
OSK-W-17-770	404.03	227 extension	218.0	453095	5435085	333	-61	466.5	468.6	2.1	0.21	
OSK-W-17-773	397.59	Lynx	1444.5	453361	5435006	332	-63	147.5	150.0	2.5	2.50	
OSK-W-17-773	397.59	FW4	1444.5	453361	5435006	332	-63	1348.0	1350.2	2.2	1.05	
OSK-W-17-774	396.84	CS1	1175.0	452731	5434636	333	-57	339.3	343.1	3.8	0.06	
OSK-W-17-774	396.84	Woff	1175.0	452731	5434636	333	-57	565.5	572.6	7.1	1.49	
OSK-W-17-774	396.84	CN2	1175.0	452731	5434636	333	-57	572.0	572.6	0.6	0.42	
OSK-W-17-774	396.84	FW3	1175.0	452731	5434636	333	-57	604.1	608.5	4.4	0.72	
OSK-W-17-774	396.84	FW3	1175.0	452731	5434636	333	-57	932.1	934.1	2.0	0.74	
OSK-W-17-776	402.29	New Caribou corridor	857.0	452851	5434432	330	-57	1078.3	1081.0	2.7	0.75	
OSK-W-17-776	402.29	Caribou	857.0	452851	5434432	330	-57	584.5	586.6	2.1	5.00	
OSK-W-17-776	402.29	Caribou	857.0	452851	5434432	330	-57	628.3	630.5	2.2	0.38	
OSK-W-17-776	402.29	Caribou	857.0	452851	5434432	330	-57	707.3	711.4	4.1	1.09	
OSK-W-17-776	402.29	Caribou	857.0	452851	5434432	330	-57	773.5	775.5	2.0	11.2	
OSK-W-17-776	402.29	Caribou	857.0	452851	5434432	330	-57	797.0	809.0	6.0	6.42	
OSK-W-17-776	402.29	Vein in late dyke	857.0	452851	5434432	330	-57	807.7	808.1	2.6	10.1	
OSK-W-17-776	402.29	Vein in late dyke	857.0	452851	5434432	330	-57	854.4	857.0	2.6	5.65	
OSK-W-17-776	402.29	Vein in late dyke	857.0	452851	5434432	330	-57	854.4	857.0	0.3	42.0	
OSK-W-17-777	403.11	Croftform vein	712.8	452678	5434500	339	-58	380.4	383.4	3.0	5.79	
OSK-W-17-777	403.11	CS1	712.8	452678	5434500	339	-58	492.4	492.7	0.3	0.28	
OSK-W-17-777	403.11	CS1	712.8	452678	5434500	339	-58	617.0	621.0	4.0	9.01	
OSK-W-17-777	403.11	CS1	712.8	452678	5434500	339	-58	618.0	620.0	1.0	18.5	
OSK-W-17-778	401.5	Croftform vein	1362.0	452689	5434339	331	-58	545.0	547.7	2.7	13.5	
OSK-W-17-778	401.5	CS1	1362.0	452689	5434339	331	-58	546.6	547.0	0.4	90.2	
OSK-W-17-778	401.5	CS1	1362.0	452689	5434339	331	-58	642.7	646.2	3.5	15.0	
OSK-W-17-778	401.5	FW0	1362.0	452689	5434339	331	-58	643.5	645.5	1.0	48.7	
OSK-W-17-778	401.5	FW1	1362.0	452689	5434339	331	-58	917.0	919.2	2.2	11.6	
OSK-W-17-778	401.5	FW2	1362.0	452689	5434339	331	-58	1095.4	1098.4	3.0	10.6	
OSK-W-17-778	401.5	FW2	1362.0	452689	5434339	331	-58	1114.6	1117.1	2.5	9.24	
OSK-W-17-778	401.5	FW2	1362.0	452689	5434339	331	-58	1132.0	1134.1	2.1	27.7	19.1
OSK-W-17-778	401.5	FW2	1362.0	452689	5434339	331	-58	1132.0	1132.4	0.4	145	
OSK-W-17-778	401.5	Underdog	1362.0	452689	5434339	331	-58	1158.0	1160.0	2.0	4.49	
OSK-W-17-778	401.5	Underdog	1362.0	452689	5434339	331	-58	1221.0	1223.8	2.8	4.52	
OSK-W-17-778	401.5	Underdog	1362.0	452689	5434339	331	-58	1232.0	1234.5	2.5	11.3	
OSK-W-17-778	401.5	Underdog	1362.0	452689	5434339	331	-58	1234.0	1234.5	0.5	55.2	
OSK-W-17-778	401.5	Underdog	1362.0	452689	5434339	331	-58	1322.0	1324.3	2.3	9.63	
OSK-W-17-778	401.5	Underdog	1362.0	452689	5434339	331	-58	1323.0	1323.6	0.6	94.1	
OSK-W-17-779	397.99	Lynx FW	795.0	453302	5434977	327	-67	111.0	115.8	4.8	0.29	
OSK-W-17-779	397.99	Lynx FW	795.0	453302	5434977	327	-67	129.5	132.0	2.5	5.02	
OSK-W-17-779	397.99	Quartz-journalling vein - Lynx Corridor	795.0	453302	5434977	327	-67	181.0	181.6	0.6	6.65	
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	257.0	259.0	2.0	4.59	
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	258.0	259.0	1.0	7.17	
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	268.0	275.9	7.9	21.6	16.9
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	268.0	269.0	1.0	8.95	
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	270.0	271.0	1.0	21.5	
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	271.7	272.0	0.3	24.2	
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	274.3	275.9	1.6	78.9	55.3
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	275.0	275.0	0.7	154	100
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	281.0	284.5	3.5	18.1	
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	282.6	284.5	1.9	23.3	
OSK-W-17-779	397.99	Croftform vein - Lynx FW	795.0	453302	5434977	327	-67	298.0	300.7	2.7	15.6	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	298.9	300.0	1.1	33.2	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	371.0	373.6	2.6	3.51	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	572.9	573.5	0.6	8.54	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	605.5	607.5	2.0	4.45	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	621.0	622.5	1.5	2.62	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	622.1	622.5	0.4	6.92	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	626.4	628.7	2.3	1.56	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	725.0	728.2	3.2	4.17	
OSK-W-17-779	397.99	Caribou extension	795.0	453302	5434977	327	-67	726.9	727.5	0.6	16.3	
OSK-W-17-780	399.73	New - Before Caribou	1551.0	452929	5434374	332	-59	435.9	439.3	3.4	4.46	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
								435.9	436.3	0.4	10.7	
								438.8	439.3	0.5	18.8	
OSK-W-17-780	399.73	CS1	1551.0	452929	5434374	332	-59	859.0	862.0	3.0	0.23	
OSK-W-17-780	399.73	FW0 HW	1551.0	452929	5434374	332	-59	1036.5	1046.9	10.4	7.41	6.21
								1036.5	1037.0	0.5	125	100
OSK-W-17-780	399.73	FW0	1551.0	452929	5434374	332	-59	1070.3	1074.3	4.0	3.30	
								1072.1	1073.0	0.9	8.61	
OSK-W-17-780	399.73	FW0 FW	1551.0	452929	5434374	332	-59	1079.0	1080.0	1.0	3.05	
								1079.0	1080.0	1.0	8.21	
OSK-W-17-780	399.73	Underdog	1551.0	452929	5434374	332	-59	1119.0	1121.0	2.0	5.02	
OSK-W-17-780	399.73	FW1 HW	1551.0	452929	5434374	332	-59	1240.0	1250.0	2.0	3.02	
OSK-W-17-780	399.73	FW1	1551.0	452929	5434374	332	-59	1271.6	1278.4	6.8	10.6	
								1276.0	1278.4	2.4	28.9	
OSK-W-17-780	399.73	FW3	1551.0	452929	5434374	332	-59	1366.0	1370.0	4.0	34.1	
								1368.5	1370.0	1.5	90.5	
OSK-W-17-780	399.73	FW3 FW	1551.0	452929	5434374	332	-59	1400.0	1404.0	4.0	9.38	
								1401.0	1403.5	1.5	24.4	
OSK-W-17-780 W1	399.73	FW0	1533.0	452929	5434374	331	-60	1074.0	1081.0	17.0	5.97	
								1079.0	1082.8	3.8	19.7	
OSK-W-17-780 W1	399.73	FW3 HW	1533.0	452929	5434374	331	-60	1343.8	1347.2	3.4	83.5	29.4
								1346.6	1347.2	0.6	407	100
OSK-W-17-780 W1	399.73	FW3 HW	1533.0	452929	5434374	331	-60	1358.5	1360.8	2.3	6.35	
								1358.5	1359.0	0.5	19.1	
OSK-W-17-780 W1	399.73	FW3	1533.0	452929	5434374	331	-60	1396.5	1398.5	2.0	4.76	
OSK-W-17-781	402.8	Croftform vein	1625.5	452845	5434218	331	-60	518.5	520.5	2.0	15.3	
								519.5	520.5	1.0	34.4	
OSK-W-17-781	402.8	CS1	1625.5	452845	5434218	331	-60	778.0	780.5	2.5	3.05	
OSK-W-17-781	402.8	FW0 HW	1625.5	452845	5434218	331	-60	1145.0	1147.7	2.7	14.9	
OSK-W-17-781	402.8	FW0	1625.5	452845	5434218	331	-60	1200.0	1204.0	1.0	0.18	
OSK-W-17-781	402.8	FW3	1625.5	452845	5434218	331	-60	1405.8	1405.0	3.3	1.18	
OSK-W-17-781	402.8	FW2	1625.5	452845	5434218	331	-60	1466.0	1469.4	3.4	0.87	
OSK-W-17-781	402.8	FW3	1625.5	452845	5434218	331	-60	1551.0	1553.0	2.0	2.97	
OSK-W-17-783	396.54	Croftform vein - Lynx FW	1326.0	453535	5435181	329	-72	99.6	101.5	1.9	4.57	
OSK-W-17-783	396.54	Caribou extension	1326.0	453535	5435181	329	-72	458.0	460.0	2.0	0.21	
OSK-W-17-784	401.91	CS1	894.0	452861	5434488	330	-54	576.5	582.7	14.2	0.86	
OSK-W-17-784	401.91	CS3	894.0	452861	5434488	330	-54	660.9	661.3	2.4	0.80	
OSK-W-17-784	401.91	Wolf HW	894.0	452861	5434488	330	-54	767.0	770.0	3.0	4.89	
								769.5	770.0	0.5	15.1	
OSK-W-17-784	401.91	Wolf HW	894.0	452861	5434488	330	-54	780.4	786.1	5.7	3.21	
								785.1	786.1	1.0	13.6	
OSK-W-17-784	401.91	Wolf	894.0	452861	5434488	330	-54	823.0	827.0	4.0	0.42	
OSK-W-17-785	401		49.5	452673	5434414	329	-56				Abandoned	
OSK-W-17-786	400.56	CS1	717.0	452674	5434411	337	-55	570.3	572.4	2.1	0.26	
OSK-W-17-786	400.56	CS3 HW	717.0	452674	5434411	337	-55	652.3	660.1	7.8	5.17	
								652.3	656.0	3.7	9.85	
OSK-W-17-786	400.56	CS3	717.0	452674	5434411	337	-55	664.0	668.0	4.0	6.64	
								667.9	668.9	1.0	20.5	
OSK-W-17-787	398.09	Lynx FW	1205.8	453324	5435038	333	-63	118.7	121.1	2.4	0.96	
OSK-W-17-787	398.09	Caribou extension	1205.8	453324	5435038	333	-63	507.9	514.4	6.5	7.21	
								512.6	513.6	1.0	24.1	
OSK-W-17-787	398.09	CN2 extension	1205.8	453324	5435038	333	-63	517.0	521.8	4.8	3.48	
								521.2	521.8	0.6	13.1	
OSK-W-17-788	396.81	Lynx HW	375.0	453329	5434931	332	-66	164.5	166.5	2.0	3.09	
OSK-W-17-788	396.81	Lynx	375.0	453329	5434931	332	-66	233.0	250.0	17.3	17.0	12.8
								236.4	236.9	0.5	157	100
								239.0	240.0	1.0	128	100
OSK-W-17-788	396.81	Lynx FW	375.0	453329	5434931	332	-66	295.0	297.0	2.0	6.21	
								296.6	297.0	0.4	25.7	
OSK-W-17-788	396.81	Lynx FW	375.0	453329	5434931	332	-66	301.0	303.0	2.0	3.26	
OSK-W-17-789	402.42	CS1	1278.0	452546	5434388	333	-59	526.1	533.5	7.4	5.12	
								527.9	530.0	2.1	16.4	
OSK-W-17-789	402.42	CS1 FW	1278.0	452546	5434388	333	-59	538.9	544.1	5.2	7.31	6.39
								543.8	544.1	0.3	136	100
OSK-W-17-789	402.42	CS1 FW	1278.0	452546	5434388	333	-59	583.2	585.7	2.5	3.30	
								584.4	585.0	0.6	13.3	
OSK-W-17-789	402.42	FW0	1278.0	452546	5434388	333	-59	796.8	799.9	3.1	3.01	
OSK-W-17-789	402.42	FW1	1278.0	452546	5434388	333	-59	853.0	860.9	7.9	19.9	16.4
								853.0	857.6	4.5	29.7	
OSK-W-17-789	402.42	FW1 FW	1278.0	452546	5434388	333	-59	883.9	885.9	2.0	9.35	
								884.9	885.6	0.7	24.1	
OSK-W-17-789	402.42	FW3	1278.0	452546	5434388	333	-59	964.0	966.3	2.3	8.20	
								965.0	966.3	1.3	60.7	
OSK-W-17-789 W1	402.42	FW0	1197.0	452546	5434388	333	-59	795.5	804.4	8.9	5.63	
								801.9	802.5	0.6	20.4	
OSK-W-17-789 W1	402.42	FW1	1197.0	452546	5434388	333	-59	877.1	880.6	3.5	11.0	
OSK-W-17-789 W1	402.42	FW3 HW	1197.0	452546	5434388	333	-59	995.4	997.5	2.1	3.50	
								995.4	996.0	0.6	10.5	
OSK-W-17-789 W1	402.42	FW3	1197.0	452546	5434388	333	-59	1006.1	1006.7	2.6	14.6	
								1005.2	1006.0	0.8	34.3	
OSK-W-17-789 W1	402.42	FW3 / Z14-2	1197.0	452546	5434388	333	-59	1119.8	1122.0	2.2	16.4	
								1120.4	1121.2	0.8	44.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-789-W2	402.42	New / FWO	1134.0	452546	5434388	333	-59	880.0	880.0	2.0	13.2	
OSK-W-17-789-W2	402.42	FW1	1134.0	452546	5434388	333	-59	882.0	884.3	2.3	5.08	
OSK-W-17-789-W2	402.42	FW1 FW	1134.0	452546	5434388	333	-59	906.5	909.2	2.7	4.79	
OSK-W-17-789-W2	402.42	FW3	1134.0	452546	5434388	333	-59	1074.0	1077.0	3.0	8.02	
OSK-W-17-789-W2	402.42	FW3 / Z24-3	1134.0	452546	5434388	333	-59	1152.1	1155.2	3.1	25.6	
		including						1152.1	1152.7	0.6	44.0	
OSK-W-17-789-W2	402.42	FW3 / Z24-3	1134.0	452546	5434388	333	-59	1154.5	1155.2	0.7	67.9	
OSK-W-17-790	395.64	Lynx FW	450.0	453457	5434995	332	-66	251.6	255.2	3.6	11.3	
		including						261.6	262.3	0.7	28.7	
		and						264.7	265.2	0.5	39.9	
OSK-W-17-790	395.64	Lynx FW	450.0	453457	5434995	332	-66	269.5	272.5	3.0	4.32	
		including						269.5	270.6	1.1	10.1	
OSK-W-17-790	395.64	Lynx 2	450.0	453457	5434995	332	-66	293.0	295.0	2.0	8.61	
OSK-W-17-790	395.64	Lynx 2	450.0	453457	5434995	332	-66	303.8	308.8	5.0	6.00	
OSK-W-17-790	395.64	Lynx 2	450.0	453457	5434995	332	-66	316.9	325.5	8.6	10.5	10.3
		including						324.8	325.5	0.7	102	100
OSK-W-17-790	395.64	VNCR	450.0	453457	5434995	332	-66	392.5	394.7	2.2	10.9	
OSK-W-17-792	395.67	Lynx	438.0	453446	5434950	335	-64	309.5	318.7	9.2	42.1	25.2
		including						313.3	314.2	0.9	56.0	
		and						315.6	317.6	2.0	162	100
OSK-W-17-792	395.67	Crustiform vein	438.0	453446	5434950	335	-64	390.8	394.5	3.7	2.51	
OSK-W-17-795	402.6	FW3	1423.0	453646	5434421	333	-65	1110.3	1113.7	3.4	5.53	
		including						1110.3	1110.9	0.6	23.1	
OSK-W-17-799	395.55	Lynx HW	450.0	453481	5435035	332	-74	309.3	311.2	1.9	10.6	
OSK-W-17-799	395.55	Lynx	450.0	453481	5435035	332	-74	319.8	324.4	4.6	50.9	48.7
		including						319.8	320.7	0.9	108	100
		and						323.1	324.4	1.3	82.7	
OSK-W-17-799	395.55	Lynx FW	450.0	453481	5435035	332	-74	339.8	344.2	4.4	63.8	41.4
		including						341.5	342.3	0.8	223	100
OSK-W-17-799	395.55	Crustiform vein	450.0	453481	5435035	332	-74	402.0	405.6	3.6	14.0	
OSK-W-17-800	395.55		414.0	453367	5434941	330	-58	193.6	196.0	2.4	16.5	
		including						194.1	195.0	0.9	40.4	
OSK-W-17-800	395.55	VNCR	414.0	453367	5434941	330	-58	305.0	308.8	3.8	35.2	25.4
		including						306.5	307.2	0.7	139	100
OSK-W-17-801	396.94	Caribou extension	840.0	453332	5434907	333	-69	688.1	691.0	2.9	7.78	
OSK-W-17-801	396.94	Caribou extension	840.0	453332	5434907	333	-69	697.0	699.4	2.4	3.70	
OSK-W-17-801	396.94	Caribou extension	840.0	453332	5434907	333	-69	758.5	770.4	11.9	5.53	
		including						758.5	762.0	3.5	10.6	
OSK-W-17-801	396.94	Caribou extension	840.0	453332	5434907	333	-69	777.0	781.4	4.4	4.32	
OSK-W-17-802	396.11	Lynx 2	399.0	453375	5434898	330	-54	294.1	298.0	4.9	10.4	
		including						297.0	298.0	1.0	37.5	
OSK-W-17-802	396.11	Crustiform vein - Lynx corridor	399.0	453375	5434898	330	-54	363.0	366.1	3.1	24.9	
		including						365.3	366.1	0.8	71.2	
OSK-W-17-802	396.11	Crustiform vein - Lynx corridor	399.0	453375	5434898	330	-54	376.7	381.3	4.6	3.99	
		including						378.3	380.5	2.2	6.77	
OSK-W-17-803	397.66	Lynx HW	411.0	453305	5434943	331	-64	137.0	139.3	2.3	5.23	
		including						137.0	138.5	1.5	7.74	
OSK-W-17-803	397.66	Lynx	411.0	453305	5434943	331	-64	169.0	171.9	2.9	19.1	
OSK-W-17-803	397.66	Crustiform vein - Lynx corridor	411.0	453305	5434943	331	-64	372.0	374.3	2.3	6.38	
		including						372.0	373.2	1.2	11.1	
OSK-W-17-804	398.14	Z27 HW	200.5	451941	5434625	342	-42	69.5	71.5	2.0	3.59	
		including						69.5	69.8	0.3	19.1	
OSK-W-17-804	398.14	Z27	200.5	451941	5434625	342	-42	81.9	86.6	4.7	3.65	
		including						86.3	86.6	0.3	27.4	
OSK-W-17-804	398.14	Z27-1	200.5	451941	5434625	342	-42	97.4	99.5	2.1	1.46	
OSK-W-17-805	397.03	Lynx 2	321.0	453200	5434910	332	-56	225.5	230.5	5.0	12.4	
		including						227.4	230.5	3.1	17.7	
		and						230.0	230.6	0.6	64.6	
OSK-W-17-806	397.68	Lynx 2	387.0	453261	5434950	331	-60	214.6	217.5	2.9	3.13	
		including						214.6	215.5	0.9	8.24	
OSK-W-17-807	399.41	FW0	1170.0	452311	5434423	330	-65	623.5	626.5	3.0	3.89	
OSK-W-17-807	399.41	FW1	1170.0	452311	5434423	330	-65	715.5	717.5	2.0	19.2	
		including						715.5	716.0	0.5	51.5	
OSK-W-17-807	399.41	FW3 HW	1170.0	452311	5434423	330	-65	861.0	863.5	2.5	2.86	
OSK-W-17-807	399.41	FW4	1170.0	452311	5434423	330	-65	1023.0	1028.6	5.6	0.54	
OSK-W-17-807-W1	399.41	FW1	1134.0	452311	5434423	330	-65	730.2	734.6	4.4	8.20	
		including						734.0	734.6	0.6	56.3	
OSK-W-17-807-W1	399.41	FW3 HW	1134.0	452311	5434423	330	-65	807.0	816.4	9.4	0.61	
		including						813.3	815.7	2.4	20.7	
OSK-W-17-807-W1	399.41	FW3 FW	1134.0	452311	5434423	330	-65	1031.9	1034.0	2.1	8.64	
		including						1031.9	1032.5	0.6	27.8	
OSK-W-17-807-W1	399.41	FW4	1134.0	452311	5434423	330	-65	1122.8	1127.0	4.2	0.38	
OSK-W-17-807-W2	399.41	FW1	1155.0	452311	5434423	330	-65	735.0	738.0	3.0	53.5	35.2
		including						737.0	738.0	1.0	155	100
OSK-W-17-807-W2	399.41	Underdog	1155.0	452311	5434423	330	-65	868.5	870.5	2.0	15.5	
OSK-W-17-807-W2	399.41	FW3	1155.0	452311	5434423	330	-65	911.0	913.0	2.0	32.9	
		including						911.0	912.0	1.0	66.4	
OSK-W-17-807-W2	399.41	Underdog	1155.0	452311	5434423	330	-65	1070.5	1072.5	2.0	4.29	
		including						1070.5	1071.5	1.0	8.20	
OSK-W-17-810	398.14	Z27 HW	224.5	451949	5434615	331	-60	93.1	98.0	4.9	7.25	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-810	398.14	227	including 234.5	451949	5434615	331	-60	93.8	95.7	1.9	16.4	
			including 108.7					108.7	111.0	2.3	6.54	
								109.2	120.2	1.0	24.9	
OSK-W-17-811	397.72	Lynx 1	432.0	453470	5435213	330	-76	452.8	456.0	3.2	3.61	
OSK-W-17-812	395.85	Lynx 1	377.7	453460	5435033	330	-65	104.7	136.5	1.8	0.98	
OSK-W-17-812	395.85	Lynx 2	377.7	453460	5435033	330	-65	298.5	301.0	2.5	26.0	14.0
			including 299.7					300.0	300.0	0.3	200	100
OSK-W-17-812	395.85	Lynx 2	377.7	453460	5435033	330	-65	304.8	308.9	4.1	18.6	12.5
			including 304.8					305.1	305.1	0.3	59.7	
			and 307.3					307.6	307.6	0.3	194	100
OSK-W-17-813	402.79	CS1	666.0	452612	5434456	332	-63	522.8	525.0	2.2	4.36	
OSK-W-17-813-W1	402.79	CS3	660.0	452612	5434456	332	-63	618.3	620.7	2.4	4.53	
OSK-W-17-813-W1	402.79	CN1	660.0	452612	5434456	332	-63	626.2	629.1	2.9	0.67	
			including 626.2					627.0	627.0	0.8	40.8	
OSK-W-17-814	398.14	227-1	203.5	451027	5434612	329	-82	118.5	120.5	2.0	189	25.1
			including 120.0					120.5	120.5	0.5	756	100
OSK-W-17-816	397.75	Lynx 1	1050.0	453470	5435213	147	-69	192.5	194.5	2.0	9.46	
			including 192.5					195.5	195.5	1.0	18.7	
OSK-W-17-816	397.75	Lynx 1	1050.0	453470	5435213	147	-69	620.0	622.5	2.8	5.24	
			including 622.4					672.8	672.8	0.4	14.7	
OSK-W-17-816	397.75	Lynx 4	1050.0	453470	5435213	147	-69	797.1	804.8	7.7	11.7	
			including 800.0					800.0	800.0	0.8	68.3	
			including 804.8					804.8	804.8	0.3	85.9	
OSK-W-17-817	398.4	Lynx 2	820.3	453332	5435229	145	-60	273.3	275.3	2.0	4.40	
			including 273.3					273.7	273.7	0.4	14.0	
OSK-W-17-817	398.4	Lynx 1	820.3	453332	5435229	145	-60	289.5	292.0	2.5	3.46	
			including 291.0					292.0	292.0	1.0	8.33	
OSK-W-17-817	398.4	New - Lynx corridor	820.3	453332	5435229	145	-60	594.0	596.0	2.0	13.3	
			including 595.3					596.0	596.0	0.7	34.2	
OSK-W-17-818	395.8	227-1	164.5	451888	5434630	329	-61	80.0	82.0	2.0	5.04	
OSK-W-17-818	395.8	Vain	164.5	451888	5434630	329	-61	99.0	101.0	2.0	5.86	
			including 100.0					100.4	100.4	0.4	29.0	
OSK-W-17-820	402.44	CS2	1104.0	452670	5434484	332	-66	558.5	564.5	6.0	31.4	25.4
			including 561.0					569.0	569.0	2.0	83.0	65.0
OSK-W-17-820	402.44	CS1 FW	1104.0	452670	5434484	332	-66	616.5	619.0	2.5	936	32.1
			including 616.5					617.5	617.5	1.0	29.3	
			and 618.5					619.0	619.0	0.5	4620	100
OSK-W-17-820	402.44	Vain in late dyke	1104.0	452670	5434484	332	-66	690.0	692.8	2.8	8.06	
			including 690.0					691.5	691.5	1.5	14.1	
OSK-W-17-820	402.44	FW0 HW	1104.0	452670	5434484	332	-66	821.7	825.0	3.3	3.35	
OSK-W-17-820	402.44	FW0 HW	1104.0	452670	5434484	332	-66	840.5	843.6	3.1	3.85	
			including 842.7					843.6	843.6	0.9	11.4	
OSK-W-17-820	402.44	FW0	1104.0	452670	5434484	332	-66	864.2	867.0	2.8	3.51	
			including 864.2					865.0	865.0	0.8	11.9	
OSK-W-17-820	402.44	FW0 FW	1104.0	452670	5434484	332	-66	946.0	948.0	2.0	3.85	
OSK-W-17-820	402.44	FW0 FW	1104.0	452670	5434484	332	-66	976.3	982.6	6.3	5.79	
			including 982.1					982.6	982.6	0.5	28.7	
OSK-W-17-820-W1	402.44	FW0	1356.0	452670	5434484	332	-66	876.1	881.3	5.2	3.25	
OSK-W-17-820-W1	402.44	FW0 FW	1356.0	452670	5434484	332	-66	943.0	945.0	2.0	5.78	
			including 944.0					945.0	945.0	1.0	11.3	
OSK-W-17-820-W1	402.44	FW0 FW	1356.0	452670	5434484	332	-66	949.0	951.0	2.0	9.02	
OSK-W-17-820-W1	402.44	FW0 FW	1356.0	452670	5434484	332	-66	981.8	985.0	3.2	21.6	
			including 981.8					983.4	983.4	1.6	40.4	
OSK-W-17-820-W1	402.44	FW1 FW	1356.0	452670	5434484	332	-66	1044.0	1046.0	2.0	4.26	
			including 1044.0					1045.0	1045.0	1.0	7.82	
OSK-W-17-820-W1	402.44	FW3 HW	1356.0	452670	5434484	332	-66	1109.2	1111.4	2.2	31.7	27.7
			including 1110.8					1111.4	1111.4	0.6	115	100
OSK-W-17-820-W1	402.44	FW3	1356.0	452670	5434484	332	-66	1146.7	1149.0	2.3	47.0	18.1
			including 1147.1					1147.6	1147.6	0.9	463	100
OSK-W-17-821	400.8	FW0 FW	1258.6	452739	5434474	332	-65	975.1	977.3	2.2	5.25	
			including 976.1					976.7	976.7	0.6	15.4	
OSK-W-17-821	400.8	FW1	1258.6	452739	5434474	332	-65	1041.5	1044.0	2.5	1.48	
OSK-W-17-821	400.8	FW3	1258.6	452739	5434474	332	-65	1174.5	1177.8	3.3	9.27	
			including 1176.6					1177.8	1177.8	1.2	21.9	
OSK-W-17-821-W1	400.8	CS3	1416.0	452739	5434474	332	-65	670.0	672.0	2.0	0.90	
			including 865.0					867.0	867.0	2.0	7.31	
OSK-W-17-821-W1	400.8	FW0 HW	1416.0	452739	5434474	332	-65	865.7	866.0	0.3	44.3	
			including 905.0					907.0	907.0	2.0	7.83	
OSK-W-17-821-W1	400.8	FW0	1416.0	452739	5434474	332	-65	905.0	906.0	1.0	12.2	
OSK-W-17-821-W1	400.8	FW0	1416.0	452739	5434474	332	-65	937.0	941.0	4.0	36.7	35.4
			including 938.0					939.0	939.0	1.0	105	100
OSK-W-17-821-W1	400.8	FW0 FW	1416.0	452739	5434474	332	-65	952.0	954.0	2.0	16.5	
			including 953.0					954.0	954.0	1.0	39.6	
OSK-W-17-821-W1	400.8	FW1 HW	1416.0	452739	5434474	332	-65	1079.0	1084.0	5.0	4.63	
			including 1082.0					1083.0	1083.0	1.0	11.3	
OSK-W-17-821-W1	400.8	FW1	1416.0	452739	5434474	332	-65	1110.0	1141.0	31.0	24.9	16.4
OSK-W-17-821-W1	400.8	FW1	1416.0	452739	5434474	332	-65	1144.0	1150.0	6.0	10.5	
OSK-W-17-821-W1	400.8	FW1	1416.0	452739	5434474	332	-65	1158.0	1160.0	2.0	5.33	
			including 1175.6					1176.3	1176.3	0.7	29.3	
			including 1178.0					1179.0	1179.0	1.0	19.5	
OSK-W-17-821-W1	400.8	FW1	1416.0	452739	5434474	332	-65	1192.0	1194.0	2.0	3.35	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-821-W1	400.8	FW1 FW	1416.0	452739	5434474	332	-65	1202.8	1207.0	4.2	5.65	
		including						1202.8	1203.1	0.3	48.0	
OSK-W-17-821-W1	400.8	New UnderDog	1416.0	452739	5434474	332	-65	1219.4	1223.0	3.6	15.4	
		including						1212.2	1223.0	0.8	40.9	
OSK-W-17-821-W1	400.8	New UnderDog	1416.0	452739	5434474	332	-65	1278.0	1285.0	7.0	3.84	
		including						1278.0	1279.0	1.0	9.58	
OSK-W-17-821-W1	400.8	FW3	1416.0	452739	5434474	332	-65	1284.0	1285.0	1.0	0.62	
		including						1330.3	1333.0	2.7	5.04	
		including						1330.9	1331.2	0.3	30.1	
OSK-W-17-823	402.36	CS1 HW	620.3	452565	5434415	330	-57	486.9	494.0	7.1	13.5	
		including						490.0	492.0	2.0	37.7	
OSK-W-17-823	402.36	CS1	620.3	452565	5434415	330	-57	526.4	533.5	7.1	0.41	
OSK-W-17-823	402.36	CS1 FW	620.3	452565	5434415	330	-57	552.2	554.3	2.1	5.43	
OSK-W-17-823	402.36	Caribou corridor	620.3	452565	5434415	330	-57	574.6	577.2	2.6	4.70	
		including						575.3	576.4	1.1	10.8	
OSK-W-17-823-W1	402.36	CS1 HW	618.0	452565	5434415	330	-57	503.0	508.4	5.4	8.05	
		including						507.1	508.4	1.3	23.8	
OSK-W-17-823-W1	402.36	CS1	618.0	452565	5434415	330	-57	535.0	537.4	2.4	18.5	
		including						535.0	536.0	1.0	43.9	
OSK-W-18-823-W1	402.36	CS1	918.0	452565	5434415	330	-56	510.6	513.5	8.9	9.53	
		including						510.6	513.5	2.9	18.0	
OSK-W-18-823-W2	402.36	CS1	918.0	452565	5434415	330	-56	526.0	528.0	2.0	5.22	
OSK-W-18-823-W2	402.36	FW1	918.0	452565	5434415	330	-56	843.7	846.0	2.3	11.7	
		including						845.0	845.3	0.3	80.5	
OSK-W-18-823-W2	402.36	FW1	918.0	452565	5434415	330	-56	858.4	862.5	4.1	40.8	29.3
		including						860.8	861.7	0.9	152	100
OSK-W-17-824	398.14	227	209.5	451956	5434609	330	-67	28.4	30.0	2.6	195	16.7
		including						29.6	30.0	0.4	1260	100
OSK-W-17-824	398.14	227-1	209.5	451956	5434609	330	-67	150.9	152.9	2.0	3.28	
OSK-W-17-825	399.73	Lyme 2	579.0	453252	5435182	145	-54	226.1	228.1	2.0	4.06	
OSK-W-17-825	399.73	Lyme 2	579.0	453252	5435182	145	-54	237.1	239.1	2.0	3.18	
OSK-W-17-825	399.73	Lyme 1	579.0	453252	5435182	145	-54	265.2	266.9	1.7	3.18	
		including						265.2	265.5	0.3	14.0	
OSK-W-17-825	399.73	Lyme 1	579.0	453252	5435182	145	-54	267.9	270.7	2.8	6.71	
		including						268.9	269.6	0.7	21.6	
OSK-W-17-825	399.73	Lyme 1	579.0	453252	5435182	145	-54	274.0	278.2	2.2	6.88	
		including						274.8	275.2	0.4	21.6	
OSK-W-17-825	399.73	Lyme 1	579.0	453252	5435182	145	-54	280.5	283.9	3.4	23.8	
		including						280.5	281.3	0.8	92.1	
OSK-W-17-825	399.73	Lyme 1	579.0	453252	5435182	145	-54	281.8	282.5	2.7	5.2	
OSK-W-17-825	397.42	CS1	1335.0	452800	5434549	331	-66	543.5	544.8	1.3	0.67	
OSK-W-17-825	397.42	CS3	1335.0	452800	5434549	331	-66	658.1	661.9	3.8	1.14	
OSK-W-17-825	397.42	Caribou Corridor	1335.0	452800	5434549	331	-66	720.3	723.7	3.4	4.49	
OSK-W-17-825	397.42	FW0	1335.0	452800	5434549	331	-66	937.0	939.0	2.0	3.79	
OSK-W-17-825	397.42	FW1 HW	1335.0	452800	5434549	331	-66	1031.0	1033.0	2.0	6.53	
		including						1031.0	1032.0	1.0	11.3	
OSK-W-17-825	397.42	FW1 HW	1335.0	452800	5434549	331	-66	1053.0	1053.0	2.0	6.37	
		including						1052.0	1053.0	1.0	11.9	
OSK-W-17-825	397.42	FW3/214-2	1335.0	452800	5434549	331	-66	1204.0	1205.2	2.2	9.26	
		including						1205.6	1206.2	0.6	24.7	
OSK-W-17-825	397.42	FW3/214 HW	1335.0	452800	5434549	331	-66	1246.8	1250.0	3.2	4.61	
OSK-W-17-825	397.42	FW3/214	1335.0	452800	5434549	331	-66	1298.0	1300.2	2.2	4.67	
OSK-W-17-825	397.42	FW3/214 HW	1335.0	452800	5434549	331	-66	1308.3	1310.6	2.3	3.17	
		including						1309.0	1309.6	0.6	12.4	
OSK-W-17-825	397.42	FW3 FW	1335.0	452800	5434549	331	-66	1318.6	1319.0	2.4	16.0	
		including						1317.2	1319.0	1.8	21.3	
OSK-W-17-825-W1	397.42	Caribou corridor	759.0	452800	5434549	331	-66	648.0	650.8	2.8	3.48	
OSK-W-17-827	401.03	Lyme 3	957.0	453172	5435125	145	-63	160.0	162.1	4.1	12.1	
		including						160.0	161.5	1.5	30.0	
OSK-W-17-827	401.03	Lyme 2	957.0	453172	5435125	145	-63	196.0	198.5	2.5	2.66	
OSK-W-17-827	401.03	Lyme 1 FW	957.0	453172	5435125	145	-63	255.0	258.0	3.0	14.6	
OSK-W-17-827	401.03	Lyme 1 HW	957.0	453172	5435125	145	-63	354.0	356.5	2.5	7.51	
		including						354.0	355.5	1.5	12.4	
OSK-W-17-827	401.03	VNCR - Lyme corridor	957.0	453172	5435125	145	-63	381.0	383.0	2.0	5.84	
		including						381.5	382.3	0.8	12.5	
OSK-W-17-827	401.03	Lyme corridor	957.0	453172	5435125	145	-63	469.0	472.0	3.0	3.63	
OSK-W-17-827	401.03	Lyme 4	957.0	453172	5435125	145	-63	684.3	687.0	2.7	57.0	50.1
		including						660.0	667.0	1.0	135	100
OSK-W-17-827	401.03	Lyme 5	957.0	453172	5435125	145	-63	779.0	781.0	2.0	12.7	
		including						780.0	781.0	1.0	25.0	
OSK-W-17-830	403.31	CS1	819.0	452487	5434622	329	-55	292.0	296.2	4.2	1.03	
OSK-W-17-830	403.31	Caribou	819.0	452487	5434622	329	-55	343.0	344.0	1.0	7.92	
OSK-W-17-830	403.31	Wolf	819.0	452487	5434622	329	-55	419.4	420.8	1.4	1.02	
OSK-W-17-830	403.31	227	819.0	452487	5434622	329	-55	522.1	524.6	2.5	0.69	
OSK-W-17-830	403.31	FW3U HW	819.0	452487	5434622	329	-55	670.5	673.5	3.0	3.59	
OSK-W-17-830	403.31	FW3U	819.0	452487	5434622	329	-55	762.0	764.0	2.0	7.26	
OSK-W-17-831	397.68	Lyme 3	561.0	453549	5435279	150	-79	457.9	460.0	2.0	4.43	
OSK-W-17-832	398.44	Lyme 3	575.0	453332	5435229	146	-55	85.0	87.3	2.3	14.1	
		including						85.8	86.6	0.8	38.9	
OSK-W-17-833	400.88	CS1	1149.0	452597	5434393	331	-57	540.0	546.3	6.3	5.91	
		including						544.0	546.3	2.3	13.2	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-833	400.88	CN2	1149.0	452597	5434393	331	-57	608.5	614.8	6.3	3.11	
		including						612.9	614.8	1.9	5.93	
OSK-W-17-833	400.88	FW0	1149.0	452597	5434393	331	-57	826.2	831.4	5.2	3.48	
OSK-W-17-833	400.88	FW2	1149.0	452597	5434393	331	-57	915.3	918.0	2.7	0.94	
OSK-W-17-833	400.88	FW2 FW	1149.0	452597	5434393	331	-57	954.0	957.0	3.0	3.40	
OSK-W-17-833	400.88	FW3/214	1149.0	452597	5434393	331	-57	1086.0	1088.5	2.5	8.94	
		including						1086.0	1087.0	1.0	15.0	
OSK-W-17-833	400.88	FW3/214-2	1149.0	452597	5434393	331	-57	1125.0	1127.4	2.4	8.97	
		including						1125.0	1126.1	1.1	17.1	
OSK-W-17-833-W1	400.88	CS1	1173.0	452597	5434393	331	-57	534.0	536.0	2.0	8.27	
OSK-W-17-833-W1	400.88	FW0	1173.0	452597	5434393	331	-57	815.5	818.0	2.5	5.60	
		including						815.5	816.0	0.5	21.6	
OSK-W-17-833-W1	400.88	FW0 FW	1173.0	452597	5434393	331	-57	842.0	844.0	2.0	5.66	
		including						842.6	843.3	0.7	15.6	
OSK-W-17-833-W1	400.88	FW1 HW	1173.0	452597	5434393	331	-57	853.7	857.7	4.0	11.8	
OSK-W-17-833-W1	400.88	New Underdog	1173.0	452597	5434393	331	-57	862.0	864.0	2.0	5.79	
OSK-W-17-833-W1	400.88	FW3	1173.0	452597	5434393	331	-57	1098.0	1091.9	2.9	8.24	
		including						1097.6	1091.9	0.3	76.2	
OSK-W-17-833-W1	400.88	FW3	1173.0	452597	5434393	331	-57	1100.0	1102.0	2.0	6.36	
OSK-W-17-833-W2	400.88	CS1	1244.2	452597	5434393	331	-57	534.0	544.0	10.0	9.18	
		including						542.0	544.0	2.0	39.0	
OSK-W-17-833-W2	400.88	CS1 FW	1244.2	452597	5434393	331	-57	554.0	556.0	2.0	8.87	
OSK-W-17-833-W2	400.88	FW1	1244.2	452597	5434393	331	-57	886.0	893.5	7.5	0.21	
OSK-W-17-833-W2	400.88	FW2	1244.2	452597	5434393	331	-57	1014.0	1017.0	3.0	43.9	41.6
		including						1014.7	1016.4	1.7	72.8	68.7
								1014.7	1015.0	0.3	123	100
OSK-W-17-833-W2	400.88	FW3	1244.2	452597	5434393	331	-57	1072.0	1074.6	2.6	2.14	
OSK-W-17-833-W2	400.88	Underdog	1244.2	452597	5434393	331	-57	1184.0	1186.0	2.0	3.43	
OSK-W-17-834	399.64	Lynx 2	402.0	453248	5435187	144	-59	277.6	280.0	2.4	16.6	
OSK-W-17-834	399.64	Lynx 2	402.0	453248	5435187	144	-59	286.1	288.4	2.3	15.2	
		including						286.1	285.5	0.7	16.5	
OSK-W-17-834	399.64	Lynx 1	402.0	453248	5435187	144	-59	292.0	295.7	3.7	42.1	27.8
		including						293.1	293.5	0.4	3740	100
OSK-W-17-836	397.62	Lynx HW	1045.4	453549	5435279	145	-68	210.0	214.5	4.5	4.56	
OSK-W-17-836	397.62	Lynx HW	1045.4	453549	5435279	145	-68	219.9	222.0	2.1	5.49	
OSK-W-17-836	397.62	Crustiform vein - Lynx corridor	1045.4	453549	5435279	145	-68	269.3	272.0	2.7	4.86	
		including						269.3	270.0	0.7	18.7	
OSK-W-17-836	397.62	New - Lynx Corridor	1045.4	453549	5435279	145	-68	307.2	309.7	2.5	18.5	
		including						307.2	307.7	0.5	26.2	
OSK-W-17-836	397.62	New - Lynx Corridor	1045.4	453549	5435279	145	-68	382.4	384.7	2.3	16.7	14.8
		including						382.4	382.7	0.3	146	100
OSK-W-17-836	397.62	New - Lynx Corridor	1045.4	453549	5435279	145	-68	421.2	423.5	2.3	3.30	
OSK-W-17-836	397.62	New - Lynx Corridor	1045.4	453549	5435279	145	-68	517.0	520.1	3.1	3.82	
OSK-W-17-836	397.62	Lynx 3	1045.4	453549	5435279	145	-68	888.0	870.4	2.4	116	46.4
		including						869.3	870.4	1.1	253	100
OSK-W-17-836	397.62	New - Lynx Corridor	1045.4	453549	5435279	145	-68	890.1	892.7	2.6	16.3	
		including						890.1	890.6	0.5	75.9	
OSK-W-17-837	395.85	Lynx 1 HW	465.0	453485	5435060	332	-75	207.0	210.4	3.4	43.9	35.5
		including						210.0	210.4	0.4	172	100
OSK-W-17-837	395.85	Lynx 1	465.0	453485	5435060	332	-75	285.8	291.2	5.4	16.8	
		including						285.8	287.2	1.4	45.7	
OSK-W-17-837	395.85	Lynx 2	465.0	453485	5435060	332	-75	320.0	328.4	8.4	97.4	33.7
		including						320.7	322.8	2.1	65.0	
		including and						324.7	325.4	0.7	665	100
OSK-W-17-837	395.85	VNCR - Lynx corridor	465.0	453485	5435060	332	-75	335.9	339.0	3.1	5.77	
OSK-W-17-837	395.85	VNCR	465.0	453485	5435060	332	-75	343.7	346.6	2.9	15.6	
OSK-W-17-837	395.85	Vein - Lynx corridor	465.0	453485	5435060	332	-75	407.6	408.7	1.1	3.93	
OSK-W-17-838	397.75	Caribou Corridor	528.0	453144	5434900	329	-65	488.7	490.7	2.0	7.31	
		including						488.7	490.7	1.0	12.4	
OSK-W-17-838	397.75	Caribou Corridor	528.0	453144	5434900	329	-65	497.0	500.0	3.0	4.55	
		including						498.0	499.0	1.0	10.8	
OSK-W-17-839	395.95	Lynx 1 HW	448.2	453431	5434889	331	-56	310.0	312.1	2.1	10.5	
		including						310.8	312.1	1.3	16.7	
OSK-W-17-839	395.95	Lynx 1	448.2	453431	5434889	331	-56	319.7	328.0	8.3	6.58	
		including						325.2	325.7	0.5	30.4	
		including						326.4	327.1	0.7	24.9	
OSK-W-17-842	402.46	CS1 HW	1302.0	452509	5434390	331	-59	505.5	508.0	2.5	3.79	
		including						505.5	505.9	0.4	18.3	
OSK-W-17-842	402.46	CS1	1302.0	452509	5434390	331	-59	540.0	545.5	5.5	14.5	8.55
		including						540.0	540.4	0.4	182	100
OSK-W-17-842	402.46	FW0	1302.0	452509	5434390	331	-59	799.5	808.5	9.0	0.41	
OSK-W-17-842	402.46	FW1	1302.0	452509	5434390	331	-59	831.7	835.8	2.1	4.03	
OSK-W-17-842	402.46	QTV	1302.0	452509	5434390	331	-59	1030.0	1032.0	2.0	4.03	
OSK-W-17-843	396.12	Lynx 1	462.0	453427	5434866	330	-50	327.1	331.4	4.3	1.83	
OSK-W-17-843	396.12	VNCR	462.0	453427	5434866	330	-50	450.4	452.8	2.4	5.93	
		including						450.4	451.1	0.7	39.0	
OSK-W-17-844	398.89	CS1	1092.0	452728	5434545	333	-57	414.3	426.1	11.8	0.89	
OSK-W-17-844	398.89	CS3	1092.0	452728	5434545	333	-57	520.8	525.6	2.8	11.6	
		including						521.7	522.6	0.9	33.7	
OSK-W-17-844	398.89	Wolf 2	1092.0	452728	5434545	333	-57	568.7	571.2	2.5	8.14	
		including						569.7	570.1	0.4	28.2	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-844	398.89	Wolf 2 FW	1092.0	452728	5434545	333	-57	595.4	598.0	2.6	5.30	
		including						596.4	597.0	0.6	20.3	
OSK-W-17-844	398.89	Wolf	1092.0	452728	5434545	333	-57	565.1	668.6	3.5	18.7	
		including						668.0	668.6	0.6	69.4	
OSK-W-17-844	398.89	FW3	1092.0	452728	5434545	333	-57	954.8	957.6	2.8	56.9	35.5
		including						957.1	957.6	0.5	220	100
OSK-W-17-844	398.89	Underdog	1092.0	452728	5434545	333	-57	1058.5	1060.5	2.0	4.87	
OSK-W-17-845	395.84	Lynx 1	375.0	453452	5434917	328	-58	316.2	318.3	2.0	10.7	
		including						316.7	317.5	0.8	26.3	
OSK-W-17-846	398.78	Lynx 1	248.0	453142	5434934	331	-64	95.0	97.0	2.0	113	75.1
		including						95.5	97.0	1.5	151	100
OSK-W-17-846	398.78	Lynx 2	248.0	453142	5434934	331	-64	174.6	176.5	1.9	3.25	
OSK-W-17-847	402.51	CS3	1347.0	452645	5434429	334	-69	601.0	603.0	2.0	29.8	
OSK-W-17-847	402.51	FW0 HW	1347.0	452645	5434429	334	-69	831.0	833.0	2.0	6.87	
OSK-W-17-847	402.51	FW0	1347.0	452645	5434429	334	-69	864.9	871.8	6.9	3.57	
OSK-W-17-847	402.51	FW2	1347.0	452645	5434429	334	-69	1085.1	1089.0	3.9	8.85	
OSK-W-17-847	402.51	FW3	1347.0	452645	5434429	334	-69	1162.0	1174.0	12.0	8.44	
		including						1169.0	1170.0	1.0	32.9	
OSK-W-17-847	402.51	FW3 FW	1347.0	452645	5434429	334	-69	1208.0	1211.0	3.0	20.4	
OSK-W-17-847	402.51	FW4	1347.0	452645	5434429	334	-69	1296.9	1304.1	7.2	0.34	
OSK-W-17-847-W1	402.51	CS1 HW	1133.6	452645	5434429	334	-69	584.0	586.0	2.0	5.82	
		including						585.0	586.0	1.0	10.7	
OSK-W-17-847-W2	402.51	CS2	1133.6	452645	5434429	334	-69	606.0	609.0	3.0	30.1	
		including						608.0	609.0	1.0	81.9	
OSK-W-17-847-W1	402.51	CS1 FW	1133.6	452645	5434429	334	-69	621.0	626.0	5.0	6.75	
		including						622.0	624.0	2.0	24.7	
OSK-W-17-847-W1	402.51	CS3	1133.6	452645	5434429	334	-69	643.0	645.0	2.0	4.08	
		including						644.5	645.0	0.5	13.4	
OSK-W-17-847-W1	402.51	FW0	1133.6	452645	5434429	334	-69	907.0	910.0	3.0	13.1	
		including						908.0	909.0	1.0	36.0	
OSK-W-17-847-W1	402.51	FW0 FW	1133.6	452645	5434429	334	-69	965.0	967.0	2.0	3.41	
OSK-W-17-847-W1	402.51	FW2	1133.6	452645	5434429	334	-69	1124.0	1126.0	2.0	3.70	
OSK-W-17-847-W2	402.51	QTV	1275.0	452645	5434429	334	-69	1075.1	1077.2	2.1	10.7	
		including						1075.1	1075.5	0.4	51.1	
OSK-W-17-847-W2	402.51	FW1	1275.0	452645	5434429	334	-69	1148.0	1152.5	3.5	19.3	
		including						1149.0	1150.0	1.0	35.5	
		including						1151.8	1152.5	0.7	44.9	
OSK-W-17-847-W2	402.51	FW1 FW	1275.0	452645	5434429	334	-69	1171.0	1173.0	2.0	4.07	
OSK-W-17-848	401.24	Lynx 2	669.0	453311	5435357	135	-45	348.0	350.6	2.6	8.43	
		including						348.0	348.9	0.9	21.3	
OSK-W-17-848	401.24	Lynx 1	669.0	453311	5435357	135	-45	363.0	365.5	2.5	7.85	
		including						364.5	365.5	1.0	19.9	
OSK-W-17-848	401.24	New - Lynx corridor	669.0	453311	5435357	135	-45	486.5	488.5	2.0	3.11	
OSK-W-17-848	401.24	New - Lynx corridor	669.0	453311	5435357	135	-45	490.5	490.8	2.3	6.21	
		including						491.3	492.2	0.9	15.0	
OSK-W-17-848	401.24	Lynx HW	669.0	453311	5435357	135	-45	518.5	520.6	2.1	15.1	
		including						518.5	519.5	1.0	26.2	
OSK-W-17-848	401.24	Lynx 4	669.0	453311	5435357	135	-45	578.0	586.4	8.4	0.55	
OSK-W-17-849	397.1	Lynx 2	315.0	453220	5434911	333	-48	190.0	192.0	2.0	7.50	
OSK-W-17-851	395.66	Lynx HW	375.0	453452	5434918	330	-59	240.0	242.0	2.0	0.49	
OSK-W-17-851	395.66	Lynx 2	375.0	453452	5434918	330	-59	340.0	343.0	3.0	8.02	
OSK-W-17-851	395.66	Crustiform vein - Lynx corridor	375.0	453452	5434918	330	-59	340.0	350.0	2.0	13.1	100
OSK-W-17-852	397.79	Caribou	1356.0	452874	5434552	330	-55	712.0	714.0	2.0	10.0	
		including						712.5	712.8	0.3	42.4	
OSK-W-17-852-W1	397.79	Wolf	897.0	452874	5434552	330	-55	706.0	708.0	2.0	12.1	
		including						706.0	706.6	0.6	38.8	
OSK-W-17-854	403	Caribou	846.0	452485	5434592	331	-53	280.0	282.0	2.0	12.5	
		including						280.8	282.0	1.2	19.8	
OSK-W-17-854	403	CN2	846.0	452485	5434592	331	-53	320.5	371.9	2.9	8.07	
		including						320.5	371.0	0.5	33.0	
OSK-W-17-854	403	FW3U	846.0	452485	5434592	331	-53	767.0	769.0	2.0	7.48	
		including						767.0	768.0	1.0	14.9	
OSK-W-17-854-W1	403	Wolf FW	843.8	452485	5434592	331	-53	489.6	490.0	2.4	7.97	
		including						491.3	492.0	0.7	15.1	
OSK-W-17-854-W1	403	Wolf FW	843.8	452485	5434592	331	-53	498.0	501.0	3.0	5.38	
OSK-W-17-854-W1	403	FW3U HW	843.8	452485	5434592	331	-53	701.0	703.5	2.5	5.00	
		including						702.0	702.5	0.5	24.7	
OSK-W-17-854-W1	403	FW3U	843.8	452485	5434592	331	-53	802.5	803.3	2.8	4.65	
OSK-W-17-854-W2	403	FW3U	875.0	452485	5434592	331	-53	795.7	799.3	3.5	18.6	
		including						798.1	798.6	0.5	80.3	
OSK-W-17-855	399.44	Vein	717.0	452309	5434384	334	-64	166.6	169.4	2.8	3.93	
OSK-W-17-855	399.44	Caribou corridor	717.0	452309	5434384	334	-64	269.0	271.5	2.5	24.4	
		including						270.5	271.5	1.0	46.8	
OSK-W-17-855	399.44	FW0	717.0	452309	5434384	334	-64	654.0	658.0	4.0	0.43	
OSK-W-17-855-W1	399.44	FW1	1197.0	452309	5434384	334	-64	752.0	754.0	2.0	21.0	
		including						752.0	753.0	1.0	41.2	
OSK-W-17-855-W1	399.44	FW2	1197.0	452309	5434384	334	-64	845.0	846.2	2.2	3.18	
		including						844.0	845.5	1.5	12.5	
OSK-W-17-855-W1	399.44	FW3	1197.0	452309	5434384	334	-64	913.0	919.5	3.2	3.79	
		including						919.0	919.5	0.5	15.8	
OSK-W-17-855-W1	399.44	FW3 FW	1197.0	452309	5434384	334	-64	968.0	971.0	3.0	13.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-834	396.61	Lynx 2	372.0	453313	5434908	332	-50	258.0	261.0	3.0	1.33	
OSK-W-17-835	401.81	Lynx 3	924.0	453374	5435443	144	-51	359.0	359.3	0.3	0.11	
OSK-W-17-835	401.81	Lynx 1	924.0	453374	5435443	144	-51	451.5	454.5	3.0	1.52	
OSK-W-17-835	401.81	Vein - Lynx corridor	924.0	453374	5435443	144	-51	851.0	853.0	2.0	13.7	
		including						852.0	853.0	1.0	27.3	
OSK-W-17-836	397.19	Lynx HW	393.0	453256	5434939	335	-48	91.8	87.0	5.2	1.85	
OSK-W-17-836	397.19	Lynx 2	393.0	453256	5434939	335	-48	158.6	161.6	3.0	2.85	
OSK-W-17-836	397.19	Lynx 3	393.0	453256	5434939	335	-48	210.0	212.0	2.0	25.9	15.3
		including						210.6	210.9	0.3	172	100
OSK-W-17-837	396.29	Lynx HW	360.0	453296	5434888	330	-50	177.7	181.0	3.3	5.02	
		including						179.1	179.6	0.5	30.0	
OSK-W-17-837	396.29	Lynx 1	360.0	453296	5434888	330	-50	196.2	198.2	2.0	1.49	
OSK-W-17-837	396.29	Crustiform vein	360.0	453296	5434888	330	-50	308.0	310.3	2.3	57.8	
OSK-W-17-838	395.85	Lynx HW	417.0	453455	5434983	329	-62	230.7	233.0	2.3	0.74	
OSK-W-17-838	395.85	Crustiform vein	417.0	453455	5434983	329	-62	234.2	236.4	2.2	14.6	
		including						235.8	236.4	0.6	51.5	
OSK-W-17-838	395.85	Lynx 1	417.0	453455	5434983	329	-62	250.0	252.0	2.0	1.81	
OSK-W-17-838	395.85	Lynx 2	417.0	453455	5434983	329	-62	287.0	287.7	13.7	5.32	
		including						292.7	293.0	0.3	100	100
		including						298.2	298.6	0.4	66.1	
OSK-W-17-838	395.85	Crustiform vein	417.0	453455	5434983	329	-62	364.0	366.0	2.0	16.8	
		including						364.3	365.3	1.0	31.2	
OSK-W-17-839	398.3	Lynx 1	369.0	453241	5434965	335	-46	76.3	77.8	1.5	1.98	
OSK-W-17-839	398.3	Lynx HW	369.0	453241	5434965	335	-46	84.2	86.2	2.0	1.93	
OSK-W-17-839	398.3	Lynx 2	369.0	453241	5434965	335	-46	108.1	110.4	2.3	52.8	
		including						108.6	109.4	0.8	96.2	
OSK-W-17-839	398.3	Lynx 2	369.0	453241	5434965	335	-46	115.8	117.8	2.0	14.5	
		including						115.8	116.8	1.0	28.3	
OSK-W-17-880	399.86	Caribou HW	813.0	453425	5434565	327	-50	146.2	149.4	3.2	3.32	
OSK-W-17-880	399.86	227 HW	813.0	453425	5434565	327	-50	415.5	418.0	2.5	7.92	
		including						415.5	417.0	1.5	13.2	
OSK-W-17-880	399.86	FW3	813.0	453425	5434565	327	-50	461.4	463.8	2.5	5.28	
OSK-W-17-880	399.86	FW3U	813.0	453425	5434565	327	-50	713.0	719.0	6.0	0.45	
OSK-W-17-880-W1	399.86	227 HW	801.0	453425	5434565	327	-50	373.0	376.0	3.0	16.5	
		including						373.0	374.5	1.5	33.7	
OSK-W-17-880-W1	399.86	227	801.0	453425	5434565	327	-50	464.0	466.5	2.5	4.57	
		including						465.0	466.5	0.5	12.1	
OSK-W-17-880-W2	399.86	227	846.0	453425	5434565	327	-50	475.6	478.0	2.4	2.32	
OSK-W-17-880-W2	399.86	FW3U HW	846.0	453425	5434565	327	-50	699.8	706.7	6.9	0.39	
OSK-W-17-880-W2	399.86	FW3U	846.0	453425	5434565	327	-50	776.8	779.5	2.7	8.41	
		including						777.5	778.0	0.5	26.1	
OSK-W-17-881	407.37	Lynx 2 FW	867.0	453217	5435342	136	-48	360.5	364.7	4.2	6.54	
		including						362.0	363.4	1.4	15.0	
OSK-W-17-881	407.37	Lynx 2 FW	867.0	453217	5435342	136	-48	384.0	386.0	2.0	29.8	
		including						385.0	386.0	1.0	59.4	
OSK-W-17-881	407.37	Lynx 2	867.0	453217	5435342	136	-48	412.0	414.0	2.0	379	30.7
		including						412.7	413.3	0.6	1260	100
OSK-W-17-881	407.37	Lynx 1	867.0	453217	5435342	136	-48	445.8	448.2	2.4	2.97	
OSK-W-17-881	407.37	Crustiform vein	867.0	453217	5435342	136	-48	732.7	734.8	2.1	4.20	
		including						733.3	733.9	0.6	14.2	
OSK-W-17-882	396.06	Lynx HW	471.0	453369	5434846	331	-53	240.2	244.0	3.8	1.62	
OSK-W-17-882	396.06	VNCR	471.0	453369	5434846	331	-53	417.0	420.0	3.0	3.39	
		including						418.0	418.5	0.5	18.8	
OSK-W-17-882	396.06	VNCR	471.0	453369	5434846	331	-53	426.0	428.0	2.0	2.62	
OSK-W-17-882	396.06	Lynx 1 + Lynx 2	471.0	453369	5434846	331	-53	426.6	427.4	0.5	9.82	
OSK-W-17-883	395.83	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	254.0	256.0	2.0	12.4	
		including						254.9	255.4	0.5	36.8	
OSK-W-17-883	395.83	Lynx 1 + Lynx 2	396.0	453455	5434983	326	-60	259.0	261.0	2.0	7.52	
		including						259.7	260.0	0.3	44.4	
OSK-W-17-883	395.83	Lynx 2	396.0	453455	5434983	326	-60	274.5	276.5	2.0	18.6	
		including						275.5	276.5	1.0	32.5	
OSK-W-17-883	395.83	Lynx 2	396.0	453455	5434983	326	-60	288.5	290.5	2.0	3.89	
OSK-W-17-883	395.83	VNCR	396.0	453455	5434983	326	-60	353.0	355.2	2.2	3.07	
OSK-W-17-884	398.36	Lynx 1	371.0	453213	5434983	333	-53	49.8	52.8	3.0	1.44	
OSK-W-17-884	398.36	Lynx 2	371.0	453213	5434983	333	-53	77.0	80.0	3.0	6.88	
		including						77.0	77.5	0.5	26.0	
OSK-W-17-884	398.36	Lynx 3	371.0	453213	5434983	333	-53	120.0	126.1	6.1	0.30	
OSK-W-17-885	401.67	Vein	1458.0	452861	5434494	335	-67	472.0	474.0	2.0	21.4	19.8
		including						472.9	473.2	0.3	111	100
OSK-W-17-885	401.67	C53	1458.0	452861	5434494	335	-67	812.3	817.4	5.1	4.75	
		including						812.3	813.0	0.7	11.1	
OSK-W-17-885	401.67	FWD HW	1458.0	452861	5434494	335	-67	1018.0	1020.0	2.0	6.44	
OSK-W-17-885	401.67	FWD	1458.0	452861	5434494	335	-67	1051.0	1053.0	2.0	15.5	
		including						1052.0	1052.0	0.0	6.69	
OSK-W-17-885	401.67	FWD FW	1458.0	452861	5434494	335	-67	1092.0	1100.0	8.0	6.69	
		including						1092.0	1093.0	1.0	22.3	
OSK-W-17-885	401.67	FWD	1458.0	452861	5434494	335	-67	1119.0	1121.0	2.0	3.37	
OSK-W-17-885	401.67	FWD	1458.0	452861	5434494	335	-67	1300.0	1305.0	5.0	1.62	
OSK-W-17-885	401.67	FWD	1458.0	452861	5434494	335	-67	1366.0	1368.6	2.6	6.55	
		including						1367.0	1367.8	0.8	18.2	
OSK-W-17-885-W1	401.67	FWD HW	1383.0	452861	5434494	335	-67	1054.4	1061.0	6.6	5.34	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-885-W1	401.67	FWO	1383.0	452861	5434494	335	-67	1060.0	1061.0	1.0	14.3	
OSK-W-17-885-W1	401.67	FW1 HW	1383.0	452861	5434494	335	-67	1065.0	1070.0	5.0	3.18	
OSK-W-17-885-W1	401.67	FW1 HW	1383.0	452861	5434494	335	-67	1188.0	1190.0	2.0	8.12	
OSK-W-17-885-W1	401.67	FW1 HW	1383.0	452861	5434494	335	-67	1188.3	1189.3	1.0	15.3	
OSK-W-17-885-W1	401.67	FW1	1383.0	452861	5434494	335	-67	1237.0	1239.0	2.0	5.96	
OSK-W-17-885-W1	401.67	FW1	1383.0	452861	5434494	335	-67	1237.7	1238.5	0.8	11.2	
OSK-W-17-885-W1	401.67	FW1	1383.0	452861	5434494	335	-67	1340.0	1345.8	5.8	5.19	
OSK-W-17-885-W1	401.67	FW1	1383.0	452861	5434494	335	-67	1340.0	1341.0	1.0	15.6	
OSK-W-17-885-W1	401.67	FW1	1383.0	452861	5434494	335	-67	1345.4	1345.8	0.4	17.8	
OSK-W-17-885-W2	401.67	FWO	1229.0	452861	5434494	334	-69	1102.0	1108.0	6.0	0.36	
OSK-W-17-885-W2	401.67	FWO FW	1229.0	452861	5434494	334	-69	1199.0	1201.0	2.0	10.8	
OSK-W-17-887	401.89	Lynx 2	593.5	453374	5435444	333	-54	457.6	461.6	4.0	0.35	
OSK-W-17-887	401.89	Crustiform vein	593.5	453374	5435444	333	-54	492.0	494.6	2.6	24.3	
OSK-W-17-887	401.89	Lynx 1	593.5	453374	5435444	333	-54	492.0	494.6	2.6	24.3	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	492.9	493.5	0.6	91.6	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	492.9	493.5	0.6	91.6	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	235.2	240.0	4.8	27.6	21.8
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	236.0	237.2	1.2	52.3	48.9
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	236.3	236.8	0.5	109	100
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	238.3	240.0	1.7	23.7	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	238.3	238.8	0.5	65.3	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	248.0	250.0	2.0	17.8	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	248.5	249.1	0.6	58.1	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	257.3	259.4	2.1	4.06	
OSK-W-17-888	396.57	Lynx 2	402.0	453367	5434941	333	-52	257.3	257.8	0.5	16.2	
OSK-W-17-889	399.63	Caribou	786.0	452695	5434564	333	-57	386.5	388.5	2.0	16.2	
OSK-W-17-889	399.63	Wolf 2	786.0	452695	5434564	333	-57	388.0	388.5	0.5	58.0	
OSK-W-17-889	399.63	Wolf 2	786.0	452695	5434564	333	-57	540.5	544.0	3.5	4.35	
OSK-W-17-889	399.63	Wolf HW	786.0	452695	5434564	333	-57	606.0	608.5	2.5	6.79	
OSK-W-17-889	399.63	Wolf HW	786.0	452695	5434564	333	-57	606.0	607.0	1.0	15.9	
OSK-W-17-889	399.63	Wolf HW	786.0	452695	5434564	333	-57	631.5	634.0	2.5	19.2	
OSK-W-17-889	399.63	Wolf HW	786.0	452695	5434564	333	-57	631.5	632.2	0.7	65.0	
OSK-W-17-889	399.63	Wolf	786.0	452695	5434564	333	-57	662.0	664.0	2.0	9.68	
OSK-W-17-889	399.63	Wolf	786.0	452695	5434564	333	-57	684.0	686.0	2.0	11.4	
OSK-W-17-889	399.63	Wolf	786.0	452695	5434564	333	-57	684.0	685.5	1.5	35.2	
OSK-W-17-889	399.63	Vein	786.0	452695	5434564	333	-57	729.1	731.4	2.3	4.53	
OSK-W-17-895	396.57	Lynx HW	444.0	453349	5434937	332	-50	209.0	210.0	1.0	14.5	
OSK-W-17-895	396.57	Lynx 1	444.0	453349	5434937	332	-50	179.1	181.3	2.2	24.3	
OSK-W-17-895	396.57	Lynx 1	444.0	453349	5434937	332	-50	179.1	180.0	0.9	50.0	
OSK-W-17-895	396.57	Lynx 2	444.0	453349	5434937	332	-50	209.0	211.0	2.0	17.5	
OSK-W-17-895	396.57	Lynx 2	444.0	453349	5434937	332	-50	220.0	220.0	0.0	8.98	
OSK-W-17-895	396.57	Lynx 2	444.0	453349	5434937	332	-50	221.0	225.0	4.0	9.81	
OSK-W-17-895	396.57	Lynx 2	444.0	453349	5434937	332	-50	221.0	222.0	1.0	34.7	
OSK-W-17-898	402.6	Lynx 3	555.0	453330	5435403	148	-51	225.0	227.5	2.5	7.65	
OSK-W-17-898	402.6	Lynx 3	555.0	453330	5435403	148	-51	227.0	227.5	0.5	37.4	
OSK-W-17-898	402.6	Lynx 3	555.0	453330	5435403	148	-51	375.5	380.7	5.2	3.75	
OSK-W-17-898	402.6	Lynx 3	555.0	453330	5435403	148	-51	375.5	376.2	0.7	10.8	
OSK-W-17-898	402.6	Lynx 3	555.0	453330	5435403	148	-51	380.2	380.7	0.5	16.4	
OSK-W-17-898	402.6	Lynx 3	555.0	453330	5435403	148	-51	411.0	413.5	2.5	12.2	
OSK-W-17-898	402.6	Lynx 3	555.0	453330	5435403	148	-51	429.9	432.9	3.0	23.5	
OSK-W-17-898	402.6	Lynx 3	555.0	453330	5435403	148	-51	431.2	432.0	0.8	85.2	
OSK-W-17-899	397.14	Lynx 1	303.0	453219	5434913	334	-57	142.9	145.3	2.4	1.12	
OSK-W-17-899	397.14	Lynx 2	303.0	453219	5434913	334	-57	243.0	245.0	2.0	4.46	
OSK-W-17-901	401.44	Caribou	810.0	452391	5434638	328	-50	122.5	124.6	2.1	16.2	
OSK-W-17-901	401.44	Caribou corridor	810.0	452391	5434638	328	-50	122.1	123.9	1.8	94.7	
OSK-W-17-901	401.44	Caribou corridor	810.0	452391	5434638	328	-50	127.0	130.0	3.0	13.8	
OSK-W-17-901	401.44	Caribou corridor	810.0	452391	5434638	328	-50	209.0	211.0	2.0	7.12	
OSK-W-17-901	401.44	Caribou corridor	810.0	452391	5434638	328	-50	210.0	211.0	1.0	13.3	
OSK-W-17-901	401.44	Caribou corridor	810.0	452391	5434638	328	-50	403.0	409.0	6.0	0.77	
OSK-W-17-901	401.44	Caribou corridor	810.0	452391	5434638	328	-50	403.0	409.0	6.0	0.77	
OSK-W-17-901	401.44	Caribou corridor	810.0	452391	5434638	328	-50	403.0	409.0	6.0	0.77	
OSK-W-17-901	401.44	Caribou corridor	810.0	452391	5434638	328	-50	403.0	409.0	6.0	0.77	
OSK-W-17-902	396.04	Lynx HW	468.0	453390	5434852	331	-50	233.5	236.0	2.5	3.95	
OSK-W-17-902	396.04	Lynx 1	468.0	453390	5434852	331	-50	281.1	283.1	2.0	4.56	
OSK-W-17-902	396.04	Lynx 1	468.0	453390	5434852	331	-50	281.1	282.1	1.0	9.07	
OSK-W-17-902	396.04	Lynx 1	468.0	453390	5434852	331	-50	398.0	400.0	2.0	3.67	
OSK-W-17-902	396.04	Lynx 1	468.0	453390	5434852	331	-50	398.8	399.2	0.4	16.8	
OSK-W-17-902	396.04	Lynx 1	468.0	453390	5434852	331	-50	431.0	433.1	2.1	11.7	
OSK-W-17-902	396.04	Lynx 1	468.0	453390	5434852	331	-50	431.0	432.1	1.1	22.0	
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	228.0	230.5	2.5	5.38	
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	228.2	229.6	1.4	31.3	
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	412.5	420.0	7.5	4.97	
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	412.5	414.0	1.5	19.4	
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	539.0	543.0	4.0	36.1	34.2
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	539.0	540.0	1.0	108	100
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	554.0	556.0	2.0	69.6	35.6
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	554.9	555.6	0.7	197	100
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	559.0	561.0	2.0	10.7	
OSK-W-17-903	403.31	Caribou	801.0	452539	5434692	329	-56	559.8	560.3	0.5	37.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-903	403.31	Vein	801.0	452539	5434692	329	-56	668.5	670.5	2.0	251	50.1
		including						668.5	669.5	1.0	505	
OSK-W-17-903	403.31	FW3U	801.0	452539	5434692	329	-56	776.0	780.0	2.0	71.6	40.2
		including						776.2	780.0	0.8	184	100
OSK-W-17-903-W1	403.31	062 FW	657.0	452539	5434692	329	-56	408.9	410.9	2.0	9.30	
		including						408.9	410.0	1.1	16.7	
OSK-W-17-903-W1	403.31	Z27 FW	657.0	452539	5434692	329	-56	577.6	580.2	2.6	25.7	
		including						577.6	578.5	0.9	21.7	
OSK-W-17-903-W2	403.31	227	795.0	452539	5434692	329	-56	556.0	560.9	4.9	5.72	
		including						556.0	557.1	1.1	8.88	
OSK-W-17-903-W2	403.31	Z27 FW	795.0	452539	5434692	329	-56	593.0	595.0	2.0	8.52	
		including						593.0	594.0	1.0	16.7	
OSK-W-17-903-W2	403.31	FW3U	795.0	452539	5434692	329	-56	688.4	690.0	2.5	3.20	
		including						688.8	690.4	0.6	9.47	
OSK-W-17-906	396.52	Lynx HW	442.0	453349	5434937	331	-56	169.3	172.0	2.7	27.0	
		including						169.3	170.2	0.9	76.9	
OSK-W-17-906	396.52	Lynx HW	442.0	453349	5434937	331	-56	174.0	175.5	2.5	4.26	
		including						174.6	175.0	0.4	21.9	
OSK-W-17-906	396.52	Lynx 1	442.0	453349	5434937	331	-56	182.0	184.0	2.0	23.9	
		including						182.4	183.0	0.6	79.6	
OSK-W-17-906	396.52	Lynx 1 + Lynx 2	442.0	453349	5434937	331	-56	213.0	215.0	2.0	4.46	
		including						213.0	214.0	1.0	8.55	
OSK-W-17-906	396.52	Lynx 2 FW	442.0	453349	5434937	331	-56	276.0	280.0	4.0	5.05	
		including						279.0	280.0	1.0	8.37	
OSK-W-17-907	407.31	Lynx 3	1317.0	453219	5435340	134	-51	324.0	323.4	0.6	0.39	
		including						436.7	440.6	4.9	7.56	
OSK-W-17-907	407.31	Lynx 3	1317.0	453219	5435340	134	-51	440.0	440.7	0.7	31.3	
		including						853.3	855.7	2.4	35.6	
OSK-W-17-907	407.31	Lynx 4	1317.0	453219	5435340	134	-51	853.7	854.7	1.0	83.1	
		including						861.0	863.0	2.0	6.59	
OSK-W-17-907	407.31	Lynx 4	1317.0	453219	5435340	134	-51	861.0	862.1	1.1	10.3	
		including						893.0	895.0	2.0	5.71	
OSK-W-17-907	407.31	Lynx 4	1317.0	453219	5435340	134	-51	894.0	895.0	1.0	10.3	
		including						952.0	954.0	2.0	80.2	
OSK-W-17-907	407.31	T80	1317.0	453219	5435340	134	-51	952.4	953.1	0.7	86.2	
		including						961.9	964.0	2.1	25.9	
OSK-W-17-907	407.31	Lynx T80	1317.0	453219	5435340	134	-51	962.3	963.0	0.7	59.5	
		including						738.4	742.6	4.2	10.6	
OSK-W-17-908	399.39	Lynx corridor extension	824.0	453871	5435782	135	-54	741.0	742.6	1.6	26.6	
		including						756.0	760.1	4.1	7.34	
OSK-W-17-908	399.39	Lynx corridor extension	824.0	453871	5435782	135	-54	756.0	756.4	0.4	15.6	
		including						759.0	760.1	1.1	19.3	
OSK-W-17-908	399.39	Lynx corridor extension	824.0	453871	5435782	135	-54	764.0	765.5	2.5	12.6	
		including						765.5	766.5	1.0	26.7	
OSK-W-17-909	401.19	VNCR - Lynx corridor	1119.0	453683	5435677	131	-55	869.0	872.7	3.7	4.33	
		including						872.0	872.7	0.7	18.6	
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	908.5	910.0	2.0	11.8	
		including						908.5	909.0	0.5	37.0	
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	912.0	913.6	6.2	305	53.7
		including						913.0	913.6	0.6	162	100
		and						913.6	914.9	1.3	1230	100
		and						914.9	916.0	1.1	125	100
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	922.0	923.0	6.0	10.7	
		including						923.0	924.2	1.2	37.2	
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	933.0	935.0	2.0	4.97	
		including						959.0	961.0	2.0	3.26	
OSK-W-17-909	401.19	Lynx 1	1119.0	453683	5435677	131	-55	962.9	964.0	3.1	4.84	
		including						987.5	989.7	2.2	15.5	
OSK-W-19-909-W11	401.19	Lynx	984.0	453683	5435677	131	-55	858.5	859.0	0.5	67.2	
OSK-W-19-909-W12	401.19	Lynx	984.0	453683	5435677	131	-55	878.0	880.3	2.3	57.9	
OSK-W-19-909-W11	401.19	Lynx 317	990.0	453683	5435677	131	-55	912.2	924.0	11.8	84.6	42.3
		including						915.8	922.6	6.8	142	68.2
		including						915.8	917.4	1.6	149	100
OSK-W-19-909-W12	401.19	Lynx	984.0	453683	5435677	131	-55	920.1	922.6	2.5	266	97.2
		including						944.7	949.2	4.5	14.2	
OSK-W-19-909-W10	401.19	Lynx	1049.0	453683	5435677	131	-55	944.7	945.5	0.8	63.2	
		including						950.0	950.6	2.6	6.40	
OSK-W-17-909-W2	401.19	Lynx 1	1071.0	453683	5435677	131	-55	795.8	797.9	2.1	19.2	
		including						797.4	797.9	0.5	61.6	
OSK-W-17-909-W3	401.19	Lynx 1	1066.0	453683	5435677	131	-55	824.0	826.0	2.0	5.98	
		including						824.7	825.0	0.3	39.0	
OSK-W-17-909-W3	401.19	Lynx 1	1066.0	453683	5435677	131	-55	836.2	838.0	2.1	5.98	
		including						950.0	952.5	2.5	8.96	
OSK-W-17-909-W4	401.19	Lynx 4	1134.0	453683	5435677	131	-55	950.5	951.0	0.5	37.2	
		including						1049.6	1052.0	2.4	46.3	
OSK-W-17-909-W4	401.19	Lynx 4	1134.0	453683	5435677	131	-55	887.0	889.1	2.1	7.94	
		including						887.0	887.6	0.6	26.7	
OSK-W-18-909-W5	401.19	VNCR	1057.3	453683	5435677	131	-55	956.3	959.0	2.7	79.1	52.6
		including						956.9	957.3	0.4	182	100
		including						957.6	958.1	0.5	178	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-10-909-W5	401.19	Lynx	1093.7	453683	5435677	131	-55	937.5	939.5	2.0	6.00	
OSK-W-10-909-W5	401.19	Lynx	1093.7	453683	5435677	131	-55	1061.3	1063.9	2.6	14.5	
			including					1062.3	1062.9	0.6	59.1	
OSK-W-10-909-W7	401.19	Lynx 313	1080.0	453683	5435677	131	-55	976.7	980.0	3.3	51.0	18.0
			including					982.0	982.6	0.6	447	100
OSK-W-10-909-W7	401.19	Lynx 313	1080.0	453683	5435677	131	-55	985.0	987.1	2.1	14.3	
OSK-W-10-909-W8	401.19	Lynx	1053.0	453683	5435677	131	-55	960.0	962.0	2.0	128	39.6
			including					961.4	962.0	0.6	396	100
OSK-W-10-909-W8	401.19	Lynx	1053.0	453683	5435677	131	-55	969.0	972.0	3.0	8.39	
OSK-W-10-909-W9	401.19	Lynx	1143.0	453683	5435677	131	-55	957.0	959.0	2.0	4.86	
OSK-W-10-909-W9	401.19	Lynx	1143.0	453683	5435677	131	-55	965.3	970.9	5.6	18.2	
			including					965.3	967.2	1.9	47.0	
OSK-W-17-911	397.12	Lynx 2	255.0	453178	5434908	331	-54	210.8	213.0	2.2	11.1	
			including					210.8	211.1	0.3	65.6	
OSK-W-17-912	402.63	Lynx 3	569.8	453330	5435402	147	-48	295.7	300.4	4.7	0.03	
OSK-W-17-912	402.63	Lynx 2	569.8	453330	5435402	147	-48	373.1	375.3	2.2	14.6	
OSK-W-17-912	402.63	Lynx 1	569.8	453330	5435402	147	-48	408.0	410.0	2.0	19.8	
			including					408.4	409.1	0.7	55.2	
OSK-W-17-912	402.63	Lynx 1	569.8	453330	5435402	147	-48	415.0	417.8	2.8	6.65	
			including					416.5	418.8	0.3	59.2	
OSK-W-17-913	401.36	Caribou corridor	954.0	452878	5434419	334	-52	533.8	536.5	2.7	5.09	
			including					533.8	535.0	1.2	11.1	
OSK-W-17-913	401.36	Caribou corridor	954.0	452878	5434419	334	-52	554.0	556.5	2.5	8.45	
OSK-W-17-913	401.36	CS1	954.0	452878	5434419	334	-52	631.8	634.0	2.2	1.92	
OSK-W-17-913	401.36	Vein	954.0	452878	5434419	334	-52	642.0	644.0	2.0	5.86	
			including					642.0	643.0	1.0	11.7	
OSK-W-17-913	401.36	CS3	954.0	452878	5434419	334	-52	699.1	702.9	3.8	2.06	
OSK-W-17-913	401.36	Wolf 2	954.0	452878	5434419	334	-52	719.0	721.0	2.0	621	15.4
			including					719.8	720.1	0.3	4070	100
OSK-W-17-913	401.36	Wolf HW	954.0	452878	5434419	334	-52	783.0	785.0	2.0	3.37	
OSK-W-17-913	401.36	Wolf HW	954.0	452878	5434419	334	-52	791.0	793.0	2.0	13.5	
			including					791.0	792.0	1.0	26.2	
OSK-W-17-913	401.36	Wolf FW	954.0	452878	5434419	334	-52	857.0	859.0	2.0	13.6	
			including					857.0	858.0	1.0	26.5	
OSK-W-17-914	396	Lynx HW	447.0	453390	5434852	332	-53	239.3	241.6	2.3	27.2	26.6
			including					240.7	241.0	0.3	105	100
OSK-W-17-916	397.79	Lynx HW	336.0	453172	5434924	331	-54	108.0	111.5	3.5	14.3	
			including					108.0	108.5	0.5	75.1	
OSK-W-17-918	396.35	Lynx HW	744.0	453387	5434953	335	-57	179.0	180.0	1.0	0.40	
OSK-W-17-918	396.35	Lynx 1	744.0	453387	5434953	335	-57	185.5	187.9	2.4	13.3	13.3
OSK-W-17-918	396.35	Lynx 1	744.0	453387	5434953	335	-57	185.5	187.9	2.4	45.4	13.3
			including					186.4	186.7	0.3	100.0	100
OSK-W-17-918	396.35	Lynx 1	744.0	453387	5434953	335	-57	225.0	232.0	7.0	6.84	
			including					229.0	230.0	1.0	31.1	
OSK-W-17-918	396.35	Lynx 2	744.0	453387	5434953	335	-57	238.0	240.0	2.0	23.4	
			including					238.7	239.3	0.6	61.3	
OSK-W-17-918	396.35	Lynx 2	744.0	453387	5434953	335	-57	258.0	261.0	3.0	12.4	
			including					258.0	259.5	1.5	24.1	
OSK-W-17-919	406.82	Mallard	495.0	451943	5434836	329	-54	91.5	94.4	2.9	4.32	
			including					91.5	92.3	0.8	11.0	
OSK-W-17-921	395.99	Lynx HW	834.0	453428	5434865	331	-57	328.6	330.6	2.0	3.06	
OSK-W-17-921	395.99	Lynx 1	834.0	453428	5434865	331	-57	328.6	330.6	2.0	20.6	
			including					329.3	329.7	0.4	10.00	
OSK-W-17-921	395.99	Lynx 1	834.0	453428	5434865	331	-57	329.3	329.7	0.4	97.8	
OSK-W-17-921	395.99	Lynx 2	834.0	453428	5434865	331	-57	360.0	362.4	2.4	0.78	
OSK-W-17-922	401.91	New - Lynx corridor	591.0	453360	5435437	144	-52	364.0	366.2	2.2	3.89	
OSK-W-17-922	401.91	Lynx 2	591.0	453360	5435437	144	-52	451.1	459.6	8.5	27.1	20.6
			including					457.5	457.8	0.3	176	100
OSK-W-17-922	401.91	Lynx 1	591.0	453360	5435437	144	-52	492.4	495.0	2.6	1.46	
OSK-W-17-923	404.7	Caribou	1062.0	453607	5435603	137	-56	809.0	811.0	2.0	6.23	
OSK-W-17-923	404.7	Lynx 4	1062.0	453607	5435603	137	-56	890.1	892.5	2.4	210	44.3
			including					890.8	891.0	0.2	498	100
			including					890.8	891.3	0.5	838	100
OSK-W-17-923	404.7	Lynx 4 corridor	1062.0	453607	5435603	137	-56	928.2	931.2	3.0	4.33	
OSK-W-18-923-W1	404.7	Lynx 4	961.7	453607	5435603	137	-56	876.2	878.2	2.0	3.39	
OSK-W-18-923-W2	404.7	Lynx 4	1164.0	453607	5435603	137	-56	895.0	897.2	2.2	5.32	
			including					895.8	896.6	0.8	26.5	
OSK-W-18-923-W2	404.7	Lynx 4	1164.0	453607	5435603	137	-56	911.1	917.0	5.9	10.1	
			including					916.2	917.0	0.8	60.8	
OSK-W-18-923-W2	404.7	Lynx	1164.0	453607	5435603	137	-56	1134.3	1136.5	2.2	6.80	
			including					1135.0	1136.0	1.0	12.3	
OSK-W-18-923-W2	404.7	Lynx 4	1164.0	453607	5435603	137	-56	1160.0	1162.0	2.0	3.42	
OSK-W-19-923-W4	404.7	Lynx 317	1035.0	453607	5435603	137	-56	796.9	798.9	2.0	3.63	
OSK-W-19-923-W4	404.7	Lynx 317	1035.0	453607	5435603	137	-56	865.6	867.7	2.1	20.3	
			including					866.6	867.7	1.1	38.4	
OSK-W-19-923-W4	404.7	Lynx 330	1035.0	453607	5435603	137	-56	892.3	894.3	2.0	31.7	
			including					893.3	894.3	1.0	63.0	
OSK-W-19-923-W4	404.7	Lynx 312	1035.0	453607	5435603	137	-56	942.0	944.1	2.1	23.7	
			including					943.1	944.1	1.0	49.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-934	396.32	Lynx HW	375.0	453414	5434927	334	-54	220.9	227.0	6.1	9.18	
		including						220.9	222.0	1.1	29.5	
OSK-W-17-934	396.32	Lynx 1	375.0	453414	5434927	334	-54	233.0	235.0	2.0	0.12	
		including						233.0	234.0	1.0	15.4	
OSK-W-17-934	396.32	Lynx 2	375.0	453414	5434927	334	-54	278.4	280.7	2.3	12.5	
		including						280.0	280.7	0.7	35.0	
OSK-W-17-934	396.32	Lynx 2 FW	375.0	453414	5434927	334	-54	308.0	312.0	4.0	25.5	
OSK-W-17-936	407.57	Mallard	215.6	453185	5434828	329	-54	122.8	126.3	3.5	5.18	
OSK-W-17-938	395.95	Lynx HW	464.6	453433	5434905	333	-64	247.0	249.0	2.0	68.9	90.0
		including						247.0	248.0	1.0	138	100
OSK-W-17-938	395.95	Lynx 1	464.6	453433	5434905	333	-64	341.7	344.3	2.6	79.4	14.2
		including						341.7	342.0	0.3	665	100
OSK-W-17-938	395.95	Lynx 2	464.6	453433	5434905	333	-64	376.2	378.3	2.1	9.50	
		including						376.7	377.6	0.9	20.0	
OSK-W-17-929	399.38	Lynx 1	1218.0	453871	5435782	130	-58	901.5	903.7	2.2	6.58	
		including						902.1	903.0	0.9	14.7	
OSK-W-17-929	399.38	Lynx 1	1218.0	453871	5435782	130	-58	936.5	938.5	2.0	18.9	
		including						937.2	937.6	0.4	62.6	
OSK-W-17-930	396.09	Lynx HW	372.0	453404	5434873	334	-53	257.0	259.1	2.1	12.7	
		including						257.0	257.9	0.9	27.0	
OSK-W-17-930	396.09	Lynx 2	372.0	453404	5434873	334	-53	324.0	326.4	2.4	18.0	
OSK-W-17-931	401.93	Lynx 4	936.0	453360	5435437	134	-50	683.0	685.0	2.0	42.1	22.4
OSK-W-17-934	400.86	Lynx 1	967.5	453407	5435463	144	-55	476.2	479.0	2.8	20.8	
		including						476.2	477.2	1.0	57.0	
OSK-W-17-934	400.86	Lynx	967.5	453407	5435463	144	-55	867.3	869.8	2.5	94.7	24.3
		including						869.3	869.8	0.5	452	100
OSK-W-17-934	400.86	Lynx	967.5	453407	5435463	144	-55	885.0	887.0	2.0	42.7	
		including						885.0	886.0	1.0	83.6	
OSK-W-19-934-W1	400.86	Lynx	1164.0	453407	5435463	144	-55	918.0	921.7	3.7	489	23.2
		including						918.0	918.3	0.3	2640	100
		and						919.1	919.5	0.4	2500	100
OSK-W-19-934-W2	400.86	Lynx 4	1167.0	453407	5435463	144	-55	831.0	834.0	3.0	32.9	
		including						831.0	832.0	1.0	79.0	
OSK-W-19-934-W2	400.86	Lynx 4	1167.0	453407	5435463	144	-55	855.9	857.9	2.0	16.9	
		including						856.9	857.9	1.0	33.4	
OSK-W-19-934-W2	400.86	Lynx 313	1167.0	453407	5435463	144	-55	901.8	904.0	2.2	429	50.2
		including						901.8	902.4	0.6	1370	100
		including						903.5	904.0	0.5	365	100
OSK-W-19-934-W2	400.86	Lynx	1167.0	453407	5435463	144	-55	955.1	959.8	4.7	9.75	
		including						955.1	955.5	0.4	72.9	
		and						956.9	959.8	0.9	17.6	
OSK-W-19-934-W2	400.86	Lynx	1167.0	453407	5435463	144	-55	1010.0	1012.0	2.0	6.79	
OSK-W-19-934-W2	400.86	Lynx	1167.0	453407	5435463	144	-55	1079.3	1081.8	2.5	72.2	53.0
		including						1079.3	1080.3	1.0	148	100
OSK-W-19-934-W3	400.86	Lynx	1074.0	453407	5435463	144	-55	978.0	980.3	2.3	10.4	
		including						978.0	978.3	0.3	91.3	
OSK-W-19-934-W4	400.86	Lynx 4	1155.0	453407	5435463	144	-55	840.0	842.6	2.6	4.60	
		including						840.8	841.6	0.8	14.3	
OSK-W-19-934-W4	400.86	Lynx	1155.0	453407	5435463	144	-55	1031.4	1039.2	7.8	37.6	15.6
		including						1031.9	1032.2	0.3	538	100
		and						1032.4	1037.9	0.5	180	100
OSK-W-19-934-W4	400.86	Lynx	1155.0	453407	5435463	144	-55	1042.0	1044.0	2.0	7.24	
OSK-W-19-934-W4	400.86	Lynx	1155.0	453407	5435463	144	-55	1046.0	1048.0	2.0	20.6	
		including						1047.0	1048.0	1.0	39.4	
OSK-W-17-936	408.73	Mallard HW	474.0	452025	5434827	327	-51	80.0	82.8	2.8	3.34	
OSK-W-17-936	408.73	Mallard	474.0	452025	5434827	327	-51	151.0	153.0	2.0	2.24	
OSK-W-17-936	397.53	C53	822.0	452773	5434547	332	-56	518.0	523.5	5.5	3.43	
		including						523.0	523.5	0.5	19.6	
OSK-W-17-936	397.53	Caribou corridor	822.0	452773	5434547	332	-56	616.6	619.6	3.0	16.6	
		including						616.6	617.6	1.0	98.3	
OSK-W-17-936	397.53	Wolf	822.0	452773	5434547	332	-56	666.0	668.0	2.0	6.13	
OSK-W-17-936	397.53	Wolf HW	822.0	452773	5434547	332	-56	729.0	732.0	3.0	3.79	
OSK-W-17-936-W1	397.53	Wolf HW	808.0	452773	5434547	332	-56	617.3	619.3	2.0	12.6	
		including						617.3	618.3	1.0	21.3	
OSK-W-17-936-W1	397.53	Wolf	808.0	452773	5434547	332	-56	640.9	643.0	2.1	14.7	
		including						642.4	643.0	0.6	40.2	
OSK-W-17-936-W1	397.53	Wolf	808.0	452773	5434547	332	-56	668.5	670.6	2.1	3.55	
		including						668.9	669.3	0.4	16.9	
OSK-W-17-936-W1	397.53	Wolf FW	808.0	452773	5434547	332	-56	697.0	699.0	2.0	294	90.5
		including						697.0	698.0	1.0	407	100
OSK-W-17-936-W1	397.53	Wolf FW	808.0	452773	5434547	332	-56	704.0	706.0	2.0	14.8	
		including						705.0	706.0	1.0	29.0	
OSK-W-17-936-W1	397.53	Z27	808.0	452773	5434547	332	-56	716.0	718.0	2.0	3.65	
		including						717.2	718.0	0.8	6.07	
OSK-W-17-936-W1	397.53	Z27	808.0	452773	5434547	332	-56	785.0	787.7	2.7	4.03	
		including						787.0	787.7	0.7	7.71	
OSK-W-17-936-W2	397.53	Caribou	819.0	452773	5434547	332	-56	522.4	524.8	2.4	16.7	
		including						523.4	524.8	0.4	95.0	
OSK-W-17-936-W2	397.53	Wolf 2	819.0	452773	5434547	332	-56	574.5	577.9	3.4	3.36	
OSK-W-17-936-W2	397.53	Wolf HW	819.0	452773	5434547	332	-56	671.1	673.3	2.2	11.1	
OSK-W-17-936-W2	397.53	VNCR	819.0	452773	5434547	332	-56	693.9	695.9	2.0	27.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
including												
OSK-W-17-936-W2	397.53	Wolf	819.0	452773	5434547	332	-56	694.9	695.9	1.0	55.4	
OSK-W-17-936-W2	397.53	Wolf FW	819.0	452773	5434547	332	-56	701.6	703.6	2.0	5.80	
including												
including												
OSK-W-17-937	401.01	Vein	935.2	452897	5434430	333	-57	445.0	448.0	3.0	5.58	
including												
OSK-W-17-937	401.01	CS1	935.2	452897	5434430	333	-57	638.0	648.0	10.0	0.66	
OSK-W-17-937	401.01	CS3	935.2	452897	5434430	333	-57	757.8	759.8	2.0	11.0	
OSK-W-17-937	401.01	Wolf 2	935.2	452897	5434430	333	-57	782.0	784.4	2.4	8.09	
including												
OSK-W-17-937	401.01	Wolf HW	935.2	452897	5434430	333	-57	811.0	813.0	2.0	3.94	
OSK-W-17-937-W1	401.01	CS1 HW	945.0	452897	5434430	332	-57	581.0	585.6	2.6	14.6	
including												
OSK-W-17-937-W1	401.01	CS1	945.0	452897	5434430	333	-57	581.8	584.1	1.1	34.1	
OSK-W-17-937-W1	401.01	Wolf 2	945.0	452897	5434430	333	-57	647.2	650.0	2.8	2.75	
including												
OSK-W-17-937-W1	401.01	Wolf HW	945.0	452897	5434430	333	-57	757.0	758.6	1.6	39.0	
OSK-W-17-937-W2	401.01	Wolf HW	933.0	452897	5434430	333	-57	786.4	788.6	2.2	3.21	
OSK-W-17-937-W2	401.01	Wolf 2	933.0	452897	5434430	333	-57	749.0	751.6	2.6	38.8	
OSK-W-17-937-W2	401.01	Wolf HW	933.0	452897	5434430	333	-57	811.0	813.0	2.0	9.01	
OSK-W-17-937-W2	401.01	Wolf HW	933.0	452897	5434430	333	-57	831.4	833.4	2.0	3.36	
OSK-W-17-939	396.18	Lynx HW	414.0	453376	5434938	327	-51	193.7	196.1	2.4	10.90	
OSK-W-17-939	396.18	Lynx 1	414.0	453376	5434938	327	-51	246.0	248.0	2.0	12.1	
including												
OSK-W-17-939	396.18	Lynx 2	414.0	453376	5434938	327	-51	296.0	298.0	2.0	4.71	
OSK-W-17-939	396.18	VNCR	414.0	453376	5434938	327	-51	347.0	349.0	2.0	6.96	
OSK-W-17-941	396.1	Lynx HW	444.0	453434	5434969	330	-49	158.3	160.5	2.2	13.4	
including												
OSK-W-17-941	396.1	Lynx 1	444.0	453434	5434969	330	-49	189.3	189.3	0.3	85.1	
including												
OSK-W-17-941	396.1	Lynx 2	444.0	453434	5434969	330	-49	196.7	199.0	0.3	99.1	
OSK-W-17-941	396.1	Lynx 2	444.0	453434	5434969	330	-49	213.0	213.3	2.9	71.9	25.9
including												
OSK-W-17-941	402.63	CS1	744.0	452660	5434494	331	-55	491.0	493.0	2.0	3.00	
including												
OSK-W-17-943	402.63	Wolf HW	744.0	452660	5434494	331	-55	692.0	693.0	1.0	5.57	
OSK-W-17-943	402.63	Wolf	744.0	452660	5434494	331	-55	610.8	616.0	5.2	3.25	
including												
OSK-W-17-945	401.71	Lynx 1	556.5	453376	5435444	149	-50	468.0	468.8	2.2	20.6	
OSK-W-17-945	401.71	Lynx 1	556.5	453376	5435444	149	-50	466.6	468.8	2.2	20.6	
including												
OSK-W-17-945	401.71	Lynx 1	556.5	453376	5435444	149	-50	466.6	467.6	1.0	44.5	
including												
OSK-W-17-945	401.71	Lynx 1	556.5	453376	5435444	149						



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assort	Au (g/t) cut to 100 g/t
OSK-W-17-958	402.3	Lynx 2	1212.0	453359	5435437	143	-55	441.8	444.0	2.2	9.18	
OSK-W-17-958	402.3	Lynx	1212.0	453359	5435437	143	-55	480.9	483.0	2.1	36.5	25.9
		including						481.5	482.0	0.5	145	100
OSK-W-17-958	402.3	Lynx 1	1212.0	453359	5435437	143	-55	500.0	502.0	2.0	22.0	
		including						500.0	500.5	0.5	87.0	
OSK-W-17-958	402.3	Lynx 4	1212.0	453359	5435437	143	-55	712.0	717.0	5.0	5.74	
OSK-W-17-958	402.3	Lynx 4	1212.0	453359	5435437	143	-55	828.0	831.0	3.0	3.54	
		including						829.5	831.0	1.5	6.15	
OSK-W-17-958	402.3	Lynx 4	1212.0	453359	5435437	143	-55	996.0	998.0	2.0	4.55	
		including						997.5	998.0	0.5	17.8	
OSK-W-17-958	402.3	Lynx 4	1212.0	453359	5435437	143	-55	1053.0	1058.5	5.5	11.8	
		including						1054.0	1054.3	0.3	88.7	
		TBD - Lynx corridor	1212.0	453359	5435437	143	-55	1057.9	1058.5	0.6	53.5	
OSK-W-17-958	402.3	Lynx 5	1212.0	453359	5435437	143	-55	1077.0	1078.0	1.0	18.9	
OSK-W-17-958	402.3	Lynx 5	1212.0	453359	5435437	143	-55	1118.5	1119.0	0.5	6.29	
OSK-W-17-959	398.07	Lynx 1	934.0	453404	5434071	334	-46	578.1	580.2	2.1	3.75	
		including						579.1	579.4	0.3	23.0	
OSK-W-17-960	403.79	Lynx 4	1077.0	453283	5435344	138	-54	655.9	658.0	2.1	8.63	
		including						656.6	657.0	0.4	43.6	
OSK-W-17-960	403.79	Lynx	1077.0	453283	5435344	138	-54	1013.0	1013.2	0.2	7.96	
OSK-W-17-960	403.79	Lynx	1077.0	453283	5435344	138	-54	1036.8	1038.0	1.2	13.7	
OSK-W-17-961	401.23	Lynx 4	1185.0	453438	5435479	141	-54	867.8	869.1	1.3	40.9	
		including						863.5	864.3	0.8	83.5	
OSK-W-19-961-W1	401.23	Lynx 333	1182.0	453438	5435479	141	-54	914.0	916.0	2.0	6.54	
OSK-W-19-961-W1	401.23	Lynx 332	1182.0	453438	5435479	141	-54	1075.0	1077.0	2.0	5.11	
OSK-W-17-967	397.1	Lynx 1	720.0	453176	5434910	337	-62	149.0	151.0	2.0	0.82	
OSK-W-17-967	397.1	Lynx 2	720.0	453176	5434910	337	-62	202.2	206.3	4.1	0.81	
OSK-W-17-967	397.1	VNCR	720.0	453176	5434910	337	-62	240.9	243.0	2.1	52.3	47.7
		including						242.0	243.0	1.0	130	100
OSK-W-17-967	397.1	VNCR	720.0	453176	5434910	337	-62	259.0	261.0	2.0	10.9	
		including						259.0	260.0	1.0	21.4	
OSK-W-17-967	397.1	Caribou extension	720.0	453176	5434910	337	-62	603.0	605.0	2.0	23.2	15.3
		including						603.5	603.8	0.3	155	100
OSK-W-17-967	397.1	Caribou extension	720.0	453176	5434910	337	-62	655.8	660.8	4.5	10.2	
		including						658.1	658.5	0.4	45.8	
OSK-W-17-968	405.03	227	201.0	451948	5434759	152	-51	102.0	109.4	7.4	4.0	
		including						107.4	109.4	2.0	7.77	
OSK-W-17-968	405.03	QTV	201.0	451948	5434759	152	-51	118.0	122.3	4.3	11.2	10.5
		including						122.0	122.3	0.3	109	100
OSK-W-17-968	405.03	227	201.0	451948	5434759	152	-51	160.0	162.4	2.4	5.77	
OSK-W-17-969	403.7	Drake	324.0	452200	5434867	328	-48	58.2	65.5	7.3	7.39	
		including						58.2	58.6	0.4	28.4	
OSK-W-17-969	403.7	Drake 2	324.0	452200	5434867	328	-48	71.2	74.0	2.8	4.83	
		including						71.6	72.2	0.6	15.0	
OSK-W-17-969	403.7	Mallard	324.0	452200	5434867	328	-48	210.6	213.0	2.4	10.1	
		including						210.6	211.0	0.4	53.0	
OSK-W-17-970	400.0	Lynx HW	714.0	453407	5435462	143	-51	524.0	526.0	2.0	7.51	
		including						524.9	525.5	0.6	19.0	
OSK-W-17-972	397.12	Lynx 1	291.0	453176	5434910	333	-60	144.0	146.0	2.0	0.29	
OSK-W-17-972	397.12	QTV	291.0	453176	5434910	333	-60	224.5	226.5	2.0	5.23	
		including						224.5	225.0	0.5	20.5	
OSK-W-17-973	402.88	227	96.0	451969	5434707	150	-46	57.4	59.8	2.4	60.5	51.6
		including						57.9	58.9	1.0	122	100
OSK-W-17-973	402.88	227	96.0	451969	5434707	150	-46	64.0	66.1	2.1	5.12	
		including						65.7	66.1	0.4	25.2	
OSK-W-17-974	397.87	Lynx 2	357.0	453302	5434978	330	-50	172.0	174.0	2.0	24.2	
		including						172.8	173.3	0.5	94.2	
OSK-W-17-975	396.94	Caribou extension	804.0	452862	5434814	334	-64	424.0	426.5	2.5	4.05	
		including						424.6	425.0	0.4	23.2	
OSK-W-17-975	396.94	Caribou	804.0	452862	5434814	334	-64	465.0	472.8	7.8	4.31	
		including						465.0	467.0	2.0	8.29	
		including						472.0	472.8	0.8	34.9	
OSK-W-17-975	396.94	227	804.0	452862	5434814	334	-64	675.0	677.2	2.2	7.09	
		including						675.7	676.5	0.8	15.7	
OSK-W-17-976	408.51	227	306.0	452038	5434840	140	-49	273.0	275.0	2.0	3.89	
OSK-W-17-977	400.22	227	540.0	452207	5434816	331	-51	14.3	14.7	0.4	0.43	
OSK-W-17-977	400.22	Mallard	540.0	452207	5434816	331	-51	369.5	371.7	2.2	12.0	
		including						370.8	371.7	0.9	25.4	
OSK-W-17-977	400.22	Underdog	540.0	452207	5434816	331	-51	386.2	389.0	2.8	3.39	
		including						386.2	387.0	0.8	9.92	
OSK-W-17-978	396.8	VNCR	804.0	452851	5434803	335	-67	98.0	100.0	2.0	65.5	20.1
		including						99.6	100.0	0.4	32.7	100
OSK-W-17-978	396.8	New zone	804.0	452851	5434803	335	-67	108.0	110.0	2.0	14.0	
		including						109.1	109.4	0.3	92.2	
OSK-W-17-978	396.8	Caribou extension	804.0	452851	5434803	335	-67	492.2	495.0	2.8	3.04	
OSK-W-17-978	396.8	Shih VN	804.0	452851	5434803	335	-67	677.0	679.8	2.8	3.80	
		including						677.5	677.8	0.3	21.5	
OSK-W-17-979	396.11	Lynx	471.0	453429	5434951	339	-69	304.0	306.0	2.0	17.0	
		including						305.2	306.0	0.8	38.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-979	396.11	Lynx	471.0	453429	5434951	339	-69	312.0	314.2	2.2	3.22	
		including						312.0	312.4	0.4	14.8	
OSK-W-17-981	404.63	Lynx 1	1281.0	453606	5435603	133	-62	697.7	704.1	6.4	0.58	
OSK-W-17-981	404.63	Lynx HW						628.9	831.0	2.1	6.21	
		including						830.0	831.0	1.0	12.5	
OSK-W-17-981	404.63	Lynx 4	1281.0	453606	5435603	133	-62	890.0	892.0	2.0	5.23	
		including						890.5	890.9	0.4	24.5	
OSK-W-17-981	404.63	TPV	1281.0	453606	5435603	133	-62	1008.0	1010.0	2.0	3.01	
OSK-W-17-984	397.75	Lynx 1	366.0	453301	5434078	325	-68	103.5	107.0	3.5	12.1	
		including						103.5	103.8	0.3	88.1	
		including						106.0	106.5	0.5	26.8	
OSK-W-17-985	405.19	Z27	225.0	452074	5434827	144	-49	145.4	150.0	4.6	9.92	
		including						145.4	145.7	0.3	42.9	
OSK-W-17-986	395.99	Lynx 1	360.0	453447	5435019	328	-66	194.0	198.2	4.2	0.22	
OSK-W-17-986	395.99	Lynx 2	360.0	453447	5435019	328	-66	263.0	265.0	2.0	6.74	
		including						263.0	264.0	1.0	13.1	
OSK-W-17-986	395.99	VNCR - Lynx corridor	360.0	453447	5435019	328	-66	317.0	320.1	3.1	5.69	
		including						317.0	318.0	1.0	15.9	
OSK-W-17-986	395.99	VNCR	360.0	453447	5435019	328	-66	337.7	340.0	2.3	50.3	48.7
		including						338.4	339.5	1.1	104	100
OSK-W-17-987	397.03	Lynx HW	327.0	453224	5434909	339	-60	132.7	135.0	2.3	4.97	
		including						134.0	135.0	1.0	11.4	
OSK-W-17-987	397.03	Lynx 1	327.0	453224	5434909	339	-60	212.3	214.7	2.4	2.12	
OSK-W-17-987	397.03	Lynx 2	327.0	453224	5434909	339	-60	224.0	227.0	3.0	0.39	
OSK-W-17-987	397.03	VNCR - Lynx corridor	327.0	453224	5434909	339	-60	270.2	272.2	2.0	5.77	
		including						270.7	271.9	1.2	9.06	
OSK-W-17-989	402.5	Wolf HW	738.0	452660	5434497	335	-56	633.4	635.5	2.1	4.52	
OSK-W-17-989	402.5	Wolf	738.0	452660	5434497	335	-56	668.0	670.0	2.0	4.39	
OSK-W-17-989-W1	402.5	New zone	751.4	452660	5434497	336	-56	504.0	511.0	7.0	3.59	
OSK-W-17-989-W1	402.5	CS1 FW	751.4	452660	5434497	336	-56	514.0	517.0	3.0	7.74	
		including						515.0	516.0	1.0	20.5	
OSK-W-17-989-W2	402.5	CS1	743.0	452660	5434497	335	-56	506.0	509.0	3.0	6.29	
		including						506.0	507.0	1.0	16.0	
OSK-W-17-989-W2	402.5	CS3	743.0	452660	5434497	335	-56	542.0	544.7	2.7	5.38	
		including						542.0	543.0	1.0	13.0	
OSK-W-17-989-W2	402.5	Wolf	743.0	452660	5434497	335	-56	684.6	687.0	2.4	4.96	
OSK-W-17-990	401.86	Z27	327.0	452122	5434815	147	-49	104.8	108.1	3.3	3.35	
OSK-W-17-990	401.86	Z27	327.0	452122	5434815	147	-49	186.3	189.0	2.7	26.4	15.1
		including						187.3	187.7	0.4	176	100
OSK-W-17-991	401.28	Lynx 1	1378.2	453980	5435993	128	-58	1149.0	1151.0	2.0	5.11	
OSK-W-19-991-W10	401.28	Lynx 4	1686.0	453980	5435993	128	-58	1505.5	1509.0	3.5	41.1	34.2
OSK-W-19-991-W2	401.28	Lynx	1740.0	453980	5435993	128	-58	1505.6	1509.5	3.7	31.4	17.3
		including						1509.0	1509.5	0.5	219	100
OSK-W-19-991-W3	401.28	Lynx 4	1701.0	453980	5435993	128	-58	1257.0	1259.0	2.0	5.34	
OSK-W-19-991-W3	401.28	Lynx 4	1701.0	453980	5435993	128	-58	1417.0	1419.6	2.6	9.00	
OSK-W-19-991-W4	401.28	Lynx 4	1523.0	453980	5435993	128	-58	1442.0	1446.8	4.8	29.3	
OSK-W-19-991-W4	401.28	Lynx 4	1523.0	453980	5435993	128	-58	1441.0	1444.0	1.0	51.6	
OSK-W-19-991-W5	401.28	Lynx 4	1530.1	453980	5435993	128	-58	1293.0	1295.0	2.0	8.82	
		including						1293.4	1293.7	0.3	56.7	
OSK-W-19-991-W5	401.28	Lynx 4	1530.1	453980	5435993	128	-58	1464.4	1466.5	2.1	5.77	
OSK-W-19-991-W5	401.28	Lynx 4	1530.1	453980	5435993	128	-58	1475.0	1478.0	3.0	3.42	
OSK-W-19-991-W5	401.28	Lynx 4	1530.1	453980	5435993	128	-58	1483.3	1485.0	4.7	16.8	
		including						1487.1	1488.0	0.9	60.9	
OSK-W-19-991-W6	401.28	Lynx 4	1761.0	453980	5435993	128	-58	1215.9	1218.0	2.1	3.88	
OSK-W-19-991-W8	401.28	Lynx 4	1652.2	453980	5435993	128	-58	1440.0	1462.0	13.0	10.6	48.0
OSK-W-19-991-W9	401.28	Lynx 349	1562.0	453980	5435993	128	-58	1479.9	1481.0	2.0	92.6	56.9
		including						1479.9	1480.8	0.9	246	100
OSK-W-17-993	403.8	Lynx 2	1053.4	453283	5435344	133	-51	398.1	398.1	4.1	10.1	
		including						396.9	398.1	1.2	25.3	
OSK-W-17-993	403.8	Lynx	1053.4	453283	5435344	133	-51	992.0	994.3	2.3	5.96	
		including						992.6	992.9	0.3	41.1	
OSK-W-17-993	403.8	Lynx	1053.4	453283	5435344	133	-51	1014.5	1015.6	2.1	5.19	
		including						1015.1	1015.4	0.3	32.7	
OSK-W-17-995	397.01	Lynx 1	363.0	453224	5434910	327	-62	134.6	137.3	2.7	5.84	
OSK-W-17-995	397.01	VNCR	363.0	453224	5434910	327	-62	305.2	307.3	2.1	5.31	
OSK-W-17-995	397.01	Lynx 3	363.0	453224	5434910	327	-62	362.0	365.0	2.1	3.75	
OSK-W-17-995	402.18	Malillard	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	400.18	Malillard	393.0	452270	5434844	328	-56	308.7	311.2	2.5	2.20	
OSK-W-17-996	400.18	Malillard FW	393.0	452270	5434844	328	-56	359.0	361.2	2.2	9.62	
		including						359.7	360.4	0.7	24.1	
OSK-W-17-998	396.65	Lynx 1	372.0	453313	5434909	330	-57	211.0	212.7	1.7	0.68	
OSK-W-17-998	396.65	Lynx 1 + Lynx 2	372.0	453313	5434909	330	-57	261.0	263.0	2.0	15.8	
		including						261.0	262.0	1.0	31.5	
OSK-W-17-998	396.65	Lynx 2	372.0	453313	5434909	330	-57	295.0	307.7	12.7	0.53	
OSK-W-17-998	396.65	VNCR	372.0	453313	5434909	330	-57	325.0	329.5	4.5	4.78	
OSK-W-17-999	396.98	TBC	516.0	452861	5434813	330	-61	91.5	94.9	3.5	5.18	
		including						91.5	93.0	1.5	8.54	
OSK-W-17-999	396.98	Caribou extension	516.0	452861	5434813	330	-61	403.9	403.9	3.2	3.68	
OSK-W-17-999	396.98	Caribou extension	516.0	452861	5434813	330	-61	432.9	436.4	3.5	5.79	
OSK-W-17-999	396.98	Caribou extension	516.0	452861	5434813	330	-61	459.4	462.0	2.6	5.19	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
			including					460.0	461.0	1.0	10.4	
OSK-W-17-1000	400.79	Lynx 301	786.0	453406	5435462	142	-50	573.0	577.3	4.3	8.92	
			including					573.0	574.0	1.0	17.1	
OSK-W-17-1002	408.05	227	303.0	453013	5434821	142	-48	284.0	288.0	2.0	5.07	
			including					284.6	285.0	0.4	16.5	
OSK-W-17-1003	397.12	Lynx 1	366.0	453223	5434910	329	-59	131.1	133.7	2.6	5.18	
			including					131.1	131.9	0.8	16.8	
OSK-W-17-1003	397.12	Lynx 2	366.0	453223	5434910	329	-59	213.1	215.1	2.0	29.5	
			including					213.1	213.9	0.8	46.3	
OSK-W-17-1003	397.12	Lynx 2	366.0	453223	5434910	329	-59	240.8	243.0	2.2	3.00	
			including					241.8	242.1	0.3	11.5	
OSK-W-17-1006	403.8	Lynx 3	762.0	453283	5435344	136	-49	251.3	253.3	2.0	0.28	
OSK-W-17-1006	403.8	Lynx 2 FW	762.0	453283	5435344	136	-49	351.0	353.0	2.0	3.78	
			including					351.5	353.0	1.5	4.86	
OSK-W-17-1006	403.8	Lynx 2	762.0	453283	5435344	136	-49	383.3	390.2	6.9	36.0	29.9
			including					383.3	384.2	0.9	147	100
			including					384.6	385.7	1.1	62.3	
			including					399.3	390.2	0.9	41.4	
OSK-W-17-1006	403.8	Lynx 4	762.0	453283	5435344	136	-49	612.9	615.5	2.6	0.54	
OSK-W-17-1006	403.8	Lynx 4	762.0	453283	5435344	136	-49	707.8	710.0	2.2	13.8	
			including					707.8	708.4	0.6	40.1	
OSK-W-17-1007	395.71	Lynx 1	378.0	453477	5435045	334	-68	238.6	240.6	2.0	6.54	
			including					238.6	240.0	1.4	9.31	
OSK-W-17-1007	395.71	VNCR	378.0	453477	5435045	334	-68	340.0	342.2	2.2	10.4	
OSK-W-17-1009	401.75	227	183.0	453207	5434809	147	-49	108.0	110.7	2.7	5.73	
			including					109.0	110.0	1.0	13.7	
OSK-W-17-1009	401.75	227	183.0	453207	5434809	147	-49	109.0	110.0	1.0	13.7	
OSK-W-17-1009	396.62	Lynx HW	369.0	453311	5434908	330	-53	169.9	172.0	2.1	5.84	
			including					170.3	171.0	0.7	16.8	
OSK-W-17-1010	396.62	VNCR	369.0	453311	5434908	330	-53	310.5	314.0	3.5	24.3	
			including					310.5	311.5	1.0	62.9	
OSK-W-17-1011	398.55	Lynx HW	111.0	453175	5434955	331	-46	20.0	22.0	2.0	0.82	
OSK-W-17-1011	398.55	Lynx 1	111.0	453175	5434955	331	-46	55.0	65.0	10.0	0.13	
OSK-W-17-1011	398.55	Lynx 2	111.0	453175	5434955	331	-46	79.0	81.3	2.3	0.82	
OSK-W-17-1013	401.84	227	24.0	452246	5434866	333	-48	9.2	12.0	2.8	4.56	
			including					9.2	10.1	0.9	24.9	
OSK-W-17-1014	404.69	227	195.0	452063	5434811	141	-47	135.5	135.6	0.1	5.25	
OSK-W-17-1014	404.69	227	195.0	452063	5434811	141	-47	176.6	180.0	3.4	6.27	
			including					178.4	179.0	0.6	30.0	
OSK-W-17-1015	405.17	Lynx 2	474.0	453232	5435294	137	-51	344.1	346.2	2.1	4.02	
			including					344.9	345.5	0.6	13.7	
OSK-W-17-1015	405.17	Lynx 2	474.0	453232	5435294	137	-51	357.9	360.5	2.6	6.26	
			including					358.8	359.2	0.4	33.7	
OSK-W-17-1015	405.17	VNCR	474.0	453232	5435294	137	-51	400.0	403.3	3.3	8.38	
			including					400.7	401.7	1.0	19.0	
OSK-W-17-1018	401.75	227	300.0	453247	5434865	333	-47	10.0	12.0	2.0	3.93	
OSK-W-17-1018	401.75	Malheur	300.0	453247	5434865	333	-47	199.7	205.6	5.9	3.55	
			including					200.5	200.8	0.3	30.9	
OSK-W-17-1019	408.16	Lynx 1	606.0	453260	5434915	140	-52	227.0	229.0	2.0	11.3	
			including					227.5	228.5	1.0	22.6	
OSK-W-17-1019	408.16	Lynx 4	606.0	453260	5434915	140	-52	328.0	331.2	3.2	3.21	
			including					328.5	330.0	0.5	13.5	
OSK-W-17-1019	408.16	Vein	606.0	453260	5434915	140	-52	589.0	591.0	2.0	9.04	
OSK-W-17-1020	397.19	Bobcat	312.0	453217	5434928	337	-54	271.5	273.5	2.0	72.8	
			including					272.0	273.5	1.5	96.9	
OSK-W-17-1021	397.54	VNCR - Lynx corridor	632.0	452980	5434889	333	-53	68.0	70.3	2.3	8.72	
OSK-W-17-1023	406.36	227	228.0	452033	5434796	145	-48	134.4	138.0	3.6	4.00	
			including					134.4	135.2	0.8	13.1	
OSK-W-17-1024	397.55	Lynx 1	360.0	453295	5434947	330	-53	134.0	136.0	2.0	3.97	
OSK-W-17-1024	397.55	Lynx 1	360.0	453295	5434947	330	-53	138.0	140.0	2.0	3.64	
OSK-W-17-1025	401.29	FWO	990.0	453487	5434435	330	-58	843.9	86.9	2.0	4.17	
OSK-W-17-1025	401.29	FWO	990.0	453487	5434435	330	-58	690.0	692.3	2.3	3.13	
OSK-W-17-1025	401.29	FW1	990.0	453487	5434435	330	-58	732.0	734.0	2.0	3.23	
OSK-W-17-1025	401.29	FW1	990.0	453487	5434435	330	-58	806.7	809.5	2.8	8.34	
			including					806.7	807.6	0.9	20.2	
OSK-W-18-1025-W1	401.29	Underdog	852.0	453487	5434435	330	-58	793.0	795.0	2.0	19.9	
OSK-W-18-1025-W1	401.29	Underdog	852.0	453487	5434435	330	-58	800.0	802.0	2.0	14.0	
			including					800.0	800.5	0.5	42.0	
OSK-W-18-1025-W1	401.29	Underdog	852.0	453487	5434435	330	-58	822.4	824.5	2.1	4.67	
			including					822.4	822.8	0.4	21.8	
OSK-W-17-1026	400.62	227	147.0	452119	5434787	129	-45	60.3	62.6	2.3	4.57	
			including					62.0	62.6	0.6	16.5	
OSK-W-17-1026	400.62	227	147.0	452119	5434787	129	-45	83.6	85.9	2.3	4.93	
			including					85.0	85.9	0.9	12.4	
OSK-W-17-1026	400.62	227	147.0	452119	5434787	129	-45	92.7	95.9	3.2	4.38	
			including					94.8	95.9	1.1	11.2	
OSK-W-17-1026	400.62	227	147.0	452119	5434787	129	-45	124.6	127.0	2.4	4.24	
OSK-W-17-1027	400.57	Lynx 2	825.0	453437	5435479	134	-59	604.0	606.0	2.0	3.85	
OSK-W-17-1027	400.57	Vein	825.0	453437	5435479	134	-59	625.0	627.2	2.2	12.2	
			including					626.0	627.2	1.2	22.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 µm	
OSK-W-17-1027	400.57	Lynx HW	825.0	453437	5453479	134	-59	779.5	782.0	2.5	3.47		
OSK-W-17-1028	396.94			452861	5434811	326	-59	76.0	78.0	2.0	8.08		
		including						77.0	77.3	0.3	45.4		
OSK-W-17-1028	396.94	Caribou extension	807.0	452861	5434811	326	-59	338.9	374.0	3.3	11.6		
		including						372.7	374.0	1.3	18.6		
OSK-W-17-1028	396.94	Caribou extension	807.0	452861	5434811	326	-59	381.6	385.9	2.3	10.0		
		including						385.5	385.9	0.4	53.1		
OSK-W-17-1028	396.94	Caribou extension	807.0	452861	5434811	326	-59	393.0	396.1	3.1	2.4		
OSK-W-17-1028	396.94	Caribou extension	807.0	452861	5434811	326	-59	372.5	378.0	5.5	1.2		
OSK-W-17-1030	397.46	Lynx 1	300.0	453346	5434932	332	-56	144.4	146.7	2.3	0.25		
		including						145.1	145.7	0.6	34.4		
OSK-W-17-1030	397.46	Lynx 2	300.0	453346	5434932	332	-56	189.3	189.0	0.7	1.14		
OSK-W-17-1031	400.18	Lynx 2	300.0	453296	5434867	336	-62	61.5	63.8	2.3	0.8		
OSK-W-17-1031	400.18	Drake	390.0	452296	5434867	336	-62	182.0	184.0	2.0	3.34		
		including						182.3	182.6	0.3	18.7		
OSK-W-17-1031	400.18	Mulford	300.0	452296	5434867	336	-62	125.6	127.8	2.2	0.58		
OSK-W-17-1034	399.13	VNCR	238.0	452978	5434914	338	-62	106.7	106.0	0.7	2.66		
OSK-W-17-1035	399.46		227	105.0	452101	5434747	133	-45	68.4	71.0	2.5	4.27	
		including						69.1	69.6	0.5	15.2		
OSK-W-17-1036	405.19	VNCR	432.0	453231	5435294	139	-55	145.8	150.6	4.8	3.73		
		including						146.6	150.6	1.0	15.7		
OSK-W-17-1036	405.19	VNCR	432.0	453231	5435294	139	-55	338.6	361.5	2.9	18.9		
		including						359.6	360.5	0.9	58.1		
OSK-W-17-1036	405.19	QTV	432.0	453231	5435294	139	-55	414.0	416.0	2.0	3.34		
		including						415.0	416.0	1.0	6.23		
OSK-W-17-1038	402.47		227	120.0	452067	5434773	147	-49	97.4	99.7	2.3	46.4	
OSK-W-17-1039	401.89	Lynx 2	513.0	453361	5435436	147	-49	179.1	181.1	2.0	1.06		
OSK-W-17-1039	401.89	Lynx 1	513.0	453361	5435436	147	-49	436.9	441.3	4.4	11.6		
		including						436.9	437.0	1.0	34.4		
OSK-W-17-1039	401.89	Lynx	513.0	453361	5435436	147	-49	454.2	456.6	2.4	11.4		
		including						455.2	455.6	0.4	62.8		
OSK-W-17-1040	397.47	Lynx 2	294.0	453295	5434948	327	-45	162.0	164.0	2.0	15.9		
		including						162.3	162.7	0.4	68.3		
OSK-W-17-1042	400.51		227	156.0	452119	5434786	146	-52	62.8	75.0	12.2	3.39	
		including						73.0	74.0	0.6	1.0		
OSK-W-17-1042	400.51		227	156.0	452119	5434786	146	-52	84.0	86.3	2.3	30.3	
OSK-W-17-1043	403.81	Lynx 1	438.0	453284	5435344	133	-47	374.0	376.0	2.0	3.11		
OSK-W-17-1044	395.71	Lynx 1	381.0	453477	5435045	333	-70	242.0	244.1	2.1	3.03		
OSK-W-17-1044	395.71	Lynx 1 + Lynx 2	381.0	453477	5435045	333	-70	284.6	286.7	2.1	3.59		
OSK-W-17-1041	399.13	VNCR	306.0	452977	5434905	338	-62	88.4	88.4	0.6	2.96		
OSK-W-17-1048	397.03		303.0	453215	5434914	333	-52	209.1	212.0	2.9	10.4		
		including						210.3	210.7	0.4	40.2		
OSK-W-17-1048	397.03	Lynx 2	303.0	453215	5434914	333	-52	216.0	216.0	1.0	21.3		
		including						217.8	219.0	1.2	17.4		
OSK-W-17-1050	402.38		227	105.6	452053	5434740	148	-49	21.7	41.7	2.0	17.4	
OSK-W-17-1050	402.38		227	105.6	452053	5434740	148	-49	76.5	80.0	3.5	6.55	
OSK-W-17-1051	405.53		1248.0	452314	5435321	138	-68	51.0	53.4	2.4	3.94		
OSK-W-17-1051	405.53	TBD	1248.0	452314	5435321	138	-68	303.0	305.1	2.1	7.85		
OSK-W-17-1051	405.53	FW3	1248.0	452314	5435321	138	-68	846.0	848.0	2.0	27.8		
		including						847.0	848.0	1.0	53.8		
OSK-W-17-1051	405.53	FW3	1248.0	452314	5435321	138	-68	857.1	859.8	2.7	5.36		
OSK-W-17-1051	405.53	FW3	1248.0	452314	5435321	138	-68	906.0	906.4	2.4	7.60		
OSK-W-17-1051	405.53	FW2	1248.0	452314	5435321	138	-68	1067.0	1069.3	2.0	3.33		
OSK-W-17-1051	405.53	FW1	1248.0	452314	5435321	138	-68	1096.7	1099.0	2.3	5.22		
		including						1097.5	1098.0	0.5	17.5		
OSK-W-17-1051	405.53	FW1	1248.0	452314	5435321	138	-68	1109.0	1105.4	2.4	7.09		
		including						1110.0	1104.4	0.4	39.6		
OSK-W-17-1051	405.53	FW1	1248.0	452314	5435321	138	-68	1111.0	1114.5	3.5	6.82		
		including						1113.9	1114.5	0.6	29.7		
OSK-W-17-1051-W1	405.53	FW3	1279.0	452314	5435321	138	-68	941.0	943.0	2.0	3.96		
OSK-W-17-1051-W1	405.53	FW1	1279.0	452314	5435321	138	-68	1262.0	1264.0	2.0	10.5		
OSK-W-17-1051-W2	405.53	FW1	1206.0	452314	5435321	138	-68	1081.5	1086.3	4.0	11.8		
		including						1081.3	1082.0	0.5	22.4		
		including						1080.5	1085.5	0.5	22.4		
OSK-W-17-1051-W3	405.53	FW1	1206.0	452314	5435321	138	-68	1119.1	1121.3	2.2	7.49		
OSK-W-17-1051-W3	405.53	QTV	1206.0	452314	5435321	138	-68	1132.0	1135.0	2.0	3.2		
OSK-W-17-1052	396.86	Lynx 1	839.5	452999	5434854	328	-67	94.0	96.1	2.1	3.00		
		including						94.6	95.3	0.7	8.64		
OSK-W-17-1052	396.86		839.5	452999	5434854	328	-67	114.9	120.0	4.3	7.65		
		including						118.2	119.4	1.2	20.8		
OSK-W-17-1052	396.86	Caribou extension	839.5	452999	5434854	328	-67	507.0	509.0	2.0	3.26		
OSK-W-17-1052	396.86		839.5	452999	5434854	328	-67	721.0	723.3	2.3	3.81		
		including						721.8	722.1	0.3	26.9		
OSK-W-17-1053	403.18		227	96.0	452031	5434741	148	-49	74.7	78.8	5.1	30.8	
		including						74.2	74.8	0.6	38.2		
OSK-W-17-1054	397.87	Lynx 1	363.0	453282	5435000	325	-48	86.0	88.0	2.0	12.9		
		including						86.4	87.0	0.6	42.6		
OSK-W-17-1055	399.25		227	144.0	452091	5434749	140	-49	72.0	74.0	2.0	3.89	
OSK-W-17-1056	404.94		227	120.0	452003	5434746	150	-46	35.0	37.0	2.0	35.5	20.4
		including						35.0	35.0	0.4	10.0	10.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-1056	404.94	Z27	120.0	452003	5434746	150	-46	87.5	90.5	3.0	3.89	
OSK-W-17-1056	404.94	Z27	120.0	452003	5434746	150	-46	96.9	100.6	3.7	7.71	
OSK-W-17-1058	397.35	Lynx 1	318.0	453201	5434911	332	-50	137.0	139.5	2.5	0.73	
OSK-W-17-1058	397.35	Lynx 2	318.0	453201	5434911	332	-50	100.0	100.1	3.1	8.50	
		including						100.0	100.3	0.3	15.4	
		and						192.8	193.1	0.3	64.5	
OSK-W-17-1059	403.74	Lynx 3	660.0	453284	5435344	136	-46	264.0	266.0	2.0	83.0	55.9
		including						264.9	266.0	1.1	149	100
OSK-W-17-1059	403.74	Lynx 1	660.0	453284	5435344	136	-46	362.8	365.2	2.4	17.7	
		including						362.8	364.0	1.2	33.6	
OSK-W-17-1062	405.8	Z27	192.0	452009	5434774	147	-49	110.5	116.2	5.7	3.25	
OSK-W-17-1064	395.9	Lynx HW	441.0	453461	5435018	330	-74	234.0	237.0	3.0	4.42	
		including						235.5	237.0	1.5	8.41	
OSK-W-17-1064	395.9	Lynx 1	441.0	453461	5435018	330	-74	326.0	328.0	2.0	8.92	
OSK-W-17-1064	395.9	Lynx 1	441.0	453461	5435018	330	-74	333.0	335.0	2.0	3.19	
OSK-W-17-1064	395.9	Lynx 2	441.0	453461	5435018	330	-74	344.9	356.5	11.6	20.5	15.5
		including						345.7	346.7	1.0	159	
OSK-W-17-1064	395.9	Lynx 3	441.0	453461	5435018	330	-74	417.5	426.0	2.5	2.78	
OSK-W-17-1065	401.74	Mallard 2	330.0	452291	5434903	334	-56	31.9	34.2	2.3	3.28	
		including						229.1	231.5	2.4	0.30	
OSK-W-17-1066	401.01	Vain	839.0	452486	5434435	332	-56	214.5	218.5	2.0	4.21	
OSK-W-17-1066	401.01	CSI HW	639.0	452486	5434435	332	-56	412.0	415.4	3.4	4.72	
OSK-W-17-1066	401.01	CS2	639.0	452486	5434435	332	-56	458.6	460.9	2.3	4.48	
OSK-W-17-1066	401.01	CN1	639.0	452486	5434435	332	-56	514.0	517.0	3.0	7.98	
		including						515.6	516.1	0.5	43.1	
OSK-W-17-1066	401.01	Vain in Red Dog	639.0	452486	5434435	332	-56	572.3	572.9	0.6	32.5	
OSK-W-18-1066-W1	401.01	Underdog	1137.0	452486	5434435	332	-56	683.9	685.8	1.9	26.0	
		including						683.9	684.6	0.7	70.4	
OSK-W-18-1066-W1	401.01	Underdog	1137.0	452486	5434435	332	-56	760.0	762.0	2.0	6.60	
		including						760.0	761.0	1.0	13.0	
OSK-W-18-1066-W1	401.01	Underdog	1137.0	452486	5434435	332	-56	769.0	774.0	5.0	4.79	
		including						769.0	770.0	1.0	16.1	
OSK-W-18-1066-W1	401.01	Underdog	1137.0	452486	5434435	332	-56	779.5	780.3	8.8	68.5	41.6
		including						783.6	784.0	0.4	94.3	
		including						786.0	788.2	2.2	220	100.0
OSK-W-18-1066-W1	401.01	Underdog	1137.0	452486	5434435	332	-56	792.0	798.5	2.5	38.1	
OSK-W-18-1066-W1	401.01	Underdog	1137.0	452486	5434435	332	-56	854.8	857.0	2.2	39.6	35.3
		including						855.4	856.1	0.7	114	100
OSK-W-18-1066-W1	401.01	FW3	1137.0	452486	5434435	332	-56	844.4	846.4	2.0	12.9	
		including						945.0	945.7	0.7	36.0	
OSK-W-18-1066-W1	401.01	FW3 FW	1137.0	452486	5434435	332	-56	1008.3	1009.4	2.2	71.0	
		including						1008.8	1009.1	0.3	81.6	
OSK-W-18-1066-W1	401.01	Underdog	1065.0	452486	5434435	332	-56	750.0	752.0	2.0	6.76	
OSK-W-18-1066-W1	401.01	Underdog	1065.0	452486	5434435	332	-56	1021.0	1023.0	2.0	23.3	
		including						1021.0	1022.4	1.4	33.2	
OSK-W-18-1066-W1	401.01	Underdog	1065.0	452486	5434435	332	-56	1043.0	1045.0	2.0	7.55	
		including						1044.5	1045.0	0.5	28.0	
OSK-W-18-1066-W1	401.01	Underdog	849.0	452486	5434435	332	-56	771.5	775.4	4.2	5.96	
		including						771.5	772.1	0.6	24.7	
OSK-W-18-1066-W1	401.01	Underdog	849.0	452486	5434435	332	-56	786.9	789.9	3.0	85.1	48.1
		including						788.0	789.4	1.4	179	100
OSK-W-17-1067	401.94	Lynx HW	653.2	453339	5435399	132	-48	512.6	515.7	3.1	4.54	
OSK-W-17-1068	403.33	Lynx HW	513.0	453253	5435279	130	-45	414.0	416.0	2.0	4.56	
OSK-W-17-1068	403.33	Lynx HW	513.0	453253	5435279	130	-45	451.9	454.3	2.4	4.77	
OSK-W-17-1070	400.34	Z27	66.0	452024	5434701	141	-49	21.8	23.8	2.8	8.12	
		including						22.0	22.7	0.7	32.3	
OSK-W-17-1070	400.34	Z27	66.0	452024	5434701	141	-49	45.0	47.4	2.4	9.58	
		including						46.0	46.9	0.9	22.9	
OSK-W-17-1071	406.31	Z27	204.0	451984	5434774	146	-49	112.7	115.5	2.8	7.12	
OSK-W-17-1071	406.31	Z27	204.0	451984	5434774	146	-49	139.5	141.7	2.2	12.1	
OSK-W-17-1071	406.31	Z27	204.0	451984	5434774	146	-49	150.8	152.8	2.0	5.31	
OSK-W-17-1071	406.31	Z27	204.0	451984	5434774	146	-49	156.0	158.8	2.8	9.72	
OSK-W-17-1071	406.31	Z27	204.0	451984	5434774	146	-49	161.7	164.0	2.3	12.2	
OSK-W-17-1072	399.07	Lynx 3	1086.0	453612	5435532	144	-57	271.9	274.0	2.1	0.04	
OSK-W-17-1072	399.07	Lynx 2	1086.0	453612	5435532	144	-57	518.9	520.0	1.1	1.26	
OSK-W-17-1072	399.07	Lynx 4	1086.0	453612	5435532	144	-57	884.0	886.3	2.3	3.73	
		including						886.0	886.3	0.3	22.8	
OSK-W-17-1072-W1	399.07	Lynx 1	948.0	453612	5435532	144	-57	656.0	660.1	4.1	1.53	
OSK-W-17-1072-W1	399.07	Lynx HW	948.0	453612	5435532	144	-57	691.0	696.0	2.0	4.50	
		including						694.0	695.0	1.0	8.76	
OSK-W-17-1072-W1	399.07	Lynx 4	948.0	453612	5435532	144	-57	818.0	820.0	2.0	3.79	
		including						819.0	819.3	0.3	23.0	
OSK-W-17-1072-W1	399.07	Lynx 4	948.0	453612	5435532	144	-57	825.0	827.0	2.0	0.52	
		including						825.0	826.0	1.0	18.0	
OSK-W-17-1072-W1	399.07	Lynx 4	948.0	453612	5435532	144	-57	911.0	914.0	3.0	6.09	
		including						911.0	912.0	1.0	17.5	
OSK-W-17-1072-W2	399.07	Lynx 4	1059.0	453612	5435532	144	-57	842.8	845.9	3.1	5.24	
OSK-W-17-1072-W2	399.07	Lynx 4	1059.0	453612	5435532	144	-57	885.2	887.2	2.0	17.7	
		including						886.9	887.2	0.3	98.2	
OSK-W-17-1072-W2	399.07	Lynx 4	1059.0	453612	5435532	144	-57	908.0	911.0	3.0	8.60	
		including						910.6	911.0	0.4	56.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assort	Au (g/t) cut to 100 g/t
OSK-W-17-1072-W2	399.07	Lynx 4	1059.0	453612	5435532	144	-57	915.0	917.0	2.0	10.9	
		including						915.5	916.2	0.7	30.9	
OSK-W-17-1072-W2	399.07	Lynx 4	1059.0	453612	5435532	144	-57	989.7	992.0	2.3	17.1	
		including						990.1	990.4	0.3	127	
OSK-W-17-1072-W2	399.07	Lynx 4	1059.0	453612	5435532	144	-57	1019.7	1022.0	2.3	4.56	
		including						1020.2	1020.5	0.3	31.0	
OSK-W-17-1072-W3	399.07	Lynx 4	1110.0	453612	5435532	144	-57	906.6	909.0	2.4	4.02	
OSK-W-17-1072-W3	399.07	Lynx 4	1110.0	453612	5435532	144	-57	1095.0	1097.0	2.0	11.3	
		including						1095.0	1095.0	1.0	20.6	
OSK-W-20-1073-W4	399.07	Lynx 330	1092.0	453612	5435532	145	-57	868.4	871.9	3.5	9.90	
		including						868.4	869.0	0.6	37.1	
OSK-W-20-1073-W4	399.07	Lynx 340	1092.0	453612	5435532	145	-57	928.0	930.2	2.2	11.7	
		including						928.0	928.3	0.3	32.9	
OSK-W-20-1073-W4	399.07	Lynx 4	1092.0	453612	5435532	145	-57	966.6	968.8	2.2	29.3	
OSK-W-20-1073-W4	399.07	Lynx 4	1092.0	453612	5435532	145	-57	1010.0	1012.0	2.0	11.5	
		including						1011.0	1012.0	1.0	20.6	
OSK-W-20-1072-W5	399.07	Lynx 330	1262.0	453612	5435532	145	-57	867.1	869.1	2.0	54.1	18.0
		including						868.8	869.1	0.3	241	
OSK-W-20-1072-W5	399.07	Lynx 340	1262.0	453612	5435532	145	-57	884.0	886.0	2.0	30.8	
		including						884.0	885.0	1.0	56.5	
OSK-W-20-1072-W5	399.07	Lynx 4	1262.0	453612	5435532	145	-57	1079.5	1081.5	2.0	3.17	
		including						1080.4	1080.5	0.1	19.4	
OSK-W-17-1073	406.3	Epithé	603.0	452757	5434979	144	-51	97.2	101.4	4.2	3.11	
OSK-W-17-1073	406.3	Lynx 4	603.0	452757	5434979	144	-51	409.0	411.0	2.0	8.65	
OSK-W-17-1073	406.3	Vein	603.0	452757	5434979	144	-51	470.5	473.0	2.5	3.68	
		including						470.5	471.2	0.7	13.0	
OSK-W-17-1073	406.3	Vein	603.0	452757	5434979	144	-51	475.3	477.9	2.6	4.09	
		including						475.3	476.0	0.7	12.4	
OSK-W-17-1073	406.3	Vein	603.0	452757	5434979	144	-51	481.0	483.2	2.2	3.78	
		including						482.5	483.2	0.7	11.3	
OSK-W-17-1077	401.57	227	102.9	451987	5434710	148	-54	59.8	61.0	1.2	8.41	
		including						59.6	60.0	0.4	18.0	
OSK-W-17-1079	402.52	CNS FW	615.0	452541	5434452	332	-58	597.0	599.3	2.3	108	17.5
		including						597.6	598.0	0.4	618	100
OSK-W-17-1080	398.3	Lynx 2	84.0	453166	5434979	330	-45	51.0	52.4	1.4	5.47	
		including						52.1	52.4	0.3	34.0	
OSK-W-17-1081	401.51	227	117.0	451987	5434710	145	-65	61.3	62.7	1.4	10.4	
		including						62.0	62.6	0.6	35.2	
OSK-W-17-1085	395.89	Lynx 1	915.0	453461	5435018	339	-68	230.0	232.5	2.5	4.41	
OSK-W-17-1085	395.89	Lynx 1	915.0	453461	5435018	339	-68	254.8	257.0	2.2	4.83	
OSK-W-17-1085	395.89	Lynx 2	915.0	453461	5435018	339	-68	272.0	276.0	4.0	4.46	
OSK-W-17-1085	395.89	Lynx 2	915.0	453461	5435018	339	-68	328.5	330.7	2.2	29.8	
		including						329.5	330.7	1.2	54.6	
OSK-W-17-1087	399.96	Drake	381.0	452255	5434828	328	-61	243.0	245.0	2.0	3.28	
OSK-W-17-1087	399.96	Mallard	381.0	452255	5434828	328	-61	354.0	356.6	2.6	195	19.6
		including						354.0	354.5	0.5	991	100
OSK-W-17-1088	402.63	227	129.0	451972	5434733	148	-55	80.2	82.4	2.2	7.73	
		including						80.2	81.0	0.8	19.5	
OSK-W-17-1090	398.46	227	237.0	452219	5434642	334	-45	134.2	136.5	2.3	5.24	
		including						134.2	134.6	0.4	26.3	
OSK-W-17-1091	398.49	Lynx 1	246.0	453207	5434960	332	-51	60.4	62.7	2.3	11.3	
		including						61.0	62.0	1.0	25.2	
OSK-W-17-1091	398.49	Lynx 2	246.0	453207	5434960	332	-51	104.0	106.4	2.4	3.64	
		including						105.6	106.4	0.8	9.30	
OSK-W-17-1095	404	227	147.0	451961	5434731	147	-50	88.2	90.7	2.5	58.8	52.9
		including						88.6	89.7	1.1	114	100
OSK-W-17-1095	404	227	147.0	451961	5434731	147	-50	113.0	116.0	3.0	4.09	
OSK-W-17-1096	398.58	Vein	120.0	453207	5434960	330	-46	58.8	61.1	2.3	3.48	
OSK-W-17-1098	403.89	Lynx 3	424.5	453255	5435289	129	-48	249.9	252.3	2.4	13.7	
		including						250.6	251.4	0.8	34.1	
OSK-W-17-1098	403.89	Lynx 2	424.5	453255	5435289	129	-48	326.2	328.8	2.6	8.51	
		including						327.9	328.8	0.9	18.1	
OSK-W-17-1098	403.89	Lynx 4	424.5	453255	5435289	129	-48	338.3	340.6	2.3	42.8	25.0
		including						340.1	340.6	0.5	182	100
OSK-W-17-1099	398.71	Lynx 1	264.0	453144	5434935	335	-56	83.0	85.0	2.0	7.87	
		including						83.0	83.3	0.3	51.9	
OSK-W-17-1099	398.71	Lynx 2	264.0	453144	5434935	335	-56	108.0	110.1	2.1	3.04	
		including						109.8	110.1	0.3	14.5	
OSK-W-17-1100	398.74	Lynx 3	426.0	453395	5435250	149	-61	185.5	187.5	2.0	5.98	
		including						185.5	186.5	1.0	11.8	
OSK-W-17-1102	396.48	Lynx 1	345.0	453275	5434898	330	-50	174.0	176.0	2.0	3.58	
		including						175.7	176.0	0.3	16.2	
OSK-W-17-1102	396.48	Lynx 1	345.0	453275	5434898	330	-50	220.0	223.0	3.0	1.26	
OSK-W-17-1102	396.48	Lynx 1	345.0	453275	5434898	330	-50	280.9	284.5	3.6	13.0	
		including						280.9	281.6	0.7	54.4	
OSK-W-17-1103	400.97	227	111.0	452016	5434721	148	-49	79.8	82.0	2.2	15.4	
OSK-W-17-1104	401.7	Lynx 1	1059.0	453383	5435455	142	-50	472.0	474.0	2.0	1.77	
OSK-W-17-1104	401.7	Lynx HW	1059.0	453383	5435455	142	-50	560.0	562.0	2.0	4.30	
		including						560.5	561.3	0.8	10.4	
OSK-W-17-1104	401.7	Lynx HW	1059.0	453383	5435455	142	-50	578.2	581.0	2.8	6.79	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-1104	401.7	Lynx HW	1059.0	453383	5435455	142	-50	578.2	578.6	0.4	46.4	
								591.8	594.0	2.2	4.06	
								591.8	592.3	0.5	17.8	
OSK-W-17-1104	401.7	Vein	1059.0	453383	5435455	142	-50	857.4	860.0	2.6	48.7	27.3
								857.4	858.0	0.6	193	100
OSK-W-17-1104	401.7	Lynx 4	1059.0	453383	5435455	142	-50	883.0	885.0	2.0	3.61	
								884.3	884.7	0.4	17.0	
OSK-W-17-1104	401.7	Lynx 5	1059.0	453383	5435455	142	-50	976.0	980.0	2.0	10.3	
								976.6	979.3	0.7	20.3	
OSK-W-18-1104-W1	401.7	Lynx	600.0	453383	5435455	142	-50	446.0	448.0	2.0	6.52	
								446.3	446.6	0.3	41.8	
OSK-W-19-1104-W2	401.7	Lynx 313	927.0	453383	5435455	142	-50	834.6	836.7	2.1	30.3	
								834.6	835.5	0.9	59.9	
OSK-W-19-1104-W4	401.7	Lynx 359	933.0	453383	5435455	142	-50	470.6	473.0	2.4	3.42	
								471.3	471.6	0.3	25.6	
OSK-W-19-1104-W4	401.7	Lynx 321	933.0	453383	5435455	142	-50	575.0	577.7	2.7	3.72	
								576.5	576.9	0.4	17.6	
OSK-W-19-1104-W4	401.7	Lynx 4	933.0	453383	5435455	142	-50	826.0	828.0	2.0	4.14	
								840.9	846.5	5.6	6.82	
OSK-W-19-1104-W4	401.7	Lynx 4	933.0	453383	5435455	142	-50	856.0	861.0	5.0	36.9	16.3
								858.2	858.6	0.4	351	100
OSK-W-19-1104-W4	401.7	Lynx 4	933.0	453383	5435455	142	-50	905.5	908.5	3.0	25.7	16.0
								907.5	907.8	0.3	165	100
OSK-W-19-1104-W5	401.7	Lynx	920.4	453383	5435455	142	-50	810.0	812.0	2.0	10.7	
								811.6	812.0	0.4	31.0	
OSK-W-19-1104-W5	401.7	Lynx 322	920.4	453383	5435455	142	-50	838.7	840.8	2.1	9.80	
								755.5	757.8	2.3	8.84	
OSK-W-19-1104-W6	401.7	Lynx 313	869.0	453383	5435455	142	-50	822.4	824.6	2.2	9.36	
OSK-W-20-1104-W6	401.7	Lynx 359	867.0	453383	5435455	142	-50	470.0	472.0	2.0	7.98	
								470.7	471.2	0.5	29.4	
OSK-W-20-1104-W7	401.7	Lynx	867.0	453383	5435455	142	-50	502.0	504.3	2.3	34.5	
								503.0	504.0	1.0	79.1	
OSK-W-20-1104-W7	401.7	Lynx 322	867.0	453383	5435455	142	-50	533.0	535.0	2.0	139	21.7
								533.0	533.3	0.3	885	100
OSK-W-20-1104-W7	401.7	Lynx 347	867.0	453383	5435455	142	-50	802.0	804.0	2.0	6.94	
								802.7	803.4	0.7	16.0	
OSK-W-20-1104-W7	401.7	Lynx 347	867.0	453383	5435455	142	-50	808.1	810.1	2.0	3.52	
								808.6	808.9	0.3	16.8	
OSK-W-17-1105	397.32	New zone	858.0	452921	5434844	328	-71	468.0	470.0	2.0	3.42	
								468.0	469.0	1.0	6.71	
OSK-W-17-1105	397.32	Caribou extension	858.0	452921	5434844	328	-71	526.0	528.0	2.0	8.85	
								527.5	528.0	0.5	17.3	
OSK-W-17-1105	397.32	Caribou extension	858.0	452921	5434844	328	-71	534.3	539.0	4.7	4.94	
								534.3	535.0	0.7	14.5	
OSK-W-17-1105	397.32	Caribou extension	858.0	452921	5434844	328	-71	556.0	558.0	2.0	3.76	
OSK-W-17-1105	397.32	Caribou extension	858.0	452921	5434844	328	-71	556.2	558.5	2.3	4.21	
OSK-W-17-1105	397.32	Wolf FW	858.0	452921	5434844	328	-71	684.9	696.1	11.2	11.0	7.95
								684.9	689.8	4.9	21.4	14.5
OSK-W-17-1105	397.32	227	858.0	452921	5434844	328	-71	772.0	774.0	2.0	4.49	
								772.3	772.9	0.6	14.5	
OSK-W-17-1106	398.73	227	342.0	452153	5434730	330	-50	19.0	21.2	2.2	3.02	
								20.9	21.2	0.3	18.6	
OSK-W-17-1106	398.73	Midland	342.0	452153	5434730	330	-50	314.0	316.9	2.9	0.62	
OSK-W-17-1106	398.28	Lynx 5	510.0	452133	5434054	330	-46	60.0	62.0	2.0	4.55	
OSK-W-17-1110	401.33	C52	570.0	452487	5434434	333	-60	460.6	465.3	4.7	4.39	
								460.6	461.2	0.6	12.4	
OSK-W-17-1111	396.49	Lynx HW	307.0	453274	5434898	335	-50	156.7	158.5	1.8	2.17	
OSK-W-17-1111	396.49	Lynx 1 + Lynx 2	307.0	453274	5434898	335	-50	204.0	206.0	2.0	11.0	
								204.0	205.0	1.0	21.7	
OSK-W-17-1111	396.49	Vein	307.0	453274	5434898	335	-50	259.0	261.0	2.0	4.18	
OSK-W-17-1111	396.49	Lynx 2	307.0	453274	5434898	335	-50	268.5	271.0	2.5	1.72	
OSK-W-17-1111	396.49	Lynx 2	307.0	453274	5434898	335	-50	278.7	285.5	6.8	19.0	
								281.0	282.0	1.0	72.1	
OSK-W-17-1112	400.63	Lynx 1	636.0	453436	5435480	136	-54	503.0	505.0	2.0	4.09	
OSK-W-17-1112	400.63	Lynx HW	636.0	453436	5435480	136	-54	603.0	605.1	2.1	9.96	
								604.0	604.7	0.7	24.0	
OSK-W-17-1113	403.82	Vein	480.0	453282	5435346	138	-50	363.4	366.0	2.6	5.33	
								363.6	366.0	0.4	19.5	
OSK-W-17-1113	403.82	Lynx 1	480.0	453282	5435346	138	-50	374.1	376.2	2.1	6.35	
								374.7	375.2	0.5	25.2	
OSK-W-17-1113	403.82	Lynx 1 + Lynx 2	480.0	453282	5435346	138	-50	382.4	387.0	4.6	8.46	
								386.4	387.0	0.6	29.4	
OSK-W-17-1113	403.82	Lynx 2	480.0	453282	5435346	138	-50	389.6	395.0	5.4	4.66	
								389.6	389.9	0.3	20.1	
OSK-W-17-1113	403.82	Lynx 1	480.0	453282	5435346	138	-50	418.4	420.7	2.3	3.11	
								419.5	420.8	0.3	22.9	
OSK-W-17-1115	400.77	New zone	816.0	452798	5435114	153	-48	331.6	336.4	4.8	13.7	
OSK-W-17-1115	400.77	No name	816.0	452798	5435114	153	-48	625.5	628.0	2.5	3.86	
OSK-W-17-1115	400.77	Vein	816.0	452798	5435114	153	-48	693.0	695.0	2.0	11.7	
OSK-W-17-1116	401.51	227	123.0	452039	5434727	150	-47	63.0	66.0	3.0	9.33	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-1117	399.19	Lynx 2	471.0	453120	5434934	334	-46	86.9	89.0	2.1	4.76	
		including						86.9	87.5	0.6	16.0	
OSK-W-17-1119	402.62	CNI	609.0	452540	5434453	331	-55	527.4	529.5	2.1	10.7	
		including						526.3	528.7	0.4	44.4	
OSK-W-17-1119	402.62	CNI	609.0	452540	5434453	331	-55	534.3	540.4	6.1	3.08	
		including						539.2	540.4	1.2	9.48	
OSK-W-17-1119	402.62	Caribou	609.0	452540	5434453	331	-55	548.1	551.0	2.9	5.63	
		including						548.1	549.0	0.9	17.0	
OSK-W-17-1120	399.16	Lynx 2	453.0	453458	5435335	334	-54	216.0	212.0	2.0	4.89	
		including						210.0	211.0	1.0	9.12	
OSK-W-17-1120	399.16	Lynx HW	453.0	453458	5435335	334	-54	329.0	331.2	2.2	3.24	
OSK-W-17-1120	399.16	Lynx HW	453.0	453458	5435335	334	-54	334.0	336.7	2.7	5.68	
OSK-W-17-1121	395.89	Lynx 1	782.7	453436	5434959	335	-64	303.0	305.0	2.0	4.29	
OSK-W-17-1121	395.89	Lynx 1	782.7	453436	5434959	335	-64	309.5	313.5	4.0	7.78	
		including						309.5	311.2	1.7	14.9	
OSK-W-17-1121	395.89	VNCR	782.7	453436	5434959	335	-64	335.4	337.7	2.3	19.0	
		including						336.2	336.9	0.7	58.8	
OSK-W-17-1121	395.89	VNCR	782.7	453436	5434959	335	-64	421.9	424.0	2.1	8.34	
OSK-W-17-1121	395.89	VNCR	782.7	453436	5434959	335	-64	435.0	437.7	2.7	8.62	
		including						436.0	437.7	1.7	13.7	
OSK-W-17-1121	395.89	Lynx 367	782.7	453436	5434959	335	-64	701.4	708.6	2.2	5.77	
OSK-W-17-1122	397.69	Z27	314.0	452083	5434788	336	-47	63.0	65.2	2.2	7.08	
OSK-W-17-1123	397.69	Lynx 1	345.0	453315	5434971	336	-46	113.0	116.0	3.0	1.49	
OSK-W-17-1123	397.69	Lynx 2	345.0	453315	5434971	336	-46	130.0	132.1	2.1	11.6	
		including						130.9	131.3	0.4	47.5	
OSK-W-17-1123	397.69	Lynx 3	345.0	453315	5434971	336	-46	163.0	167.0	4.0	0.74	
OSK-W-17-1124	405.52	Malard	255.0	452015	5434775	331	-51	204.6	207.0	2.4	38.3	
		including						204.6	205.6	1.0	43.4	
OSK-W-17-1125	402.65	Vein	975.0	452563	5434570	331	-58	427.0	429.0	2.0	6.80	
		including						427.0	428.0	1.0	13.5	
OSK-W-17-1125	402.65	Z27 HW	975.0	452563	5434570	331	-58	595.0	599.0	2.0	3.19	
OSK-W-17-1125	402.65	SW	975.0	452563	5434570	331	-58	616.0	618.0	2.0	3.89	
		including						617.2	618.0	0.8	9.35	
OSK-W-17-1125	402.65	FW2	975.0	452563	5434570	331	-58	753.6	759.0	5.4	10.2	
		including						755.9	757.2	1.3	36.3	
OSK-W-17-1125	402.65	FW3U HW	975.0	452563	5434570	331	-58	769.0	778.0	9.0	11.9	
		including						769.0	771.0	2.0	71.1	
		including						776.0	778.0	2.0	18.4	
OSK-W-17-1125	402.65	VNCR	975.0	452563	5434570	331	-58	921.5	923.9	2.4	73.2	
		including						922.1	922.6	0.5	30.1	
OSK-W-17-1125-W1	402.65	C3	987.0	452563	5434570	331	-58	368.0	370.1	2.1	4.01	
OSK-W-17-1125-W1	402.65	Caribou corridor	987.0	452563	5434570	331	-58	445.0	447.0	2.0	7.57	
OSK-W-17-1125-W1	402.65	Wolf HW	987.0	452563	5434570	331	-58	475.0	481.9	6.9	11.1	
		including						479.0	481.0	2.0	26.5	
OSK-W-17-1125-W1	402.65	Caribou	1086.2	452563	5434570	331	-58	420.0	422.0	2.0	18.1	
OSK-W-17-1125-W1	402.65	Caribou	1086.2	452563	5434570	331	-58	486.0	495.1	9.1	10.0	
		including						489.0	489.4	0.4	100	
OSK-W-17-1125-W1	402.65	Wolf	1086.2	452563	5434570	331	-58	501.0	503.0	2.0	10.2	
		including						502.0	503.0	1.0	19.6	
OSK-W-17-1125-W1	402.65	Wolf HW	1086.2	452563	5434570	331	-58	516.8	519.0	2.2	26.0	
		including						517.5	518.2	0.7	80.5	
OSK-W-17-1125-W1	402.65	Wolf FW	1086.2	452563	5434570	331	-58	583.0	585.0	2.0	11.5	
		including						583.8	584.2	0.4	49.5	
OSK-W-17-1125-W1	402.65	Vein	1086.2	452563	5434570	331	-58	900.8	903.0	2.2	3.85	
		including						901.1	901.4	0.3	14.0	
OSK-W-17-1125-W1	402.65	FW4	1086.2	452563	5434570	331	-58	1012.1	1014.2	2.1	3.41	
		including						1013.7	1014.3	0.6	138	
OSK-W-17-1128	405.14	Lynx 3	1419.0	453272	5435391	129	-53	923.5	929.0	5.5	5.86	
OSK-W-17-1128	405.14	Lynx 2	1419.0	453272	5435391	129	-53	459.0	461.0	2.0	1.00	
OSK-W-17-1128	405.14	Lynx 2	1419.0	453272	5435391	129	-53	466.2	471.0	4.8	43.7	22.7
		including						470.2	471.0	0.8	226	100
OSK-W-17-1128	405.14	Lynx 2	1419.0	453272	5435391	129	-53	486.9	489.0	2.1	36.1	28.6
		including						487.6	488.0	0.4	140	100
OSK-W-17-1128	405.14	Lynx 4	1419.0	453272	5435391	129	-53	916.4	918.6	2.2	27.4	
OSK-W-17-1128	405.14	Lynx 4	1419.0	453272	5435391	129	-53	985.5	988.5	3.0	17.4	
		including						987.0	988.5	1.5	32.3	
OSK-W-17-1128	405.14	Lynx 6	1419.0	453272	5435391	129	-53	1183.0	1183.0	2.0	9.71	
OSK-W-17-1128	405.14	Lynx 6	1419.0	453272	5435391	129	-53	1209.9	1206.2	2.3	14.0	
		including						1205.0	1206.2	1.2	25.7	
OSK-W-17-1128	405.14	TBD - Lynx corridor	1419.0	453272	5435391	129	-53	1256.0	1254.0	2.0	4.49	
		including						1257.0	1257.7	0.7	12.7	
OSK-W-17-1128	405.14	TBD - Lynx corridor	1419.0	453272	5435391	129	-53	1286.1	1288.2	2.0	8.25	
		including						1286.1	1286.7	0.6	20.0	
OSK-W-17-1129	398.98	Z27	740.0	452213	5434602	325	-49	206.8	209.0	2.2	8.30	
OSK-W-17-1129	398.98	Z27	740.0	452213	5434602	325	-49	225.6	227.7	2.1	3.34	
OSK-W-17-1131	397.83	Lynx 1	342.0	453329	5435010	337	-60	133.0	137.0	2.0	3.28	
		including						136.4	137.0	0.6	10.8	
OSK-W-17-1132	408.85	VNCR	600.0	453204	5435431	129	-49	501.0	503.0	2.0	8.28	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-17-1134	404.58	VNCR	including 438.0	452397	5434987	333	-61	366.8	369.1	2.3	16.0	
								366.8	367.5	0.7	50.6	
OSK-W-17-1135	401.72	227	183.0	452087	5434791	147	-51	115.0	117.4	2.4	3.33	
OSK-W-17-1136	398.14	Lynx 2	156.0	453107	5434949	331	-45	56.0	58.0	2.0	5.40	
								56.5	57.0	0.4	26.7	
OSK-W-17-1137	399.53	227	81.0	452136	5434748	132	-81	56.5	58.5	2.0	3.01	
OSK-W-17-1138	408.19	Bolocat	402.0	452890	5434987	327	-51	11.0	14.3	3.3	42.4	
								13.0	14.3	1.3	98.1	
OSK-W-17-1138	408.19	Bolocat	402.0	452890	5434987	327	-51	21.0	24.0	3.0	3.28	
OSK-W-17-1138	408.19	Epith 1	402.0	452890	5434987	327	-51	142.0	158.0	16.0	6.30	
								142.0	148.4	6.4	8.10	
								151.0	156.0	5.0	7.20	
OSK-W-17-1139	401.29	SHR	1092.0	452474	5434469	333	-56	77.0	79.0	2.0	4.06	
OSK-W-17-1139	401.29	Vein	1092.0	452474	5434469	333	-56	148.0	150.2	2.2	4.29	
OSK-W-17-1139	401.29	Vein	1092.0	452474	5434469	333	-56	157.5	160.1	2.6	4.53	
								159.5	160.1	0.6	9.21	
OSK-W-17-1139	401.29	CN1	1092.0	452474	5434469	333	-56	454.7	458.3	3.6	4.07	
OSK-W-17-1139	401.29	CN1 FW	1092.0	452474	5434469	333	-56	520.0	523.4	3.4	4.87	
								521.6	521.9	0.3	19.8	
OSK-W-17-1139	401.29	FW2	1092.0	452474	5434469	333	-56	785.0	787.2	2.2	11.1	
								785.3	785.8	0.5	47.0	
OSK-W-17-1139	401.29	FW3	1092.0	452474	5434469	333	-56	888.0	890.0	2.0	6.53	
								895.1	895.6	0.5	24.5	
OSK-W-17-1139	401.29	FW3	1092.0	452474	5434469	333	-56	953.8	956.0	2.2	4.44	
OSK-W-17-1139	401.29	FW4	1092.0	452474	5434469	333	-56	1007.0	1009.8	2.8	5.45	
								1009.2	1009.8	0.6	21.9	
OSK-W-18-1139-W1	401.29	Underdog	874.0	452474	5434469	333	-56	696.0	698.3	2.3	26.4	
								697.0	697.8	0.8	54.9	
OSK-W-18-1139-W1	401.29	Underdog	874.0	452474	5434469	333	-56	713.0	726.7	13.7	38.9	33.9
								719.0	724.4	5.4	81.7	69.2
OSK-W-18-1139-W1	401.29	Underdog	874.0	452474	5434469	333	-56	768.7	771.0	2.3	47.8	45.2
								768.7	769.7	1.0	106	100
OSK-W-18-1139-W1	401.29	Underdog	874.0	452474	5434469	333	-56	773.0	775.0	2.0	6.90	100
								774.0	774.3	0.3	41.6	
OSK-W-18-1139-W1	401.29	Underdog	874.0	452474	5434469	333	-56	790.0	794.4	4.4	27.7	26.8
								791.2	792.7	1.5	72.1	69.3
OSK-W-18-1139-W1	401.29	Vein	874.0	452474	5434469	333	-56	815.2	817.5	2.3	5.65	
								815.2	815.9	0.7	17.6	
OSK-W-18-1139-W2	401.29	Underdog	819.0	452474	5434469	333	-56	727.0	729.0	2.0	5.29	
OSK-W-18-1139-W2	401.29	Underdog	819.0	452474	5434469	333	-56	735.8	738.0	2.2	9.92	
								736.8	737.4	0.6	36.4	
OSK-W-18-1139-W3	401.29	Underdog	918.0	452474	5434469	333	-56	783.4	786.0	2.6	6.46	
								783.4	783.7	0.3	33.1	
OSK-W-18-1139-W3	401.29	Underdog	918.0	452474	5434469	333	-56	843.0	845.2	2.2	5.36	
								843.6	843.9	0.3	41.4	
OSK-W-17-1140	398.23	Vein	975.0	453007	5434521	336	-55	326.0	328.4	2.4	8.94	
OSK-W-17-1140	398.23	Caribou extension	975.0	453007	5434521	336	-55	781.2	783.3	2.1	7.07	
								783.0	783.3	0.3	48.8	
OSK-W-17-1140	398.23	227	975.0	453007	5434521	336	-55	913.3	942.0	4.7	8.58	
OSK-W-17-1141	399.38	227	252.0	453143	5434745	236	-65	59.4	61.8	2.4	30.0	
								59.4	61.0	1.6	44.7	
OSK-W-17-1141	399.38	227	252.0	453143	5434745	236	-65	71.7	74.0	2.3	8.04	
								73.4	74.0	0.6	28.0	
OSK-W-17-1141	399.38	227	252.0	453143	5434745	236	-65	87.0	89.1	2.1	4.00	
OSK-W-17-1142	398.64	CW4	679.5	452202	5434628	324	-45	13.3	15.2	2.1	26.5	
								14.0	14.6	0.6	84.5	
OSK-W-17-1142	398.64	227 HW	679.5	452202	5434628	324	-45	142.0	144.0	2.0	3.07	
OSK-W-17-1142-W1	398.64	Vein	699.0	452202	5434628	324	-45	370.0	372.0	2.0	160	50.0
OSK-W-17-1143	398.02	Lynx 2	159.0	453253	5435003	331	-46	67.8	69.6	2.1	27.9	
								67.5	68.2	0.7	83.3	
OSK-W-17-1143	398.02	Lynx 2	159.0	453253	5435003	331	-46	73.0	75.0	2.0	10.6	
OSK-W-17-1143	398.02	Lynx 2	159.0	453253	5435003	331	-46	85.0	87.0	2.0	20.4	15.4
								86.0	86.3	0.3	134	100
OSK-W-17-1145	403.81	227 FW	156.6	453042	5434767	146	-49	64.3	67.5	3.2	4.01	
								66.5	67.5	1.0	10.2	
OSK-W-17-1145	403.81	227	156.6	453042	5434767	146	-49	90.9	93.3	2.4	12.5	
OSK-W-17-1145	403.81	227	156.6	453042	5434767	146	-49	95.6	100.4	4.8	9.93	
OSK-W-17-1145	403.81	227	156.6	453042	5434767	146	-49	120.0	120.0	0.0	2.9	
OSK-W-17-1146	398.33	Lynx 2	156.0	453180	5435003	333	-50	38.6	42.2	3.6	0.56	
OSK-W-17-1146	398.33	Lynx 3	156.0	453180	5435003	333	-50	63.2	65.6	2.4	1.15	
OSK-W-17-1147	399.93	Lynx 4	817.3	453242	5434380	335	-52	712.8	716.5	3.7	3.29	
								712.8	713.1	0.3	24.4	
OSK-W-17-1147-W1	399.93	No name	1212.0	453242	5434380	335	-52	798.0	800.4	2.4	5.36	
OSK-W-17-1147-W1	399.93	Caribou extension	1212.0	453242	5434380	335	-52	809.0	811.0	2.0	3.81	
OSK-W-17-1147-W1	399.93	Caribou extension	1212.0	453242	5434380	335	-52	1118.7	1119.0	2.3	4.63	
OSK-W-17-1147-W1	399.93	Caribou extension	1212.0	453242	5434380	335	-52	1129.0	1131.0	2.0	7.52	
								1130.0	1130.5	0.5	29.2	
OSK-W-17-1149	399.14	Lynx HW	489.0	453486	5435422	140	-47	346.8	349.0	2.2	11.0	
OSK-W-17-1152	401.8	FW2	885.0	451739	5434290	330	-53	367.0	368.0	2.0	5.67	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-1152	403.8	Fw4	885.0	451739	5434290	330	-53	368.0	368.6	0.6	16.6	
OSK-W-17-1153	397.03	Lynx 1	615.0	453375	5434984	341	-45	703.8	706.0	2.2	1.72	
OSK-W-17-1153	397.03	Lynx 2	615.0	453375	5434984	341	-45	149.0	151.1	2.1	20.4	
OSK-W-17-1154	404.79	227	174.0	452023	5434758	149	-49	150.3	151.1	0.8	25.6	
OSK-W-17-1154	404.79	227	174.0	452023	5434758	149	-49	160.2	163.0	2.8	1.30	
OSK-W-17-1155	403.73	VNCR	477.0	452453	5435008	332	-71	91.0	95.2	4.2	18.8	
OSK-W-17-1155	403.73	VNCR	477.0	452453	5435008	332	-71	92.0	95.0	1.0	44.1	
OSK-W-17-1156	400.64	Lynx HW	663.0	453439	5435482	136	-49	329.0	329.7	0.7	12.9	
OSK-W-17-1156	400.64	Lynx HW	663.0	453439	5435482	136	-49	520.8	525.0	4.2	26.1	25.0
OSK-W-17-1158	397	Lynx	696.0	453046	5434870	331	-59	521.1	522.2	1.1	92.2	88.2
OSK-W-17-1158	397	Lynx	696.0	453046	5434870	331	-59	145.0	147.0	2.0	71.4	50.1
OSK-W-17-1158	397	Caribou extension	696.0	453046	5434870	331	-59	146.0	147.0	1.0	143	100
OSK-W-17-1158	397	Caribou extension	696.0	453046	5434870	331	-59	596.0	598.4	2.4	4.12	
OSK-W-17-1159	395.54	Caribou extension	795.4	452858	5434808	331	-70	597.0	597.8	0.8	10.6	
OSK-W-17-1163	403.53	No name	477.0	452460	5435028	332	-61	538.0	540.0	2.0	4.90	
OSK-W-17-1163	403.53	No name	477.0	452460	5435028	332	-61	356.0	358.0	2.0	9.60	
OSK-W-17-1164	404.73	227	336.0	451958	5434750	143	-58	356.0	357.0	1.0	19.1	
OSK-W-17-1164	404.73	227	336.0	451958	5434750	143	-58	120.7	123.0	2.3	8.37	
OSK-W-17-1164	404.73	227	336.0	451958	5434750	143	-58	132.0	139.8	7.8	7.12	
OSK-W-17-1166	405.03	Lynx 4	1182.0	453621	5435638	132	-59	139.3	139.8	0.5	64.9	
OSK-W-17-1166	405.03	Lynx 4	1182.0	453621	5435638	132	-59	918.5	924.7	6.2	8.06	
OSK-W-17-1166	405.03	Lynx 4	1182.0	453621	5435638	132	-59	972.0	976.1	3.1	72.8	34.9
OSK-W-17-1166-W1	405.03	TBD - Lynx corridor	1516.1	453621	5435638	132	-59	714.4	716.8	0.4	149	100
OSK-W-17-1166-W1	405.03	TBD - Lynx corridor	1516.1	453621	5435638	132	-59	660.0	660.0	3.0	3.32	
OSK-W-17-1166-W1	405.03	TBD - Lynx corridor	1516.1	453621	5435638	132	-59	676.3	682.0	5.7	3.13	
OSK-W-17-1166-W1	405.03	Lynx 1	1516.1	453621	5435638	132	-59	799.0	801.0	2.0	3.12	
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	997.7	1006.5	8.8	19.9	12.5
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1005.4	1005.7	0.3	32.7	100
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1012.0	1014.1	2.1	15.0	
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1013.5	1014.1	0.6	40.6	
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1027.0	1029.9	5.9	415	69.6
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1027.0	1027.8	0.8	68.5	
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1028.4	1029.3	0.9	187.0	100
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1028.3	1030.3	0.9	126	100
OSK-W-17-1166-W1	405.03	Lynx 4	1516.1	453621	5435638	132	-59	1031.3	1032.0	0.7	273	100
OSK-W-17-1166-W2	405.03	Vein	1197.0	453621	5435638	132	-59	1032.0	1032.0	0.7	432	100
OSK-W-17-1166-W2	405.03	Vein	1197.0	453621	5435638	132	-59	1140.6	1140.6	2.7	1.06	100
OSK-W-17-1166-W2	405.03	Vein	1197.0	453621	5435638	132	-59	1140.0	1142.0	2.0	3.39	
OSK-W-17-1166-W2	405.03	Vein	1197.0	453621	5435638	132	-59	1140.6	1141.1	0.5	13.5	
OSK-W-17-1166-W3	405.03	Lynx	1551.0	453621	5435638	132	-59	661.0	664.8	3.8	6.38	
OSK-W-17-1166-W3	405.03	VNCR	1551.0	453621	5435638	132	-59	663.5	664.8	1.3	14.3	
OSK-W-17-1166-W3	405.03	VNCR	1551.0	453621	5435638	132	-59	941.4	944.0	2.6	4.21	
OSK-W-17-1166-W3	405.03	QTV	1551.0	453621	5435638	132	-59	969.4	971.5	2.1	6.63	
OSK-W-17-1166-W3	405.03	QTV	1551.0	453621	5435638	132	-59	969.4	970.0	0.6	16.1	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	1267.0	1269.1	2.1	6.96	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	1267.5	1268.2	0.7	16.6	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	1341.0	1343.0	2.0	4.06	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	1385.0	1387.0	2.0	6.26	
OSK-W-17-1166-W3	405.03	Lynx 6	1551.0	453621	5435638	132	-59	1386.0	1386.3	0.3	41.3	
OSK-W-17-1166-W3	405.03	TBD - Lynx corridor	1551.0	453621	5435638	132	-59	1477.0	1479.0	2.0	4.05	
OSK-W-17-1166-W3	405.03	TBD - Lynx corridor	1551.0	453621	5435638	132	-59	1477.0	1477.4	0.4	16.8	
OSK-W-17-1166-W4	405.03	Lynx	1413.0	453621	5435638	132	-59	672.0	674.0	2.0	11.1	
OSK-W-17-1166-W4	405.03	Lynx 4	1413.0	453621	5435638	132	-59	1061.0	1063.0	2.0	3.33	
OSK-W-17-1166-W4	405.03	Lynx 4	1413.0	453621	5435638	132	-59	1078.7	1084.5	4.8	17.4	
OSK-W-19-1166-W5	405.03	Lynx	1155.0	453621	5435638	132	-59	676.0	677.0	2.0	6.58	
OSK-W-19-1166-W5	405.03	Lynx	1155.0	453621	5435638	132	-59	679.9	683.0	3.1	10.3	
OSK-W-19-1166-W6	405.03	Lynx 330	1137.0	453621	5435638	132	-59	938.2	941.1	2.9	7.35	
OSK-W-19-1166-W6	405.03	Lynx 330	1137.0	453621	5435638	132	-59	940.2	940.6	0.4	50.6	
OSK-W-19-1166-W6	405.03	Lynx 330	1137.0	453621	5435638	132	-59	965.5	962.9	2.4	49.4	28.9
OSK-W-19-1166-W6	405.03	Lynx 330	1137.0	453621	5435638	132	-59	961.5	962.1	0.6	382	100
OSK-W-17-1168	396.75	Lynx 3	717.0	453464	5435089	329	-57	213.0	217.0	4.0	6.05	
OSK-W-17-1168	396.75	VNCR	717.0	453464	5435089	329	-57	216.0	217.0	1.0	14.5	
OSK-W-17-1168	396.75	VNCR	717.0	453464	5435089	329	-57	503.6	506.0	2.4	265	13.3
OSK-W-17-1168	396.75	VNCR	717.0	453464	5435089	329	-57	504.3	506.6	2.3	2100	100
OSK-W-17-1168	396.75	VNCR	717.0	453464	5435089	329	-57	544.0	546.6	2.6	3.89	100
OSK-W-17-1168	396.75	VNCR	717.0	453464	5435089	329	-57	546.0	546.6	0.6	15.4	
OSK-W-17-1169	405.57	Lynx 2	1437.0	453332	5435467	129	-55	573.0	576.5	3.5	4.23	
OSK-W-17-1169	405.57	Lynx 2	1437.0	453332	5435467	129	-55	575.6	576.5	0.9	12.6	
OSK-W-17-1169	405.57	Lynx 1	1437.0	453332	5435467	129	-55	624.0	627.0	3.0	8.75	
OSK-W-17-1169	405.57	Lynx 1	1437.0	453332	5435467	129	-55	625.5	627.0	1.5	19.4	
OSK-W-17-1169	405.57	Lynx corridor	1437.0	453332	5435467	129	-55	761.0	763.0	2.0	479	30.3
OSK-W-17-1169	405.57	Lynx corridor	1437.0	453332	5435467	129	-55	761.9	763.0	0.6	1595	100
OSK-W-17-1169	405.57	QTV	1437.0	453332	5435467	129	-55	874.0	876.0	2.0	5.13	
OSK-W-17-1169	405.57	QTV	1437.0	453332	5435467	129	-55	874.6	875.0	0.6	17.0	
OSK-W-17-1169	405.57	Lynx 4	1437.0	453332	5435467	129	-55	1037.7	1040.1	2.4	7.14	
OSK-W-17-1169	405.57	Lynx 4	1437.0	453332	5435467	129	-55	1039.7	1040.1	0.4	21.8	
OSK-W-17-1169	405.57	Lynx 4	1437.0	453332	5435467	129	-55	1104.2	1108.5	4.3	21.2	
OSK-W-17-1169	405.57	Lynx 4	1437.0	453332	5435467	129	-55	1107.5	1108.5	1.0	42.4	
OSK-W-17-1169	405.57	Lynx 5	1437.0	453332	5435467	129	-55	1198.1	1201.6	3.5	2.07	
OSK-W-18-1169-W1	405.57	Lynx 2	1301.0	453332	5435467	129	-55	564.0	566.1	2.1	7.84	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-18-1609-W1	405.57	Lynx 4	1301.0	453332	5435467	129	-55	888.0	890.0	2.0	7.69	
		including						889.2	889.6	0.4	31.6	
OSK-W-18-1609-W2	405.57	Lynx 4	1155.0	453332	5435467	129	-55	908.1	910.6	2.5	118	49.7
		including						908.4	909.0	0.6	386	
OSK-W-18-1609-W2	405.57	Lynx 4	1155.0	453332	5435467	129	-55	925.0	927.0	2.0	4.09	
OSK-W-18-1609-W2	405.57	Lynx 4	1155.0	453332	5435467	129	-55	1082.0	1084.0	2.0	85.1	46.9
		including						1082.3	1083.2	0.9	185	100
OSK-W-19-1609-W3	405.57	Lynx 320	1266.0	453332	5435467	129	-55	570.9	573.1	2.2	9.47	
		including						570.9	571.3	0.4	32.5	
OSK-W-19-1609-W3	405.57	Lynx HW	1266.0	453332	5435467	129	-55	616.0	618.0	2.0	7.62	
		including						616.3	616.9	0.6	25.3	
OSK-W-19-1609-W3	405.57	Lynx 313	1266.0	453332	5435467	129	-55	1024.0	1031.2	7.2	23.3	18.8
		including						1025.0	1029.9	0.9	136	100
OSK-W-19-1609-W3	405.57	Lynx 313	1266.0	453332	5435467	129	-55	1048.3	1053.2	4.9	9.03	
		including						1052.0	1052.5	0.5	51.1	
OSK-W-17-1170	409.35	VNCR	594.0	452877	5435047	154	-49	63.3	66.0	2.7	4.87	
OSK-W-17-1170	409.35	VNCR	594.0	452877	5435047	154	-49	232.0	234.0	2.0	4.22	
OSK-W-17-1170	409.35	Vein	594.0	452877	5435047	154	-49	417.0	420.0	2.0	3.23	
		including						417.0	417.5	0.5	12.3	
OSK-W-17-1172	406.16	227	207.0	452022	5434797	144	-49	136.5	141.0	4.5	34.3	27.4
		including						136.5	137.0	0.5	44.1	
								140.0	141.0	1.0	131	100
OSK-W-17-1177	396.05	Lynx 1	1422.0	454113	5435088	340	-67	571.0	576.5	5.5	28.0	
		including						572.2	579.0	0.8	97.6	
OSK-W-17-1177	396.05	Lynx 1	1422.0	454113	5435088	340	-67	575.0	577.0	2.0	3.21	
OSK-W-17-1177	396.05	TBD - Lynx corridor	1422.0	454113	5435088	340	-67	764.0	766.4	2.4	22.9	
		including						765.1	765.0	0.7	77.0	
OSK-W-17-1177	396.05	Caribou extension	1422.0	454113	5435088	340	-67	1353.1	1356.5	3.4	7.86	
		including						1354.1	1355.1	1.0	17.1	
OSK-W-17-1178	409.1	Bolocat	411.0	452919	5435012	330	-63	78.0	80.1	2.1	5.89	
		including						79.5	80.1	0.6	17.5	
OSK-W-17-1178	405.16	Underdog	777.0	453161	5434375	332	-57	742.8	745.5	2.7	4.58	
		including						742.8	743.7	0.9	11.6	
OSK-W-17-1180	398.91	227	189.0	452067	5434618	322	-45	71.0	74.0	3.0	5.04	
OSK-W-17-1180	398.91	227	189.0	452067	5434618	322	-45	80.0	85.0	5.0	18.0	
		including						80.9	82.9	1.0	49.6	
OSK-W-17-1180	398.91	227	189.0	452067	5434618	322	-45	142.8	146.0	3.2	3.98	
OSK-W-17-1180	398.91	227	189.0	452067	5434618	322	-45	156.5	158.7	2.2	3.47	
OSK-W-17-1181	401.19	Lynx 4	1082.0	453789	5435790	133	-58	933.5	936.0	2.5	4.46	
		including						934.3	935.1	0.8	12.7	
OSK-W-17-1181-W1	401.19	Lynx 1	1395.0	453789	5435790	133	-58	920.9	923.3	2.4	27.9	25.6
		including						921.5	922.1	0.6	139	100
OSK-W-17-1181-W1	401.19	Lynx 4	1395.0	453789	5435790	133	-58	1030.0	1032.3	2.3	14.4	
		including						1031.1	1031.7	0.6	48.2	
OSK-W-17-1181-W1	401.19	Lynx 4	1395.0	453789	5435790	133	-58	1040.5	1042.6	2.1	4.66	
		including						1041.0	1041.8	0.8	12.3	
OSK-W-19-1181-W12	401.19	Lynx 4	1371.0	453789	5435790	133	-58	1129.0	1133.2	4.2	5.03	
		including						1129.0	1130.0	1.0	10.2	
OSK-W-19-1181-W12	401.19	Lynx 330	1371.0	453789	5435790	133	-58	1137.0	1139.0	2.0	3.55	
OSK-W-19-1181-W12	401.19	Lynx 4	1371.0	453789	5435790	133	-58	1149.0	1151.0	2.0	12.2	
		including						1150.0	1150.7	0.7	32.0	
OSK-W-19-1181-W12	401.19	Lynx 317	1371.0	453789	5435790	133	-58	1158.4	1166.0	7.6	16.5	
		including						1159.4	1161.9	2.5	37.5	
OSK-W-19-1181-W12	401.19	Lynx 317	1371.0	453789	5435790	133	-58	1171.0	1174.0	3.0	94.6	48.9
		including						1171.0	1172.0	1.0	237	100
OSK-W-19-1181-W12	401.19	Lynx 317	1371.0	453789	5435790	133	-58	1185.0	1187.3	2.3	4.27	
OSK-W-19-1181-W12	401.19	Lynx 317	1371.0	453789	5435790	133	-58	1189.2	1192.0	2.8	1.79	100
OSK-W-17-1181-W2	401.19	Lynx 1	1158.0	453789	5435790	133	-58	909.0	915.0	6.0	5.92	
OSK-W-17-1181-W2	401.19	Lynx 4	1158.0	453789	5435790	133	-58	938.0	942.0	4.0	4.60	
OSK-W-17-1181-W2	401.19	Lynx 4	1158.0	453789	5435790	133	-58	940.0	954.0	5.0	10.5	
		including						949.5	950.0	0.5	59.5	
OSK-W-17-1181-W3	401.19	Lynx 4	1158.0	453789	5435790	133	-58	961.1	963.2	2.1	41.0	
OSK-W-17-1181-W3	401.19	Lynx 4	1247.0	453789	5435790	133	-58	1097.5	1103.0	5.5	5.31	
OSK-W-17-1181-W3	401.19	Lynx 4	1247.0	453789	5435790	133	-58	1113.7	1116.4	2.7	6.11	
OSK-W-19-1181-W5	401.19	Lynx 317	1115.0	453789	5435790	133	-58	991.7	993.9	2.2	19.6	
		including						993.4	993.9	0.5	74.2	
OSK-W-19-1181-W5	401.19	Lynx 4	1115.0	453789	5435790	133	-58	997.2	999.2	2.0	6.59	
		including						998.2	999.2	1.0	12.2	
OSK-W-19-1181-W5	401.19	Lynx 330	1115.0	453789	5435790	133	-58	1005.0	1009.7	4.7	13.4	
		including						1006.2	1007.0	0.8	47.7	
OSK-W-19-1181-W6	401.19	Lynx 3	1080.0	453789	5435790	133	-58	925.0	927.3	2.3	10.0	
		including						925.4	926.1	0.7	30.8	
OSK-W-19-1181-W6	401.19	Lynx 3	1080.0	453789	5435790	133	-58	981.1	983.1	2.0	13.4	
		including						982.2	983.1	0.9	21.8	
OSK-W-19-1181-W7	401.19	Lynx 4	1113.0	453789	5435790	133	-58	965.2	967.6	2.4	7.93	
OSK-W-19-1181-W7	401.19	Lynx 4	1113.0	453789	5435790	133	-58	997.0	999.0	2.0	5.52	
		including						997.8	998.7	0.9	12.2	
OSK-W-19-1181-W7	401.19	Lynx 3	1113.0	453789	5435790	133	-58	1018.9	1020.9	2.0	76.8	19.6
		including						1042.3	1042.9	0.6	475	100
OSK-W-19-1181-W7	401.19	Lynx 3	1113.0	453789	5435790	133	-58	1088.6	1091.0	2.4	61.1	12.6
		including						1089.0	1089.3	0.3	488	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-181-W8	401.19	Lynx 324	including 1035.0	453789	5435790	133	-58	879.8	882.0	2.2	20.5	
								879.8	880.4	0.6	54.2	
OSK-W-19-181-W8	401.19	Lynx 334	including 1035.0	453789	5435790	133	-58	910.3	912.6	2.3	8.31	
								911.0	911.6	0.6	38.3	
OSK-W-19-181-W8	401.19	Lynx 317	including 1035.0	453789	5435790	133	-58	933.7	936.0	2.3	13.1	
								934.7	935.3	0.6	34.2	
OSK-W-19-181-W8	401.19	Lynx 324	including 1057.8	453789	5435790	133	-58	907.9	910.1	2.2	25.4	
								907.9	908.7	0.8	68.8	
OSK-W-19-181-W8	401.19	Lynx 317	including 1057.8	453789	5435790	133	-58	952.4	955.0	2.6	48.2	28.3
								953.4	954.1	0.7	174	100
OSK-W-17-1184	398.77	Z27 HW	including 210.0	452068	5434617	320	-51	50.0	52.0	2.0	4.21	
								50.5	51.0	0.5	16.8	
OSK-W-17-1184	398.77	Z27	including 210.0	452068	5434617	320	-51	113.8	118.7	5.9	19.0	15.1
								116.4	117.0	0.6	139	100
OSK-W-17-1184	398.77	Z27	including 210.0	452068	5434617	320	-51	164.9	167.5	2.6	4.64	
								166.6	167.5	0.9	13.0	
OSK-W-17-1185	409.84	Z27 corridor	including 342.0	452904	5435022	334	-47	246.7	249.5	2.8	3.61	
								248.6	249.5	0.9	10.4	
OSK-W-17-1186	398.75	Caribou	including 984.0	452417	5434558	331	-54	228.0	237.0	9.0	5.38	
								229.1	229.6	0.5	28.4	
								236.0	237.0	1.0	23.6	
OSK-W-17-1186	398.75	CN2	including 984.0	452417	5434558	331	-54	407.5	410.5	3.0	12.3	
								407.5	409.0	1.5	24.4	
OSK-W-17-1186	398.75	Z27 HW	including 984.0	452417	5434558	331	-54	502.0	504.5	2.5	3.49	
								502.0	503.0	1.0	8.63	
OSK-W-17-1186	398.75	Z27	including 984.0	452417	5434558	331	-54	521.5	524.4	2.9	33.1	
								523.0	524.0	1.0	74.8	
OSK-W-17-1186	398.75	Underdog	including 984.0	452417	5434558	331	-54	770.0	772.0	2.0	18.0	15.3
								771.0	771.3	0.3	118	100
OSK-W-17-1186	398.75	FW3U	including 984.0	452417	5434558	331	-54	863.0	866.0	3.0	15.7	
								863.0	864.6	1.6	27.5	
OSK-W-17-1187	396.1	Lynx 3	including 477.0	453441	5435025	333	-55	254.0	256.7	2.7	3.43	
								99.2	101.8	2.6	16.8	
OSK-W-17-1188	398.77	Z27	including 201.0	452068	5434616	318	-57	100.2	100.8	0.6	67.9	
								147.5	149.9	2.4	3.09	
OSK-W-17-1188	398.77	Z27	including 201.0	452068	5434616	318	-57	148.0	149.9	1.9	6.97	
								167.8	169.8	2.0	3.28	
OSK-W-17-1189	397.21	Caribou	including 1005.0	452946	5434561	335	-47	718.5	723.7	5.2	6.58	
								718.5	719.0	0.5	49.8	
OSK-W-17-1190	411.67	Lynx 1 SW	including 1179.0	452905	5435152	151	-49	430.0	432.0	2.0	5.91	
								430.6	431.6	1.0	11.6	
OSK-W-17-1190	411.67	Lynx 4 Corridor	including 1179.0	452905	5435152	151	-49	538.6	541.1	2.5	11.0	
								548.0	552.0	4.0	16.9	
OSK-W-17-1190	411.67	Lynx 5	including 1179.0	452905	5435152	151	-49	549.0	549.7	0.7	57.2	
								762.3	764.4	2.1	6.03	
OSK-W-17-1190	411.67	Lynx 5	including 1179.0	452905	5435152	151	-49	798.0	804.0	6.0	4.09	
								801.7	804.0	2.3	5.08	
OSK-W-17-1190	411.67	Lynx 6	including 1179.0	452905	5435152	151	-49	998.0	1000.0	2.0	13.6	
OSK-W-17-1191	398.86	Z27	including 255.0	452068	5434616	315	-49	194.2	197.0	2.8	13.9	
								194.2	194.8	0.6	61.4	
OSK-W-17-1191	398.86	Z27	including 255.0	452068	5434616	315	-49	202.5	202.6	0.1	74.6	
								201.5	202.6	1.1	13.9	
OSK-W-17-1191	398.86	Z27 FW	including 255.0	452068	5434616	315	-49	235.4	237.5	2.1	218	34.6
								236.8	237.5	0.7	690	300.0
OSK-W-17-1193	400.47	Lynx 4	including 1803.0	453807	5435721	141	-59	971.3	979.0	7.7	28.3	24.9
								971.3	974.4	3.1	66.5	58.1
OSK-W-17-1193	400.47	Lynx 4	including 1803.0	453807	5435721	141	-59	979.0	981.8	2.8	4.48	
								1659.8	1662.0	2.2	5.66	
OSK-W-17-1193	400.47	Vain	including 1803.0	453807	5435721	141	-59	1659.8	1660.0	0.2	15.5	
								1682.0	1684.0	2.0	11.0	
OSK-W-17-1193	400.47	Vain	including 1803.0	453807	5435721	141	-59	1682.0	1683.1	0.6	33.6	
OSK-W-17-1193-W1	400.47	VNCR	including 1320.0	453807	5435721	141	-59	947.6	952.0	4.4	14.8	
								947.6	948.1	0.5	27.7	
								960.5	961.5	1.0	46.1	
OSK-W-19-193-W2	400.47	Lynx 334	including 1095.0	453807	5435721	141	-59	928.2	930.5	2.3	73.6	30.6
								928.6	929.2	0.6	265	100
OSK-W-19-193-W2	400.47	Lynx 330	including 1095.0	453807	5435721	141	-59	996.5	999.8	3.3	491	59.9
								998.0	998.8	0.8	3625	100
OSK-W-17-1194	403.21	No name	including 375.0	453265	5434915	332	-53	325.5	321.4	4.9	8.12	
								325.5	326.1	0.6	23.8	
OSK-W-17-1196	398.87	Z27	including 210.0	452067	5434618	310	-59	155.5	158.0	2.5	3.26	
								185.0	187.0	2.0	15.7	
OSK-W-17-1196	398.87	Z27 FW	including 210.0	452067	5434618	310	-59	186.6	187.0	0.4	22.5	
								186.9	184.4	2.5	8.47	
OSK-W-17-1198	398.79	Z27	including 261.0	453067	5434618	306	-63	199.9	188.1	1.2	12.6	
OSK-W-17-1199	396.79	Lynx 3	including 672.0	453418	5435070	333	-53	172.1	174.1	2.0	3.68	
								245.1	248.0	2.9	3.00	
OSK-W-17-1200	405.97	New zone	including 264.0	452147	5434925	332	-46	247.1	248.0	0.9	8.24	
								554.8	557.0	2.2	8.71	
OSK-W-17-1202	396.67	Caribou extension	including 932.0	452975	5434580	328	-52	554.8	555.6	0.8	23.2	
								849.3	855.0	5.7	10.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1203	400.85	227	372.0	452276	5434867	333	-53	27.9	30.0	2.1	1.28	42.9
		including						27.9	28.8	0.9	298	100
OSK-W-17-1203	400.85	Mallard	372.0	452276	5434867	333	-53	269.0	272.0	3.0	6.76	
		including						270.3	270.7	0.5	31.7	
OSK-W-17-1204	397.28	Lyme 2	635.0	453093	5434875	338	-61	241.5	243.6	2.1	3.36	
OSK-W-17-1204	397.28	Caribou corridor	635.0	453093	5434875	338	-61	472.1	474.3	2.2	3.20	
OSK-W-17-1207	405.91	Drake	267.0	452147	5434924	334	-57	8.0	10.3	2.3	5.94	
		including						8.0	8.8	0.8	14.3	
OSK-W-17-1207	405.91	Mallard	267.0	452147	5434924	334	-57	147.7	149.7	2.0	6.17	
		including						148.0	148.7	0.7	16.0	
OSK-W-17-1207	405.91	Mallard	267.0	452147	5434924	334	-57	182.6	184.9	2.3	3.36	
OSK-W-17-1208	404.12	Vein	518.5	451612	5434443	331	-56	440.0	442.0	2.0	3.21	
		including						441.0	442.0	1.0	6.41	
OSK-W-17-1209	406.05	PW4	420.0	451455	5434452	331	-60	236.4	239.2	2.8	4.68	
		including						236.4	237.1	0.7	17.2	
OSK-W-17-1210	407.94	Caribou extension	317.6	453030	5435052	334	-51	209.5	211.6	2.1	4.26	
OSK-W-17-1212	402.44	Mallard	624.0	452304	5434915	330	-62	215.0	217.0	2.0	6.87	
		including						216.0	217.0	1.0	13.7	
OSK-W-17-1215	401.75	New zone	320.0	450982	5434017	339	-58	305.0	307.9	2.9	4.11	
OSK-W-17-1217	399.56	No name	132.0	451885	5434797	331	-50	14.9	17.1	2.2	5.47	
		including						15.6	16.4	0.8	14.4	
OSK-W-17-1218	404.91	VNCR	405.0	453003	5435008	327	-62	27.0	29.0	2.0	3.99	
OSK-W-17-1218	404.91	Bobcat	405.0	453003	5435008	327	-62	189.0	191.5	2.5	4.46	
OSK-W-17-1218	404.91	Caribou extension	405.0	453003	5435008	327	-62	384.0	386.0	2.0	6.88	
		including						385.3	385.6	0.3	28.7	
OSK-W-17-1220	406.77	227	303.0	452026	5434808	341	-47	179.4	180.0	2.6	12.3	
		including						180.2	181.1	0.9	29.7	
OSK-W-17-1220	406.77	227	303.0	452026	5434808	341	-47	107.7	109.0	4.3	4.68	
OSK-W-17-1221	396.54	Caribou corridor	1079.0	453083	5434541	335	-51	707.4	709.4	2.0	7.38	
		including						707.4	708.0	0.6	23.7	
OSK-W-17-1221	396.54	Caribou corridor	1079.0	453083	5434541	335	-51	715.8	719.7	3.9	3.45	
OSK-W-17-1221	396.54	Vein	1079.0	453083	5434541	335	-51	771.0	773.0	2.0	4.61	
		including						771.0	771.8	0.8	15.7	
OSK-W-17-1224	402.35	Mallard 2	402.0	452304	5434814	333	-70	70.5	73.1	0.4	44.2	
		including						72.7	73.1	0.4	15.7	
OSK-W-17-1224	402.35	Mallard	402.0	452304	5434814	333	-70	371.0	373.4	2.4	3.12	
OSK-W-17-1225	403.79	New zone	252.0	452041	5434770	335	-48	9.0	12.3	3.3	5.77	
OSK-W-17-1225	403.79	Mallard HW	252.0	452041	5434770	335	-48	201.3	202.0	2.3	8.56	
		including						201.3	202.0	0.7	30.3	
OSK-W-17-1225	403.79	Mallard	252.0	452041	5434770	335	-48	245.2	247.5	2.3	20.5	
		including						245.2	246.4	1.2	39.1	
OSK-W-17-1226	395.95	Caribou extension	934.3	453371	5434727	331	-51	662.0	664.0	2.0	11.5	
		including						662.6	663.5	0.9	24.4	
OSK-W-17-1226	395.95	Caribou extension	934.3	453371	5434727	331	-51	673.0	675.0	2.0	10.4	
		including						673.0	674.0	1.0	20.3	
OSK-W-17-1226	395.95	Caribou corridor	934.3	453371	5434727	331	-51	717.0	721.6	4.6	8.29	
		including						717.8	718.3	0.5	18.1	
		including						720.0	721.6	1.6	11.2	
OSK-W-17-1226	395.95	Caribou extension	934.3	453371	5434727	331	-51	743.4	746.2	2.8	3.43	
		including						743.4	744.0	0.6	8.96	
OSK-W-17-1226	395.95	Caribou extension	934.3	453371	5434727	331	-51	765.0	767.0	2.0	3.78	
		including						765.0	765.6	0.6	11.5	
OSK-W-17-1226	395.95	Caribou extension	934.3	453371	5434727	331	-51	823.8	826.0	2.2	6.57	
		including						823.8	825.0	1.2	12.0	
OSK-W-17-1226	395.95	CN2	934.3	453371	5434727	331	-51	852.7	855.0	2.3	3.47	
OSK-W-17-1227	396.08	Vein	1164.0	453290	5434533	329	-50	419.9	422.0	2.1	4.37	
		including						420.4	421.1	0.7	12.9	
OSK-W-17-1227	396.08	TBD	1164.0	453290	5434533	329	-50	619.0	621.0	2.0	3.62	
OSK-W-17-1227	396.08	Wolf extension	1164.0	453290	5434533	329	-50	926.0	929.4	3.4	6.56	
		including						926.0	927.0	1.0	15.8	
OSK-W-17-1227	396.08	Wolf extension	1164.0	453290	5434533	329	-50	969.0	971.0	2.0	4.93	
OSK-W-17-1228	405.22	Vein	657.0	451442	5434482	328	-59	50.7	53.0	2.3	7.59	
OSK-W-17-1228	405.22	PW4	657.0	451442	5434482	328	-59	164.9	168.6	3.7	0.36	
OSK-W-17-1232	408.83	227	351.0	452024	5434834	334	-47	149.0	151.5	2.5	5.50	
OSK-W-17-1232	408.83	227	351.0	452024	5434834	334	-47	183.0	186.0	3.0	3.99	
OSK-W-17-1232	408.83	227	351.0	452024	5434834	334	-47	206.0	208.0	2.0	27.2	
OSK-W-17-1232	408.83	Vein	351.0	452024	5434834	334	-47	331.0	333.0	2.0	4.70	
OSK-W-17-1233	405.5	No name	228.0	452040	5434839	333	-53	39.9	42.7	2.8	3.27	
		including						40.5	41.6	1.1	81.3	
OSK-W-17-1237	397.19	Caribou extension	903.6	452946	5434560	330	-49	550.0	552.0	2.0	3.38	
OSK-W-17-1237	397.19	Caribou extension	903.6	452946	5434560	330	-49	563.0	565.0	2.0	3.75	
OSK-W-17-1237	397.19	Caribou extension	903.6	452946	5434560	330	-49	586.0	588.0	2.0	3.11	
OSK-W-17-1239	398.67	Caribou	939.0	452417	5434558	326	-53	226.0	228.0	2.0	4.11	
OSK-W-17-1239	398.67	Caribou corridor	939.0	452417	5434558	326	-53	255.2	258.0	2.8	16.4	
OSK-W-17-1239	398.67	227	939.0	452417	5434558	326	-53	390.0	392.0	2.0	33.2	29.5
		including						390.0	390.5	0.5	11.5	100
OSK-W-17-1239	398.67	PW3U HW	939.0	452417	5434558	326	-53	728.0	730.0	2.0	20.4	
OSK-W-17-1239	398.67	PW3U HW	939.0	452417	5434558	326	-53	759.0	761.0	2.0	5.40	
		including						759.0	760.0	1.0	10.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-1241	417.25	Caribou corridor	282.0	452948	5435107	130	-45	22.0	25.5	3.5	8.11	
		including						24.6	25.5	0.9	17.9	
OSK-W-17-1242	399.04	Lynx 4	1206.0	453571	5435489	144	-58	820.0	822.5	2.5	3.68	
		including						821.3	822.4	0.8	9.25	
OSK-W-17-1242	399.04	Lynx 4	1206.0	453571	5435489	144	-58	871.0	873.0	2.0	4.38	
		including						871.7	872.2	0.5	15.3	
OSK-W-17-1242	399.04	Lynx 4	1206.0	453571	5435489	144	-58	1032.0	1034.5	2.5	43.8	12.3
		including						1034.2	1034.5	0.3	392	100
OSK-W-17-1243-W1	399.04	Lynx 4	1008.0	453571	5435489	144	-58	943.0	945.0	2.0	2.64	
OSK-W-17-1243-W2	399.04	Lynx HW	1110.0	453571	5435489	144	-58	601.0	603.0	2.0	7.38	
		including						602.1	603.0	0.9	13.2	
OSK-W-17-1243	402.84	Z27	189.0	452061	5434778	146	-49	99.6	101.6	2.0	5.23	
		including						101.0	101.6	0.6	13.6	
OSK-W-17-1246	398.79	Z27 HW	191.0	452083	5434636	324	-50	34.5	39.9	5.4	5.62	
OSK-W-17-1246	398.79	Z27	191.0	452083	5434636	324	-50	175.2	182.0	6.8	2.43	
OSK-W-17-1247	405.39	New zone	687.0	451015	5433824	330	-46	326.0	329.0	3.0	3.00	
OSK-W-17-1251	408.09	Bobcat	372.0	452890	5434087	326	-60	24.0	27.0	3.0	8.89	
		including						24.0	25.0	1.0	21.0	
OSK-W-17-1251	408.09	Bobcat	372.0	452890	5434087	326	-60	55.0	59.0	4.0	8.86	
		including						55.0	56.0	1.0	12.3	
OSK-W-17-1251	408.09	Bobcat	372.0	452890	5434087	326	-60	192.0	195.0	3.0	4.11	
		including						193.4	193.7	0.3	40.2	
OSK-W-17-1252	406.03	Mallard	231.0	452131	5434945	324	-46	8.8	11.6	2.8	0.34	
OSK-W-17-1252	406.03	Mallard	231.0	452131	5434945	324	-46	18.5	21.0	2.5	3.35	
		including						19.3	20.3	1.0	8.74	
OSK-W-17-1252	406.03	New zone	231.0	452131	5434945	324	-46	168.0	170.0	2.0	8.38	
		including						168.0	169.0	1.0	16.7	
OSK-W-17-1253	398.79	Z27	186.0	452083	5434636	332	-52	43.8	49.5	4.3	3.68	
OSK-W-17-1253	398.79	Z27	186.0	452083	5434636	332	-52	56.0	59.0	3.0	3.68	
OSK-W-17-1255	417.32	Bobcat	276.0	452947	5435107	130	-45	156.0	161.6	5.6	14.1	
		including						156.6	159.5	2.9	21.1	
OSK-W-17-1256	399.84	Mallard	372.0	452254	5434813	334	-50	315.0	317.2	2.2	3.11	
OSK-W-17-1257	398.79	Z27	250.0	452083	5434636	322	-71	155.5	157.6	2.1	7.69	
		including						156.2	156.5	0.3	44.9	
OSK-W-17-1257	398.79	Z27	250.0	452083	5434636	322	-71	161.0	163.3	2.3	3.35	
		including						163.0	163.3	0.3	17.2	
OSK-W-17-1257	398.79	Z27	250.0	452083	5434636	322	-71	172.0	174.0	2.0	15.4	
		including						172.0	173.0	1.0	80.1	
OSK-W-17-1258	415.69	Lynx 339	1128.0	452972	5435211	126	-51	381.2	383.5	2.3	3.54	
OSK-W-17-1258	415.69	Lynx	1128.0	452972	5435211	126	-51	401.0	403.8	2.8	3.02	
		including						403.1	403.8	0.7	12.0	
OSK-W-17-1258	415.69	Lynx	1128.0	452972	5435211	126	-51	603.6	606.0	2.4	15.2	
		including						603.6	604.2	0.6	50.5	
OSK-W-17-1258	415.69	Lynx 4	1128.0	452972	5435211	126	-51	971.7	973.7	2.0	3.36	
		including						971.7	972.7	1.0	6.55	
OSK-W-17-1258	415.69	Lynx 4	1128.0	452972	5435211	126	-51	1014.3	1023.1	8.8	0.72	
		including						1020.3	1023.1	2.8	49.6	
OSK-W-17-1258	415.69	Lynx 4	1128.0	452972	5435211	126	-51	1038.8	1039.1	2.3	5.68	
		including						1031.4	1031.9	0.5	25.8	
OSK-W-17-1259	405.91	F#4	414.0	451523	5434374	332	-54	364.0	366.0	2.0	38.7	
		including						365.0	366.0	1.0	77.1	
OSK-W-17-1260	397	Z27.3	870.0	452865	5434568	329	-49	739.0	741.0	2.0	4.27	
OSK-W-17-1260	397	Z27 FW	870.0	452865	5434568	329	-49	830.0	832.0	2.0	3.16	
OSK-W-17-1264	398.74	Z27 HW	252.0	452084	5434636	332	-73	71.1	74.5	3.4	6.33	
		including						71.4	71.9	0.5	41.4	
OSK-W-17-1264	398.74	Z27	252.0	452084	5434636	332	-73	166.5	169.0	2.5	6.88	
		including						167.4	167.7	0.3	54.0	
OSK-W-17-1265	396.45	Lynx 4	1074.0	453083	5434539	334	-53	415.8	418.5	2.7	3.19	
OSK-W-17-1265	396.45	Caribou extension	1074.0	453083	5434539	334	-53	738.7	741.0	2.3	5.34	
OSK-W-17-1265	396.45	Z27	1074.0	453083	5434539	334	-53	840.8	842.8	2.0	13.0	
		including						841.2	842.0	0.8	26.7	
OSK-W-17-1267	407.14	Caribou	894.0	452839	5435005	332	-40	101.6	104.0	2.4	3.04	
OSK-W-17-1268	405.55	No name	372.0	452272	5435002	160	-58	83.0	85.0	2.0	5.51	
OSK-W-17-1268	405.55	Drake	372.0	452272	5435002	160	-58	161.0	163.0	2.0	9.39	
OSK-W-17-1268	405.55	Z27 FW	372.0	452272	5435002	160	-58	183.0	186.0	3.0	8.17	
		including						183.0	183.9	0.9	23.8	
OSK-W-17-1268	405.55	Z27	372.0	452272	5435002	160	-58	266.3	268.4	2.1	4.84	
		including						266.3	266.8	0.5	15.0	
OSK-W-17-1269	398.8	Z27 HW	201.0	452083	5434637	342	-70	69.5	72.0	2.5	3.30	
OSK-W-17-1269	398.8	Z27 HW	201.0	452083	5434637	342	-70	117.5	122.0	4.5	3.69	
		including						117.5	118.0	0.5	8.01	
OSK-W-17-1269	398.8	Z27	201.0	452083	5434637	342	-70	134.5	137.5	3.0	3.09	
OSK-W-17-1269	398.8	Z27	201.0	452083	5434637	342	-70	146.0	148.4	2.4	3.47	
OSK-W-17-1269	398.8	Z27	201.0	452083	5434637	342	-70	175.3	178.0	2.7	3.33	
		including						176.0	177.0	1.0	74.7	
OSK-W-17-1270	395.9	Caribou extension	1251.0	453371	5434727	328	-58	918.2	926.0	7.8	3.07	
OSK-W-17-1270	395.9	Vein	1251.0	453371	5434727	328	-58	950.1	953.0	2.9	7.14	
OSK-W-17-1272	412.18	Triple Lynx	1409.0	453346	5435535	127	-60	778.2	778.7	0.5	49.4	
		including						778.2	778.7	0.5	49.4	
OSK-W-17-1272	412.18	Triple Lynx	1409.0	453346	5435535	127	-60	843.7	845.7	2.0	3.80	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-17-1272	412.18	Triple Lynx	1409.0	453246	5435535	127	-60	858.4	870.5	12.1	47.8	35.6
		including						858.4	865.1	6.7	63.5	54.3
OSK-W-17-1272	412.18	Triple Lynx	1409.0	453246	5435535	127	-60	898.7	901.6	2.9	12.4	
		including						900.7	901.6	0.9	38.9	
OSK-W-17-1272	412.18	Triple Lynx	1409.0	453246	5435535	127	-60	970.5	973.7	3.2	3.44	
OSK-W-17-1272	412.18	Triple Lynx	1409.0	453246	5435535	127	-60	1006.4	1010.8	4.4	34.1	
		including						1008.7	1009.9	1.2	91.5	90.4
OSK-W-17-1272	412.18	Triple Lynx	1409.0	453246	5435535	127	-60	1014.0	1015.0	2.0	26.3	
		including						1014.0	1014.9	0.9	87.6	
OSK-W-17-1272	412.18	Triple Lynx	1409.0	453246	5435535	127	-60	1311.3	1314.0	2.7	6.84	
		including						1311.3	1312.0	0.7	21.8	
OSK-W-19-1272-W1	412.18	Triple Lynx	1101.4	453246	5435535	127	-60	762.2	774.9	12.7	72.3	40.1
OSK-W-19-1272-W1	412.18	Triple Lynx	1101.4	453246	5435535	127	-60	768.2	768.8	1.2	4.9	100
OSK-W-19-1272-W1	412.18	Triple Lynx	1101.4	453246	5435535	127	-60	847.9	850.2	2.3	0.71	
OSK-W-19-1272-W2	412.18	Triple Lynx	1064.0	453246	5435535	127	-60	765.4	771.0	5.6	5.62	
OSK-W-19-1272-W2	412.18	Triple Lynx	1064.0	453246	5435535	127	-60	775.6	788.0	12.4	52.0	28.9
OSK-W-19-1272-W2	412.18	Triple Lynx	1064.0	453246	5435535	127	-60	785.6	788.0	2.5	194	100
OSK-W-19-1272-W2	412.18	Triple Lynx	1164.0	453246	5435535	127	-60	761.0	783.3	22.3	5.34	
		including						780.9	783.7	2.8	11.8	
OSK-W-19-1272-W3	412.18	Triple Lynx	1164.0	453246	5435535	127	-60	799.0	803.0	4.0	7.92	
OSK-W-19-1272-W4	412.18	Lynx 371	1070.0	453246	5435535	127	-60	763.5	772.0	8.5	8.56	
		including						763.5	764.0	0.5	48.8	
OSK-W-19-1272-W4	412.18	Lynx 361	1070.0	453246	5435535	127	-60	774.5	792.6	18.1	21.9	15.4
		including						780.0	780.4	0.4	392	100
		and						786.1	786.6	0.5	55.6	
OSK-W-19-1272-W4	412.18	Lynx 363	1070.0	453246	5435535	127	-60	791.2	792.1	0.9	47.9	
		including						839.9	840.6	0.7	36.9	26.4
		and						841.0	841.8	0.8	227	100
OSK-W-19-1272-W4	412.18	Lynx 364	1070.0	453246	5435535	127	-60	848.0	849.0	1.0	61.0	
		including						884.0	886.6	2.6	12.0	
OSK-W-20-1272-W6	412.18	Lynx 371	1035.0	453246	5435535	127	-60	775.0	782.5	7.6	4.53	
OSK-W-20-1272-W6	412.18	Lynx 371	1035.0	453246	5435535	127	-60	790.1	790.8	0.7	22.2	
OSK-W-20-1272-W6	412.18	Lynx 371	1035.0	453246	5435535	127	-60	797.0	799.1	2.1	7.56	
OSK-W-20-1272-W6	412.18	Lynx 361	1035.0	453246	5435535	127	-60	804.0	808.0	2.0	4.66	
OSK-W-20-1272-W6	412.18	Lynx 361	1035.0	453246	5435535	127	-60	809.6	812.0	2.4	5.94	
OSK-W-20-1272-W6	412.18	Lynx 361	1035.0	453246	5435535	127	-60	818.1	821.0	2.9	4.82	
OSK-W-20-1272-W6	412.18	Lynx 361	1035.0	453246	5435535	127	-60	823.0	825.0	2.0	3.28	
OSK-W-20-1272-W6	412.18	Lynx 361	1035.0	453246	5435535	127	-60	831.9	835.4	3.5	5.94	
		including						835.0	835.4	0.4	28.0	
OSK-W-20-1272-W6	412.18	Triple Lynx	1035.0	453246	5435535	127	-60	842.0	848.0	6.0	12.7	
OSK-W-20-1272-W6	412.18	Lynx 368	1035.0	453246	5435535	127	-60	853.0	856.0	3.0	4.36	
OSK-W-20-1272-W6	412.18	Lynx 368	1035.0	453246	5435535	127	-60	859.0	861.0	2.0	3.67	
OSK-W-20-1272-W6	412.18	Lynx 364	1035.0	453246	5435535	127	-60	898.0	900.0	2.0	10.2	
		including						899.0	899.4	0.4	45.2	
OSK-W-20-1272-W6	412.18	Lynx 364	1035.0	453246	5435535	127	-60	901.0	903.0	2.0	18.3	
		including						902.0	903.0	1.0	34.6	
OSK-W-20-1272-W6	412.18	Lynx 369	1035.0	453246	5435535	127	-60	958.0	960.0	2.0	7.14	
OSK-W-20-1272-W6	412.18	Lynx 370	1035.0	453246	5435535	127	-60	983.0	985.0	2.0	5.88	
OSK-W-20-1272-W6	412.18	Triple Lynx	1035.0	453246	5435535	127	-60	990.0	992.0	2.0	4.33	
OSK-W-20-1272-W6	412.18	Triple Lynx	1035.0	453246	5435535	127	-60	997.8	1000.0	2.2	8.60	
		including						999.0	999.5	0.5	28.1	
OSK-W-17-1273	398.68	227 HW	225.0	452083	5434638	338	-66	54.9	57.0	2.1	4.05	
		including						14.9	55.4	0.5	14.3	
OSK-W-17-1273	398.68	227	225.0	452083	5434638	338	-66	55.9	158.0	2.1	6.72	
		including						157.1	158.0	0.9	14.1	
OSK-W-17-1273	398.68	227	225.0	452083	5434638	338	-66	164.5	167.0	2.5	16.4	
		including						165.7	166.2	0.5	80.9	
OSK-W-17-1273	398.68	227	225.0	452083	5434638	338	-66	171.0	173.2	2.2	29.2	
		including						173.0	172.0	1.0	63.0	
OSK-W-17-1275	402.92	Caribou	912.0	452500	5434591	331	-55	295.7	298.3	2.6	12.3	
		including						297.8	298.3	0.5	59.2	
OSK-W-17-1275	402.92	227	912.0	452500	5434591	331	-55	553.1	556.1	3.0	4.49	
		including						554.1	555.0	0.9	11.5	
OSK-W-17-1275	402.92	FW3U	912.0	452500	5434591	331	-55	844.0	849.0	5.0	76.5	59.9
		including						845.4	846.0	0.6	148	100
		including						845.9	847.8	0.9	150	100
OSK-W-17-1276	405.07	Mallard	312.0	452183	5434886	337	-48	176.0	178.8	2.8	12.6	
		including						177.9	178.8	0.9	88.6	
OSK-W-17-1276	405.07	Mallard	312.0	452183	5434886	337	-48	195.6	197.6	2.0	13.3	
		including						196.0	196.3	0.3	86.9	
OSK-W-17-1279	398.8	227	201.0	452084	5434636	342	-61	146.7	148.9	2.2	4.56	
OSK-W-17-1280	400.37	Caribou extension	466.7	452857	5434931	335	-57	369.8	372.7	2.9	3.3	
OSK-W-17-1281	400.54	Caribou corridor	936.0	452377	5434590	327	-55	264.0	266.2	2.2	3.24	
		including						264.9	265.4	0.5	13.3	
OSK-W-17-1281	400.54	227	936.0	452377	5434590	327	-55	425.0	428.0	3.0	3.29	
OSK-W-17-1281	400.54	227	936.0	452377	5434590	327	-55	447.9	451.9	4.0	3.37	
OSK-W-17-1282	400.76	227 FW	930.0	452278	5434868	315	-78	95.8	98.9	3.1	8.06	
OSK-W-17-1287	404.36	QTV	742.7	451531	5434332	332	-54	231.9	234.0	2.1	1.63	
		including						233.1	234.0	0.9	22.4	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncert	Au (g/t) cut to 100 g/t
OSK-W-17-1288	397.21	Caribou extension	912.0	452947	5434559	331	-56	613.3	615.9	2.6	3.44	
OSK-W-17-1288	397.21	Caribou extension	912.0	452947	5434559	331	-56	749.0	751.0	2.0	4.41	
OSK-W-17-1289	400.68	227 FW	375.0	452277	5434868	339	-61	39.6	42.2	2.6	5.76	
OSK-W-17-1289	400.68	Maland	375.0	452277	5434868	339	-61	41.3	41.6	0.5	29.4	
OSK-W-17-1289	400.68	Maland	375.0	452277	5434868	339	-61	314.1	316.7	2.6	5.08	
OSK-W-17-1289	400.68	OTV	375.0	452277	5434868	339	-61	315.7	316.4	0.7	13.8	
OSK-W-17-1289	400.68	OTV	375.0	452277	5434868	339	-61	343.0	345.0	2.0	41.9	
OSK-W-17-1289	400.68	Maland	375.0	452277	5434868	339	-61	343.0	344.0	1.0	81.5	
OSK-W-17-1290	416.07	Vein	462.0	453133	5453354	330	-52	368.3	370.8	2.5	3.22	
OSK-W-17-1290	416.07	Vein	462.0	453133	5453354	330	-52	423.0	427.0	4.0	34.5	
OSK-W-17-1291	402.33	Caribou extension	513.0	452842	5434897	329	-60	425.0	427.0	2.0	67.5	
OSK-W-17-1291	402.33	Caribou extension	513.0	452842	5434897	329	-60	282.0	284.0	2.0	3.65	
OSK-W-17-1291	402.33	Caribou extension	513.0	452842	5434897	329	-60	305.0	307.0	2.0	11.4	
OSK-W-17-1292	397.42	Wolf	888.0	452902	5434563	327	-51	306.0	307.0	1.0	22.6	
OSK-W-17-1292	397.42	Wolf	888.0	452902	5434563	327	-51	682.9	686.0	3.1	7.91	
OSK-W-17-1293	397.37	Lynx 1 SW	828.0	452905	5434848	329	-70	682.9	683.2	0.3	21.5	
OSK-W-17-1293	397.37	Lynx 1 SW	828.0	452905	5434848	329	-70	41.5	44.0	2.5	14.4	
OSK-W-17-1293	397.37	Caribou extension	828.0	452905	5434848	329	-70	43.0	44.0	1.0	35.4	
OSK-W-17-1293	397.37	Caribou extension	828.0	452905	5434848	329	-70	584.7	590.0	5.3	3.39	
OSK-W-17-1293	397.37	Caribou extension	828.0	452905	5434848	329	-70	601.5	608.0	6.5	3.58	
OSK-W-17-1293	397.37	Caribou extension	828.0	452905	5434848	329	-70	645.5	648.0	2.5	3.63	
OSK-W-17-1293	397.37	Vein	828.0	452905	5434848	329	-70	646.4	647.0	0.6	10.2	
OSK-W-17-1293	397.37	Vein	828.0	452905	5434848	329	-70	802.7	805.0	2.3	5.44	
OSK-W-17-1293	397.37	Vein	828.0	452905	5434848	329	-70	803.7	804.0	0.3	49.7	
OSK-W-17-1295	403.79	FW3	801.0	451560	5434288	334	-57	387.0	389.0	2.0	3.36	
OSK-W-17-1295	403.79	Underdog	801.0	451560	5434288	334	-57	696.9	699.2	2.3	8.34	
OSK-W-17-1296	398.84	227	180.0	453082	5434661	314	-56	697.7	698.5	0.8	20.9	
OSK-W-17-1296	398.84	227	180.0	453082	5434661	314	-56	125.6	126.0	2.4	5.82	
OSK-W-17-1303	402.28	Caribou extension	663.0	452842	5434897	334	-65	125.6	126.0	0.4	23.5	
OSK-W-17-1303	402.28	Caribou extension	663.0	452842	5434897	334	-65	211.0	213.3	2.3	3.74	
OSK-W-17-1305	402.97	Vein	888.0	452499	5434593	330	-54	348.0	351.0	3.0	106	50.1
OSK-W-17-1305	402.97	Caribou	888.0	452499	5434593	330	-54	348.0	351.0	1.5	211	100
OSK-W-17-1305	402.97	FW3U HW	888.0	452499	5434593	330	-54	376.0	378.5	2.5	7.65	
OSK-W-17-1305	402.97	FW3U HW	888.0	452499	5434593	330	-54	728.1	738.5	0.4	40.9	
OSK-W-17-1305	402.97	FW3U HW	888.0	452499	5434593	330	-54	377.9	725.5	2.6	14.5	
OSK-W-17-1305-W1	402.97	VNCR	951.0	452499	5434593	330	-54	722.9	723.2	0.3	51.6	
OSK-W-17-1305-W1	402.97	VNCR	951.0	452499	5434593	330	-54	658.5	664.0	2.5	168	
OSK-W-17-1305-W1	402.97	VNCR	951.0	452499	5434593	330	-54	860.3	861.0	0.7	47.0	
OSK-W-17-1306	396.03	Lynx 4	1210.9	453291	5434533	341	-62	616.0	618.2	2.2	3.60	
OSK-W-17-1306	396.03	Caribou extension	1210.9	453291	5434533	341	-62	968.3	970.6	2.3	3.09	
OSK-W-17-1306	396.03	Caribou extension	1210.9	453291	5434533	341	-62	987.0	989.6	2.6	14.7	
OSK-W-17-1308	397.75	Lynx 4	1148.0	453210	5434466	332	-53	988.2	988.9	0.7	54.2	
OSK-W-17-1308	397.75	Wolf extension	1148.0	453210	5434466	332	-53	568.9	571.0	2.1	3.33	
OSK-W-17-1308	397.75	Wolf extension	1148.0	453210	5434466	332	-53	884.0	889.4	5.4	11.6	
OSK-W-17-1308-W1	397.75	Wolf	1032.0	453210	5434466	332	-53	888.6	888.9	0.3	66.7	
OSK-W-17-1308-W1	397.75	Wolf	1032.0	453210	5434466	332	-53	997.0	999.0	2.0	7.27	
OSK-W-17-1309	398.77	227 FW	237.0	452074	5434609	330	-69	218.1	220.2	2.1	5.64	
OSK-W-17-1309	398.77	227 FW	237.0	452074	5434609	330	-69	218.1	218.8	0.7	16.5	
OSK-W-17-1310	398.85	Caribou	375.0	452210	5434616	312	-46	54.0	57.0	3.0	3.61	
OSK-W-17-1310	398.85	Vein	375.0	452210	5434616	312	-46	354.0	357.0	3.0	3.37	
OSK-W-17-1312	398.66	227 HW	35.5	452073	5434610	325	-66	43.0	46.5	3.5	7.56	
OSK-W-17-1313	401.19	Vein	876.0	452280	5434572	331	-51	19.0	22.0	3.0	3.05	
OSK-W-17-1313	401.19	Caribou	876.0	452280	5434572	331	-51	90.9	99.0	2.1	3.34	
OSK-W-17-1313	401.19	Caribou	876.0	452280	5434572	331	-51	122.0	125.0	3.0	5.29	
OSK-W-17-1313	401.19	227 HW	876.0	452280	5434572	331	-51	211.0	213.0	2.0	11.3	
OSK-W-17-1313	401.19	227	876.0	452280	5434572	331	-51	351.4	360.3	8.9	25.1	
OSK-W-17-1313	401.19	227 FW	876.0	452280	5434572	331	-51	425.1	427.3	2.2	5.46	
OSK-W-17-1313	401.19	227 FW	876.0	452280	5434572	331	-51	425.9	426.7	0.8	14.2	
OSK-W-17-1313	401.19	227 FW	876.0	452280	5434572	331	-51	443.0	445.5	2.5	3.90	
OSK-W-17-1313	401.19	Vein RD	876.0	452280	5434572	331	-51	456.0	458.0	2.0	25.2	
OSK-W-17-1313	401.19	Vein RD	876.0	452280	5434572	331	-51	456.5	456.6	0.1	68.0	
OSK-W-17-1317	398.77	227 HW	276.0	452074	5434610	327	-65	45.0	47.5	2.5	4.31	
OSK-W-17-1317	398.77	227 HW	276.0	452074	5434610	327	-65	170.0	172.0	2.0	4.60	
OSK-W-17-1317	398.77	227	276.0	452074	5434610	327	-65	182.9	191.0	8.1	10.0	
OSK-W-17-1319	398.89	227 HW	291.0	452222	5434607	310	-50	186.9	188.0	1.1	54.3	
OSK-W-17-1319	398.89	227	291.0	452222	5434607	310	-50	162.0	165.0	3.0	5.80	
OSK-W-17-1319	398.89	227	291.0	452222	5434607	310	-50	162.0	163.5	1.5	11.4	
OSK-W-17-1320	397.21	Lynx 1	852.0	452906	5434846	328	-76	217.0	217.3	0.3	22.8	
OSK-W-17-1320	397.21	Lynx 1	852.0	452906	5434846	328	-76	61.8	64.3	2.5	4.72	
OSK-W-17-1320	397.21	Vein	852.0	452906	5434846	328	-76	90.4	92.0	2.6	49.0	15.6
OSK-W-17-1320	397.21	Lynx 1	852.0	452906	5434846	328	-76	91.3	95.7	0.4	2.78	100
OSK-W-17-1320	397.21	Lynx 1	852.0	452906	5434846	328	-76	112.0	114.0	2.0	546	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	112.4	112.7	0.3	31.0	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	463.0	465.0	2.0	11.9	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	463.0	464.0	1.0	23.8	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	472.1	477.3	5.2	5.36	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	472.1	473.4	1.3	14.1	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	557.5	560.8	3.3	3.46	
OSK-W-17-1320	397.21	Caribou extension	852.0	452906	5434846	328	-76	801.0	803.0	2.0	6.04	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) ungot	Au (g/t) cut to 100 g/t
including												
OSK-W-17-1323	996.77	Vein	597.0	452825	5434798	340	-74	433.0	435.2	2.2	5.48	
OSK-W-17-1325	903.05	Underdig	688.5	453411	5434333	331	-69	629.2	631.3	2.1	7.37	
OSK-W-17-1326	998.78	Z27	225.0	452075	5434609	328	-61	159.0	161.0	2.0	8.52	
including												
OSK-W-17-1326	998.78	Z27	225.0	452075	5434609	328	-61	160.0	163.0	1.0	36.0	
including												
OSK-W-17-1332	900.03	No name	798.0	451894	5434769	280	-45	25.0	27.0	2.0	8.27	
including												
OSK-W-17-1333	997.18	Caribou extension	852.0	453158	5434897	336	-61	506.3	506.3	3.5	18.4	
including												
OSK-W-17-1333	997.18	Caribou extension	852.0	453158	5434897	336	-61	593.6	596.0	2.4	4.85	
including												
OSK-W-17-1333	997.18	Caribou extension	852.0	453158	5434897	336	-61	593.6	594.3	0.7	13.8	
including												
OSK-W-17-1334	402.16	Botical	657.0	452842	5434896	334	-70	85.0	88.0	2.0	4.05	
OSK-W-17-1334	402.16	Caribou extension	657.0	452842	5434896	334	-70	338.2	338.2	2.5	3.91	
including												
OSK-W-17-1334	402.16	Caribou extension	657.0	452842	5434896	334	-70	459.0	463.5	2.5	74.0	12.2
including												
OSK-W-17-1334	402.16	Caribou extension	657.0	452842	5434896	334	-70	489.0	491.2	2.2	12.8	
including												
OSK-W-17-1334	402.16	Caribou extension	657.0	452842	5434896	334	-70	489.0	490.7	0.7	33.9	
including												
OSK-W-17-1334	402.16	Caribou extension	657.0	452842	5434896	334	-70	488.5	502.0	3.5	3.73	
including												
OSK-W-17-1334	402.16	Z27	657.0	452842	5434896	334	-70	517.2	540.1	2.9	29.6	
including												
OSK-W-17-1335	906.58	Mallard	201.0	451963	5434779	333	-49	179.0	181.1	2.1	5.66	
including												
OSK-W-17-1336	402.77	PW0	1149.0	452617	5434447	335	-61	810.0	813.0	3.0	17.0	
including												
OSK-W-17-1336	402.77	PW0	1149.0	452617	5434447	335	-61	815.0	820.0	2.5	35.5	
including												
OSK-W-17-1336	402.77	PW1	1149.0	452617	5434447	335	-61	891.0	893.0	2.0	6.64	
including												
OSK-W-17-1336	402.77	PW2	1149.0	452617	5434447	335	-61	891.0	893.0	0.3	22.1	
including												
OSK-W-17-1336	402.77	PW2	1149.0	452617	5434447	335	-61	972.0	974.0	2.0	4.00	
including												
OSK-W-17-1336	402.77	PW3	1149.0	452617	5434447	335	-61	1032.0	1084.5	2.5	15.0	
including												
OSK-W-17-1336-W1	402.77	Vein	1335.0	452617	5434447	335	-61	723.0	725.0	2.0	9.44	
including												
OSK-W-17-1336-W1	402.77	PW1	1335.0	452617	5434447	335	-61	723.7	724.0	0.3	62.8	
including												
OSK-W-17-1336-W1	402.77	PW2	1335.0	452617	5434447	335	-61	992.9	995.9	2.1	43.9	28.8
including												
OSK-W-17-1336-W1	402.77	PW2	1335.0	452617	5434447	335	-61	1064.1	1073.0	8.9	56.1	15.1
including												
OSK-W-17-1336-W1	402.77	PW3	1335.0	452617	5434447	335	-61	1067.0	1070.1	3.1	15.1	30.7
including												
OSK-W-18-1336-W2	402.77	PW0	1193.0	452617	5434447	335	-61	831.9	835.3	3.4	4.62	
OSK-W-18-1336-W2	402.77	PW0	1193.0	452617	5434447	335	-61	849.7	852.3	2.6	3.53	
OSK-W-18-1336-W2	402.77	Underdig	1193.0	452617	5434447	335	-61	920.6	923.0	2.4	4.36	
including												
OSK-W-18-1336-W2	402.77	PW1	1193.0	452617	5434447	335	-61	920.0	923.0	0.4	17.6	
including												
OSK-W-18-1336-W2	402.77	PW1	1193.0	452617	5434447	335	-61	964.0	969.7	5.7	13.0	
including												
OSK-W-18-1336-W2	402.77	Underdig	1193.0	452617	5434447	335	-61	1152.0	1156.0	4.0	19.6	13.6
including												
OSK-W-18-1336-W2	402.77	Underdig	1193.0	452617	5434447	335	-61	1182.0	1184.0	2.0	4.55	
including												
OSK-W-17-1337	909.52	Mallard	960.5	452055	5434957	140	-57	19.0	21.5	2.5	3.39	
including												
OSK-W-17-1337	909.52	Dyke	960.5	452055	5434957	140	-57	20.0	20.4	0.4	13.7	
including												
OSK-W-17-1341	999.06	Caribou	732.0	452334	5434651	329	-69	84.0	86.0	2.0	3.43	
OSK-W-17-1341	999.06	Z27 HW	732.0	452334	5434651	329	-69	169.0	171.3	2.3	17.0	
including												
OSK-W-17-1341	999.06	Z27	732.0	452334	5434651	329	-69	169.6	170.2	0.6	69.1	
OSK-W-17-1341	999.06	Z27	732.0	452334	5434651	329	-69	251.4	256.3	2.9	7.79	
OSK-W-17-1341	999.06	Z27	732.0	452334	5434651	329	-69	273.8	277.9	5.1	4.52	
OSK-W-17-1341	999.06	Z27	732.0	452334	5434651	329	-69	316.6	318.9	2.3	5.23	
OSK-W-17-1342	400.2	Mallard HW	382.0	452086	5434760	333	-50	211.9	213.0	2.1	8.29	
including												
OSK-W-17-1342	400.2	Mallard	382.0	452086	5434760	333	-50	261.8	263.8	2.0	3.30	
OSK-W-17-1343	999.04	Lynx HW	870.0	453572	5435489	137	-56	544.7	546.6	0.9	70.4	30.8
including												
OSK-W-17-1343-W1	999.04	Lynx HW	870.0	453572	5435489	137	-56	560.8	560.8	3.1	3.34	100
including												
OSK-W-17-1343-W1	999.04	Lynx HW	870.0	453572	5435489	137	-56	507.7	509.0	1.3	122	100.0
including												
OSK-W-17-1343-W2	999.04	Lynx HW	1323.0	453572	5435489	137	-56	507.3	511.7	4.4	94.1	29.5
including												
OSK-W-17-1343-W2	999.04	Lynx HW	1323.0	453572	5435489	137	-56	507.3	509.1	1.8	77.7	65.6
including												
OSK-W-17-1343-W2	999.04	Lynx HW	1323.0	453572	5435489	137	-56	636.5	639.5	2.5	3.11	
OSK-W-17-1343-W2	999.04	Lynx 4	1323.0	453572	5435489	137	-56	864.8	867.2	0.2	5.79	
OSK-W-17-1343-W2	999.04	Lynx 4	1323.0	453572	5435489	137	-56	879.0	881.0	2.0	14.2	
including												
OSK-W-17-1343-W2	999.04	Lynx 4	1323.0	453572	5435489	137	-56	873.4	879.7	0.3	69.6	
OSK-W-17-1343-W2	999.04	Lynx 4	1323.0	453572	5435489	137	-56	937.0	939.0	2.0	3.59	
OSK-W-17-1343-W2	999.04	Lynx 6	1323.0	453572	5435489	137	-56	1134.0	1137.0	0.0	6.31	
OSK-W-17-1343-W2	999.04	Lynx 6	1323.0	453572	5435489	137	-56	1197.9	1200.0	2.1	7.84	
including												
OSK-W-18-1343-W3	999.04	Lynx	637.0	453572	5435489	137	-56	336.6	380.5	4.9	32.2	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
including												
OSK-W-17-1344	397.68	Caribou extension	525.0	452935	5434858	332	-74	584.6	585.6	1.0	50.9	
including												
OSK-W-17-1345	397.38	C3	894.0	452902	5434563	329	-52	447.8	448.4	0.6	37.5	
OSK-W-17-1345	397.38	Wolf	894.0	452902	5434563	329	-52	540.8	543.3	2.5	7.40	
including												
OSK-W-17-1346	396.6	Lynx 1 + Lynx 2	858.0	453467	5435069	334	-64	687.9	688.3	0.4	883	100
OSK-W-17-1346	396.6	Lynx 305	858.0	453467	5435069	334	-64	620.1	626.2	6.1	3.44	
OSK-W-17-1347	405.33	Vein	489.0	452180	5435158	151	-61	164.0	166.0	2.0	4.64	
including												
OSK-W-17-1347	405.33	Mallard FW	489.0	452180	5435158	151	-61	249.4	252.2	2.8	11.1	
including												
OSK-W-17-1348	397.23	Caribou extension	573.0	452844	5434806	333	-53	423.0	425.0	2.0	4.35	
including												
OSK-W-17-1350	396.92	Lynx 4	843.0	452993	5434556	328	-55	423.4	423.9	0.5	11.6	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	388.7	388.7	2.0	6.31	
including												
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	538.9	540.9	2.0	9.37	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	539.6	540.3	0.7	22.7	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	697.0	699.0	2.0	4.45	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	724.0	726.0	2.0	4.35	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	776.0	778.0	2.0	6.33	
OSK-W-17-1350	396.92	Caribou extension	843.0	452993	5434556	328	-55	826.3	829.7	3.4	6.88	
including												
OSK-W-17-1351	397.15	Caribou extension	814.8	453301	5434875	335	-66	454.0	456.2	2.2	6.34	
OSK-W-17-1351	397.15	Caribou extension	814.8	453301	5434875	335	-66	725.8	728.0	2.2	3.65	
OSK-W-17-1351	397.15	Caribou extension	814.8	453301	5434875	335	-66	735.4	737.7	2.3	3.65	
OSK-W-17-1352	395.69	Caribou extension	909.0	453378	5434742	327	-50	646.0	647.5	0.7	26.4	
including												
OSK-W-17-1353	404.96	FW3	750.0	453480	5434338	326	-56	233.9	235.0	2.4	4.66	
including												
OSK-W-17-1354	400.81	FW3	432.0	451642	5434469	333	-50	229.3	231.4	2.1	5.05	
including												
OSK-W-17-1356	396.21	Lynx 1	429.0	453442	5435026	334	-67	195.2	197.5	2.3	10.0	
OSK-W-17-1356	396.21	Lynx 1	429.0	453442	5435026	334	-67	229.6	232.0	2.4	4.34	
OSK-W-17-1359	396.87	Caribou extension	807.0	453039	5434873	339	-64	467.4	470.0	2.6	5.06	
including												
OSK-W-17-1359	396.87	Caribou extension	807.0	453039	5434873	339	-64	467.4	468.5	1.1	10.8	
OSK-W-17-1359	396.87	Caribou extension	807.0	453039	5434873	339	-64	499.0	501.3	2.3	53.7	
OSK-W-17-1359	396.87	Caribou extension	807.0	453039	5434873	339	-64	499.0	499.5	0.5	16.8	
OSK-W-17-1359	396.87	Caribou extension	807.0	453039	5434873	339	-64	604.6	606.7	2.1	3.87	
OSK-W-17-1359	396.87	Z27 extension	807.0	453039	5434873	339	-64	754.8	757.0	2.2	4.98	
OSK-W-17-1362	400.79	FW4	623.7	453463	5434470	347	-50	317.9	319.9	2.0	4.48	
including												
OSK-W-17-1363	395.94	Lynx HW	900.0	453457	5435025	341	-72	222.0	224.0	2.0	3.28	
OSK-W-17-1363	395.94	Lynx 2	900.0	453457	5435025	341	-72	373.6	382.0	8.4	115	24.0
including												
OSK-W-17-1363	395.94	VNCR	900.0	453457	5435025	341	-72	377.0	377.7	0.7	1190	100
including												
OSK-W-17-1364	410.01	Lynx 1	534.0	452889	5435073	139	-45	379.0	380.0	1.0	97.7	
including												
OSK-W-17-1367-W1	401.61	Lynx 4	1161.0	453755	5435873	131	-52	1009.5	1011.6	2.1	52.5	29.2
including												
OSK-W-17-1367-W1	401.61	Lynx 4	1161.0	453755	5435873	131	-52	1010.3	1010.0	0.6	182	100
including												
OSK-W-17-1367-W2	401.61	Lynx 4	1224.0	453755	5435873	131	-52	1016.6	1019.0	2.4	76.4	28.3
including												
OSK-W-18-1367-W2	401.61	Lynx 4	1224.0	453755	5435873	131	-52	1016.6	1017.1	0.5	331	100
including												
OSK-W-18-1367-W2	401.61	Lynx 4	1224.0	453755	5435873	131	-52	878.0	882.0	4.0	4.55	
including												
OSK-W-18-1367-W4	401.61	Lynx 4	1186.0	453755	5435873	131	-52	1150.0	1151.9	0.9	46.7	33.4
OSK-W-18-1367-W4	401.61	Lynx 4	1186.0	453755	5435873	131	-52	1151.6	1151.9	0.3	273	100
OSK-W-17-1368	397.61	Caribou extension	762.0	452952	5434873	330	-64	236.0	238.0	2.0	3.77	
OSK-W-17-1368	397.61	Caribou extension	762.0	452952	5434873	330	-64	270.9	273.0	2.1	8.05	
including												
OSK-W-17-1368	397.61	Caribou extension	762.0	452952	5434873	330	-64	270.9	271.2	0.3	54.0	
OSK-W-17-1369	400.77	Caribou	786.0	452434	5434679	330	-49	413.0	413.0	2.0	8.71	
OSK-W-17-1369	400.77	Z27	786.0	452434	5434679	330	-49	212.0	218.3	6.3	5.87	
OSK-W-17-1371	397.15	Caribou extension	980.5	453301	5434874	334	-69	363.0	365.6	2.6	5.63	
including												
OSK-W-17-1371	397.15	Caribou extension	980.5	453301	5434874	334	-69	363.0	363.8	0.8	48.4	
OSK-W-17-1371	397.15	Caribou extension	980.5	453301	5434874	334	-69	565.0	567.0	2.0	3.39	
OSK-W-17-1371	397.15	Vein	980.5	453301	5434874	334	-69	565.3	565.7	0.4	14.8	
OSK-W-17-1371	397.15	Caribou extension	980.5	453301	5434874	334	-69	604.6	607.0	2.4	3.61	
OSK-W-17-1371	397.15	Vein	980.5	453301	5434874	334	-69	722.1	724.6	2.5	3.96	
including												
OSK-W-17-1374	401.02	Z27 HW	873.0	452273	5434579	317	-59	312.6	315.0	2.4	4.27	
OSK-W-17-1374	401.02	Z27 HW	873.0	452273	5434579	317	-59	324.5	328.3	3.8	26.2	
OSK-W-17-1374	401.02	Vein RD	873.0	452273	5434579	317	-59	424.7	427.0	2.3	4.11	
OSK-W-17-1374	401.02	FW1	873.0	452273	5434579	317	-59	504.0	506.0	4.0	4.0	
OSK-W-17-1374	401.02	FW2	873.0	452273	5434579	317	-59	525.1	530.0	3.9	3.04	
OSK-W-17-1374	401.02	FW3	873.0	452273	5434579	317	-59	721.0	723.7	2.7	3.09	
including												
OSK-W-17-1376	397.94	Vein	1125.0	453425	5434380	330	-50	723.0	723.7	0.7	10.5	
including												
OSK-W-17-1376	397.94	Vein	1125.0	453425	5434380	330	-50	198.7	199.0	0.3	72.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-1376	397.94	FW2	1125.0	452425	5434380	330	-50	816.5	818.6	2.1	33.6	
		including						816.5	817.3	0.8	73.3	
OSK-W-17-1378	397.26	Caribou	741.0	452689	5434636	331	-56	229.9	232.0	2.1	4.41	
OSK-W-17-1378	397.26	Caribou	741.0	452689	5434636	331	-56	336.9	339.4	2.5	5.36	
OSK-W-17-1378	397.26	Caribou corridor	741.0	452689	5434636	331	-56	385.0	388.0	3.0	4.22	
OSK-W-17-1378	397.26	Wolf	741.0	452689	5434636	331	-56	477.2	479.3	2.1	5.49	
OSK-W-17-1378	397.26	Vein	741.0	452689	5434636	331	-56	695.0	697.0	2.0	4.03	
		including						696.0	696.4	0.4	36.8	
OSK-W-17-1378	397.26	Vein	741.0	452689	5434636	331	-56	720.2	722.5	2.3	6.26	
		including						721.3	721.7	0.4	52.8	
OSK-W-17-1379	397.32	lynx 1	540.0	452780	5434771	332	-66	136.4	138.5	2.1	5.62	
		including						136.4	137.0	0.6	18.9	
OSK-W-17-1379	397.32	Caribou extension	540.0	452780	5434771	332	-66	405.0	407.3	2.3	3.03	
OSK-W-17-1380	403.81	Underdog	624.0	453895	5434474	335	-45	361.1	363.2	2.1	25.5	25.3
		including						361.9	362.4	0.5	101	
OSK-W-17-1381	398.73	Bobcat	723.0	453037	5434936	329	-63	111.5	113.8	2.3	16.7	
		including						112.5	112.9	0.4	94.6	
OSK-W-17-1381	398.73	Caribou extension	723.0	453037	5434936	329	-63	299.3	302.5	3.2	7.60	
OSK-W-17-1381	398.73	Vein	723.0	453037	5434936	329	-63	653.0	655.3	2.3	52.8	13.2
		including						654.2	654.5	0.3	404	100
OSK-W-17-1383	403.76	Bobcat	597.0	452767	5434865	331	-63	38.1	40.4	2.3	173	18.2
		including						39.0	39.4	0.4	990	100
OSK-W-17-1383	403.76	Bobcat	597.0	452767	5434865	331	-63	83.0	87.0	4.0	4.03	
OSK-W-17-1383	403.76	Bobcat	597.0	452767	5434865	331	-63	94.9	97.0	2.1	5.01	
OSK-W-17-1383	403.76	Bobcat	597.0	452767	5434865	331	-63	102.0	104.1	2.1	5.33	
		including						103.1	104.1	1.0	10.5	
OSK-W-17-1385	395.54	Caribou extension	906.0	453379	5434741	319	-49	734.7	737.8	3.1	8.48	
		including						735.9	736.7	0.7	28.6	
OSK-W-17-1385	395.54	Caribou extension	906.0	453379	5434741	319	-49	741.6	745.3	3.7	5.04	
		including						744.3	745.3	1.0	13.0	
OSK-W-17-1385	395.54	Caribou extension	906.0	453379	5434741	319	-49	820.5	824.0	3.5	6.64	
		including						820.5	821.1	0.6	26.2	
OSK-W-17-1386	400.7	lynx 1	998.0	453802	5435746	136	-54	747.5	750.0	2.5	18.1	
		including						747.5	748.4	0.9	49.3	
OSK-W-17-1386	400.7	lynx 1	998.0	453802	5435746	136	-54	771.3	775.8	4.5	25.1	15.1
		including						771.3	772.0	0.6	104	58.8
OSK-W-18-1386-W2	400.7	lynx	818.0	453802	5435746	136	-54	812.0	814.5	2.5	11.4	
		including						812.9	813.9	1.0	26.8	
OSK-W-18-1386-W4	400.7	lynx	1059.0	453802	5435746	136	-54	820.4	822.8	2.4	12.1	
OSK-W-18-1386-W4	400.7	lynx	1059.0	453802	5435746	136	-54	877.1	881.1	4.0	11.7	
		including						876.0	878.5	0.5	26.1	
OSK-W-18-1386-W4	400.7	lynx	1059.0	453802	5435746	136	-54	904.4	906.9	2.5	10.7	
OSK-W-18-1386-W4	400.7	lynx	1059.0	453802	5435746	136	-54	941.0	943.0	2.0	9.43	
OSK-W-18-1386-W4	400.7	lynx	1059.0	453802	5435746	136	-54	952.0	954.0	2.0	8.29	
OSK-W-18-1386-W5	400.7	lynx	1099.5	453802	5435746	136	-54	831.6	834.7	3.1	54.4	21.4
		including						832.2	832.5	0.3	441	100
OSK-W-19-1386-W7	400.7	lynx 326	870.0	453802	5435746	136	-54	757.5	760.0	2.5	19.3	
		including						758.1	758.8	0.7	64.4	
OSK-W-19-1386-W7	400.7	lynx 314	870.0	453802	5435746	136	-54	801.6	804.7	3.1	26.9	
		including						801.6	802.5	0.9	84.7	
OSK-W-19-1386-W8	400.7	lynx 324	905.0	453802	5435746	136	-54	815.9	817.3	2.0	25.6	
		including						815.3	816.0	0.7	66.1	
OSK-W-19-1386-W9	400.7	lynx 324	972.0	453802	5435746	136	-54	806.5	808.8	2.3	35.5	29.8
		including						807.0	807.4	0.4	133	100
OSK-W-17-1388	397.03	CS1	762.0	452715	5434606	332	-57	368.6	371.0	2.4	11.9	
OSK-W-17-1388	397.03	Wolf FW	762.0	452715	5434606	332	-57	697.0	699.2	2.2	4.59	
OSK-W-17-1390	403.41	FW3	657.0	451911	5434436	329	-47	505.0	507.2	2.2	3.44	
OSK-W-17-1391	397.94	Bobcat	663.0	452981	5434900	327	-62	299.4	299.9	0.5	12.2	
		including						299.4	299.9	0.5	65.4	
OSK-W-17-1391	397.94	Caribou extension	663.0	452981	5434900	327	-62	453.0	455.0	2.0	47.7	31.0
		including						454.0	454.6	0.6	131	100
OSK-W-17-1391	397.94	Vein	663.0	452981	5434900	327	-62	501.0	503.0	2.0	82.5	35.6
		including						501.0	501.7	0.7	234	100
OSK-W-17-1393	406.71	Bobcat	573.0	452726	5434864	332	-62	157.0	159.0	2.0	3.91	
		including						158.3	158.7	0.4	66.7	
OSK-W-17-1394	396.95	Caribou extension	1165.4	453146	5434510	335	-49	780.5	782.6	2.1	4.25	
		including						781.0	781.6	0.6	14.7	
OSK-W-17-1394	396.95	Caribou extension	1165.4	453146	5434510	335	-49	802.7	804.8	2.1	13.0	
		including						804.0	804.8	0.8	33.0	
OSK-W-17-1396	400.47	lynx 4	955.5	453436	5435484	134	-52	707.0	709.6	2.5	5.86	
OSK-W-17-1396	400.47	lynx 4	955.5	453436	5435484	134	-52	873.0	875.0	2.0	67.0	15.3
		including						873.8	874.1	0.3	445	100
OSK-W-17-1396	400.47	lynx 4	955.5	453436	5435484	134	-52	897.0	899.8	2.8	6.33	
OSK-W-17-1397	397.71	lynx FW	732.0	453301	5434963	333	-61	113.6	116.0	2.4	3.35	
		including						114.7	115.1	0.4	16.8	
OSK-W-17-1397	397.71	lynx 1	732.0	453301	5434963	333	-61	128.6	131.6	3.0	28.0	21.2
		including						128.6	128.9	0.3	98.7	
		and						130.9	131.2	0.3	168	100
OSK-W-17-1397	397.71	lynx 2	732.0	453301	5434963	333	-61	173.0	175.0	2.0	5.38	
		including						173.0	174.0	1.0	10.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-17-1397	397.71	Lynx 2	732.0	453301	5434963	333	-61	213.0	215.0	2.0	23.4	21.6
		including						214.1	214.4	0.3	112	100
OSK-W-17-1397	397.71	VNCR	732.0	453301	5434963	333	-61	639.0	641.0	2.0	3.53	
OSK-W-17-1397	397.71	Vein	732.0	453301	5434963	333	-61	721.0	723.2	2.2	3.60	
OSK-W-17-1399	395.59	VNCR	1053.0	453412	5434868	332	-61	353.8	359.0	5.2	6.11	
		including						353.8	354.4	0.6	17.0	
		including						358.0	359.0	1.0	20.2	
OSK-W-17-1399	395.59	Caribou extension	1053.0	453412	5434868	332	-61	574.0	576.0	2.0	3.55	
OSK-W-17-1399	395.59	Caribou extension	1053.0	453412	5434868	332	-61	658.5	661.0	2.5	4.45	
OSK-W-17-1400	399.31	Caribou corridor	768.8	452310	5434407	332	-52	325.6	328.0	2.4	4.05	
OSK-W-17-1402	402.76	Caribou corridor	1122.0	452617	5434447	330	-59	462.2	464.5	2.3	3.39	
OSK-W-17-1402	402.76	FW3	1122.0	452617	5434447	330	-59	820.1	822.3	2.2	47.7	18.4
		including						822.0	822.3	0.3	335	100
OSK-W-17-1402	402.76	FW1 FW	1122.0	452617	5434447	330	-59	863.6	865.6	2.0	3.48	
		including						864.1	864.9	0.8	7.60	
OSK-W-17-1402	402.76	FW1 FW	1122.0	452617	5434447	330	-59	873.5	876.3	2.8	3.35	
OSK-W-17-1402	402.76	FW2	1122.0	452617	5434447	330	-59	938.2	940.2	2.0	4.27	
OSK-W-17-1402	402.76	FW3	1122.0	452617	5434447	330	-59	1054.2	1059.2	5.0	5.38	
OSK-W-17-1402	402.76	FW3	1122.0	452617	5434447	330	-59	1085.0	1087.0	2.0	4.09	
OSK-W-17-1402	402.76	FW3	1122.0	452617	5434447	330	-59	1099.0	1103.0	2.0	4.99	
OSK-W-18-1402-W1	402.76	Vein	1122.0	452617	5434447	330	-59	683.5	686.0	2.5	3.57	
		including						684.5	685.0	0.5	17.6	
OSK-W-18-1402-W1	402.76	FW0	1224.0	452617	5434447	330	-59	804.2	806.5	2.3	5.79	
		including						805.0	805.5	0.5	23.5	
OSK-W-18-1402-W1	402.76	FW1	1224.0	452617	5434447	330	-59	826.5	833.1	6.6	4.07	
OSK-W-18-1402-W1	402.76	FW2	1224.0	452617	5434447	330	-59	851.0	855.0	2.0	3.52	
OSK-W-18-1402-W1	402.76	FW3	1224.0	452617	5434447	330	-59	859.1	862.0	2.9	53.9	
OSK-W-18-1402-W1	402.76	FW3	1224.0	452617	5434447	330	-59	1088.9	1091.5	2.6	6.63	
		including						1090.3	1090.8	0.5	26.9	
OSK-W-18-1402-W1	402.76	FW4	1224.0	452617	5434447	330	-59	1150.6	1153.0	2.4	4.47	
		including						1150.6	1151.1	0.5	12.8	
OSK-W-18-1402-W1	402.76	FW0	1182.0	452617	5434447	330	-59	779.0	780.3	2.3	8.11	
		including						779.2	779.7	0.5	25.5	
OSK-W-18-1402-W1	402.76	FW1	1182.0	452617	5434447	330	-59	821.1	824.6	3.5	6.21	
OSK-W-18-1402-W1	402.76	FW1 FW	1182.0	452617	5434447	330	-59	880.0	882.0	2.0	4.88	
		including						881.0	881.7	0.7	12.3	
OSK-W-18-1402-W1	402.76	FW1 FW	1182.0	452617	5434447	330	-59	888.5	890.0	3.5	41.3	
		including						888.5	890.0	1.5	65.9	
OSK-W-18-1402-W1	402.76	Underdog	1182.0	452617	5434447	330	-59	920.1	929.3	9.2	9.03	
OSK-W-18-1402-W1	402.76	Underdog	1182.0	452617	5434447	330	-59	954.0	956.0	2.0	4.05	
OSK-W-18-1402-W1	402.76	FW3	1182.0	452617	5434447	330	-59	1104.7	1109.4	4.7	9.36	
		including						1104.7	1105.1	0.4	35.4	
		and						1109.1	1109.4	0.3	96.1	
OSK-W-18-1402-W1	402.76	Underdog	1182.0	452617	5434447	330	-59	1144.0	1146.0	2.0	6.57	
		including						1145.2	1145.6	0.4	30.6	
OSK-W-17-1404	397.24	Bobcat	635.3	452854	5434824	335	-67	141.4	144.0	2.6	4.28	
		including						142.0	143.0	1.0	11.0	
OSK-W-17-1404	397.24	Bobcat	635.3	452854	5434824	335	-67	168.0	171.0	3.0	4.54	
		including						170.7	171.0	0.3	13.4	
OSK-W-17-1404	397.24	Caribou extension	635.3	452854	5434824	335	-67	356.8	359.0	2.2	10.4	
		including						358.6	359.0	0.4	53.2	
OSK-W-17-1404	397.24	Caribou extension	635.3	452854	5434824	335	-67	535.0	537.0	2.0	3.96	
OSK-W-17-1404	397.24	Caribou extension	635.3	452854	5434824	335	-67	539.7	540.0	3.1	4.33	
OSK-W-17-1406	400.12	VNCR	579.0	452912	5434878	334	-60	79.3	81.8	2.5	6.97	
		including						79.7	80.0	0.3	47.7	
OSK-W-17-1406	400.12	Vein	579.0	452912	5434878	334	-60	117.0	119.0	2.0	7.28	
		including						117.0	118.0	1.0	13.8	
OSK-W-17-1406	400.12	QTV	579.0	452912	5434878	334	-60	129.0	131.0	2.0	6.80	
		including						129.4	130.3	0.9	15.2	
OSK-W-17-1406	400.12	Bobcat	579.0	452912	5434878	334	-60	248.5	250.9	2.4	3.47	
OSK-W-17-1406	400.12	Bobcat	579.0	452912	5434878	334	-60	322.0	324.5	2.5	5.71	
OSK-W-17-1409	406.09	Bobcat	402.0	452747	5434882	331	-53	133.3	135.9	2.4	24.0	13.6
		including						135.4	135.7	0.3	184	100
OSK-W-17-1409	406.09	Bobcat	402.0	452747	5434882	331	-53	205.0	207.0	2.0	6.11	
		including						205.4	206.0	0.6	19.5	
OSK-W-17-1409	406.09	Caribou extension	402.0	452747	5434882	331	-53	350.0	352.4	2.4	7.17	
		including						351.0	351.5	0.5	34.1	
OSK-W-18-1412-W1	401.11	Lynx 1	825.0	453684	5435676	133	-51	720.0	722.7	2.7	405	50.9
		including						721.7	722.7	1.0	1050	100
OSK-W-18-1412-W1	401.11	Lynx 1	825.0	453684	5435676	133	-51	731.0	733.0	2.0	10.4	
		including						731.9	733.0	1.1	20.9	
OSK-W-18-1412-W1	401.11	Lynx 326	800.0	453684	5435676	133	-51	733.0	735.0	2.0	50.0	
		including						734.3	735.0	0.7	98.9	
OSK-W-17-1413	405.19	Lynx 2	996.0	453155	5435214	137	-53	296.0	298.3	2.3	40.6	39.4
		including						297.4	298.3	0.9	103	
OSK-W-17-1413	405.19	Lynx 4	996.0	453155	5435214	137	-53	534.6	537.0	2.4	5.79	
OSK-W-17-1413	405.19	Lynx 4	996.0	453155	5435214	137	-53	742.0	744.0	2.0	3.83	
OSK-W-17-1413	405.19	Lynx 6	996.0	453155	5435214	137	-53	967.8	970.2	2.4	8.35	
		including						967.8	968.7	0.9	15.9	
OSK-W-17-1413	405.19	Lynx 6	996.0	453155	5435214	137	-53	980.5	983.0	2.5	3.30	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1431	401.4	PW4	1128.0	452288	5434336	337	-62	1070.0	1072.0	2.0	5.73	
OSK-W-18-1431-W1	401.4	PW1	1092.0	452288	5434336	337	-62	758.0	760.3	2.3	3.06	
OSK-W-18-1431-W1	401.4	PW3	1092.0	452288	5434336	337	-62	922.1	924.6	2.5	4.25	
OSK-W-18-1431-W1	401.4	PW3 PW	1092.0	452288	5434336	337	-62	967.8	969.9	2.1	13.5	
		including						965.2	969.9	0.7	28.0	
OSK-W-18-1431-W2	401.4	PW1	1140.0	452288	5434336	337	-62	765.0	767.0	2.0	3.55	
OSK-W-18-1431-W2	401.4	Underdog	1140.0	452288	5434336	337	-62	854.4	856.5	2.1	11.3	
		including						854.9	855.5	0.6	37.8	
OSK-W-18-1432	400.35	Lynx	1203.0	453821	5435779	132	-55	945.0	947.0	2.0	8.84	
		including						946.0	947.0	1.0	17.4	
OSK-W-18-1432-W1	400.25	Lynx 4	1149.0	453811	5435779	132	-55	944.0	946.5	2.5	8.89	
OSK-W-18-1434	400.8	Underdog	1026.0	452453	5434496	335	-55	752.0	754.0	2.0	4.76	
		including						752.7	753.3	0.6	15.1	
OSK-W-18-1434	400.8	PW3	1026.0	452453	5434496	335	-55	859.5	864.2	4.7	11.6	
		and						859.5	860.0	0.5	63.4	
OSK-W-18-1434	400.8	PW3U	1026.0	452453	5434496	335	-55	863.8	864.2	0.4	45.5	
		including						862.0	862.4	0.4	68.7	
OSK-W-18-1435	396.78	Bobcat	801.0	453025	5434852	331	-65	301.5	303.8	2.3	32.8	31.1
		including						302.1	302.8	0.7	106	100
OSK-W-18-1435	396.78	Caribou extension	801.0	453025	5434852	331	-65	532.0	534.6	2.6	34.3	24.7
		including						533.3	533.9	0.6	142	100
OSK-W-18-1435	396.78	Caribou extension	801.0	453025	5434852	331	-65	539.0	541.0	2.0	4.38	
		including						540.2	540.5	0.3	29.0	
OSK-W-18-1435	396.78	Caribou extension	801.0	453025	5434852	331	-65	555.5	558.0	2.5	16.7	
		including						555.5	556.5	1.0	40.7	
OSK-W-18-1436	407.28	Lynx 2	1128.0	453374	5435505	139	-52	546.0	548.0	2.0	36.3	
		including						547.0	547.6	0.6	91.0	
OSK-W-18-1436	407.28	Lynx 4	1128.0	453374	5435505	139	-52	902.5	904.5	2.0	8.40	
		including						903.3	903.6	0.3	49.8	
OSK-W-18-1436	407.28	Lynx	1128.0	453374	5435505	139	-52	1026.7	1029.2	2.5	10.1	
OSK-W-18-1436	407.28	Lynx 4	1128.0	453374	5435505	139	-52	1063.3	1064.3	1.0	49.0	25.2
		including						1063.8	1064.3	0.5	191	
OSK-W-18-1436	407.28	Lynx 4	1128.0	453374	5435505	139	-52	1069.2	1074.2	5.0	33.8	
		including						1069.2	1069.8	0.6	97.6	
OSK-W-18-1440	398.47	Vein	870.0	452420	5434447	329	-57	544.1	546.5	2.4	16.1	
		including						545.6	546.5	0.9	17.2	
OSK-W-18-1440	398.47	PW1	870.0	452420	5434447	329	-57	729.3	732.0	2.7	31.4	26.7
		including						730.3	731.0	0.7	118	100
OSK-W-18-1441	402.63	Bobcat	441.0	452989	5434909	328	-60	181.0	187.6	6.6	8.06	
OSK-W-18-1441	402.63	Bobcat	441.0	452989	5434909	328	-60	304.0	306.3	2.3	24.1	
OSK-W-18-1443	400.33	Lynx HW	792.0	453443	5435477	136	-50	584.0	586.0	2.0	4.25	
		including						584.4	585.0	0.6	13.7	
OSK-W-18-1443	400.33	Lynx 4	792.0	453443	5435477	136	-50	668.0	670.9	2.9	68.5	45.1
		including						668.9	669.9	1.0	168	100
OSK-W-18-1445	398.45	Caribou extension	660.0	452895	5434864	337	-66	531.9	535.4	3.5	5.75	
OSK-W-18-1446	401.97	PW1	987.0	452257	5434331	335	-48	679.0	682.2	3.2	10.8	
		including						680.2	680.8	0.6	32.6	
OSK-W-18-1446	401.97	PW2	987.0	452257	5434331	335	-48	761.0	763.0	2.0	4.27	
		including						761.7	762.4	0.7	12.1	
OSK-W-18-1446	401.97	PW3	987.0	452257	5434331	335	-48	794.6	796.8	2.2	4.06	
		including						795.2	796.0	0.8	11.0	
OSK-W-18-1448	402	Caribou	483.0	452687	5434809	333	-52	263.0	265.0	2.0	6.02	
OSK-W-18-1448	402	Caribou	483.0	452687	5434809	333	-52	324.0	326.0	2.0	6.89	
OSK-W-18-1449	411.81	Bobcat	603.0	452901	5435120	145	-48	484	52.2	2.8	3.71	
OSK-W-18-1450	408.91	Lynx	660.0	453386	5435517	135	-53	535.0	537.0	2.0	13.4	
		including						535.5	537.0	0.5	51.6	
OSK-W-18-1450	408.91	Lynx 2	660.0	453386	5435517	135	-53	565.1	567.3	2.2	36.7	
OSK-W-18-1451-W2	399.6	Lynx 324	879.0	453787	5435664	142	-56	736.8	739.0	2.2	12.2	
		including						738.0	739.0	1.0	26.2	
OSK-W-18-1454	401.7	Lynx	1089.0	453376	5435452	145	-53	486.8	490.1	3.3	45.5	
		including						486.8	487.6	0.8	97.1	
		including						489.6	490.1	0.5	79.4	
OSK-W-18-1454	401.7	Lynx 4	1089.0	453376	5435452	145	-53	896.1	898.7	2.6	17.0	16.4
		including						896.1	896.5	0.4	104	100
OSK-W-18-1455	398.89	Lynx HW	552.0	453367	5435492	140	-49	441.0	443.6	2.6	4.13	
		including						441.3	442.0	0.7	10.5	
OSK-W-18-1457	413.43	Bobcat	318.0	452981	5435148	137	-57	52.7	55.0	2.3	10.5	
		including						54.0	54.3	0.3	66.0	
OSK-W-18-1459	408.77	VNCR	621.0	452982	5435185	132	-50	180.0	182.0	2.0	8.26	
		including						181.2	182.0	0.8	20.1	
OSK-W-18-1459	408.77	Bobcat	621.0	452982	5435185	132	-50	256.0	258.0	2.0	9.52	
		including						257.5	258.0	0.5	36.4	
OSK-W-18-1460	398.34	Lynx HW	432.3	453469	5435345	143	-51	296.0	298.0	2.0	3.67	
OSK-W-18-1460	398.34	Lynx HW	432.3	453469	5435345	143	-51	311.3	313.6	2.3	16.1	
OSK-W-18-1460	398.34	Lynx HW	432.3	453469	5435345	143	-51	332.0	337.4	5.4	45.3	
		including						332.0	332.5	0.5	20.3	
		including						337.0	337.4	0.4	28.5	
OSK-W-18-1461	409.6	Lynx	849.0	453307	5435500	133	-52	782.0	784.3	2.3	16.9	
		including						783.5	784.3	0.8	88.1	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-18-1462	307.5	Lynx	225.0	453324	5434950	331	-47	141.3	144.0	2.7	3.77	
			including					142.2	142.6	0.4	19.3	
OSK-W-18-1463	401.54	227	135.0	451930	5434743	161	-45	81.0	85.0	2.0	14.6	
			including					81.6	82.6	1.0	26.4	
OSK-W-18-1463	401.54	227	135.0	451930	5434743	161	-45	101.8	112.2	10.4	3.24	
			including					101.8	102.5	0.7	17.3	
OSK-W-18-1464	395.76	Lynx	432.0	453466	5435043	334	-72	208.8	211.0	2.2	4.75	
OSK-W-18-1464	395.76	Lynx	432.0	453466	5435043	334	-72	260.0	262.9	2.9	3.84	
OSK-W-18-1464	395.76	Lynx	432.0	453466	5435043	334	-72	273.0	275.7	2.7	8.07	
			including					273.8	274.3	0.5	35.7	
OSK-W-18-1464	395.76	Lynx	432.0	453466	5435043	334	-72	277.0	279.7	2.7	4.52	
			including					278.9	279.3	0.4	22.9	
OSK-W-18-1464	395.76	VNCR	432.0	453466	5435043	334	-72	396.1	398.7	2.6	42.3	15.9
			including					397.5	398.0	0.5	29.0	100
OSK-W-18-1464	395.76	VNCR	432.0	453466	5435043	334	-72	406.8	409.7	2.9	3.80	
OSK-W-18-1465	402.56	Bobcat	166.3	452363	5434807	330	-50	152.0	154.3	2.3	3.24	
			including					152.0	152.6	0.6	27.0	
OSK-W-18-1466	400.38	227	300.0	451979	5434532	345	-47	129.2	131.2	2.0	4.28	
			including					130.7	131.2	0.5	14.3	
OSK-W-18-1466	400.38	227	300.0	451979	5434532	345	-47	177.0	179.0	2.0	3.81	
			including					178.1	178.5	0.4	17.8	
OSK-W-18-1468	399.86	Caribou	66.0	452252	5434590	328	-55	46.7	50.0	3.3	10.0	
			including					47.2	47.5	0.3	27.2	
OSK-W-18-1470	397.42	Lynx	324.0	453325	5434948	331	-57	149.2	152.3	3.1	14.5	
			including					150.4	151.2	0.8	44.9	
OSK-W-18-1470	397.42	Lynx	324.0	453325	5434948	331	-57	184.0	186.0	2.0	28.4	
			including					184.0	185.0	1.0	56.7	
OSK-W-18-1470	397.42	Lynx	324.0	453325	5434948	331	-57	203.9	206.0	2.1	5.43	
			including					203.9	204.2	0.3	33.5	
OSK-W-18-1470	397.42	Lynx	324.0	453325	5434948	331	-57	235.6	238.6	3.0	64.2	37.4
			including					236.0	236.7	0.7	215	100
OSK-W-18-1471	400.06	Bobcat	147.0	451897	5434762	346	-46	144.0	146.0	2.0	14.8	
OSK-W-18-1472	405.96	Bobcat	300.0	452628	5434899	146	-47	45.0	56.1	11.1	14.4	
			including					50.4	53.0	2.6	38.4	
OSK-W-18-1473	399.84	Caribou	387.0	452253	5434589	329	-55	46.7	49.6	2.9	11.9	
OSK-W-18-1473	399.84	Caribou	387.0	452253	5434589	329	-55	162.0	164.0	2.0	4.13	
			including					162.5	163.0	0.5	12.1	
OSK-W-18-1473	399.84	227	387.0	452253	5434589	329	-55	373.0	375.3	2.3	3.87	
OSK-W-18-1475	395.53	Lynx	357.0	453262	5434892	327	-56	258.8	261.0	2.2	8.09	
			including					258.8	259.1	0.3	36.1	
OSK-W-18-1476	399.68	227	294.0	452016	5434498	334	-46	250.7	253.0	2.3	3.05	
			including					250.7	251.0	0.3	12.6	
OSK-W-18-1476	399.68	227	294.0	452016	5434498	334	-46	251.0	253.0	2.0	6.38	
			including					252.0	252.4	0.4	30.1	
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	549.1	552.8	3.7	20.1	
			including					550.1	551.0	0.9	63.9	
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	749.8	752.8	3.0	3.09	
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	783.3	787.0	3.7	86.9	15.9
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	783.3	783.8	0.5	625	100
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	793.8	796.0	2.2	105	42.1
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	794.8	795.4	0.6	330	100
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	846.0	848.0	2.0	3.82	
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	895.0	897.0	2.0	15.9	
			including					896.0	897.0	1.0	31.8	
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	912.1	914.9	2.8	7.01	
			including					912.1	912.4	0.3	53.8	
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	1099.0	1101.0	2.0	8.83	
			including					1099.0	1100.0	1.0	17.5	
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	1106.0	1117.8	11.8	4.83	
			including					1109.9	1112.7	2.8	14.4	
OSK-W-18-1477	407.5	Lynx	1200.0	453257	5435474	135	-50	1167.0	1169.2	2.2	20.3	
			including					1167.8	1168.2	0.4	58.0	
OSK-W-18-1481	412.29	Bobcat	108.0	452706	5434971	322	-46	89.0	91.0	2.0	12.7	
			including					89.4	90.6	1.2	22.9	
OSK-W-18-1483	404.42	Lynx	177.0	452778	5434886	143	-54	100.0	102.0	2.0	3.33	
			including					101.2	101.5	0.3	21.7	
OSK-W-18-1486	395.93	Lynx	366.0	453283	5434874	331	-53	301.6	304.0	2.4	3.80	
			including					301.6	302.5	0.9	9.34	
OSK-W-18-1487	399.24	Caribou	57.0	452342	5434658	332	-46	44.5	50.0	5.5	3.62	
OSK-W-18-1488	403.57	Caribou	148.0	452313	5434629	338	-53	82.9	86.6	3.7	5.17	
OSK-W-18-1490	404.25	Bobcat	125.0	452749	5434854	334	-55	34.7	37.3	2.6	7.34	
			including					35.7	36.3	0.6	19.2	
OSK-W-18-1492	395.76	Lynx	420.0	453438	5434905	333	-58	311.6	314.7	3.1	18.9	
OSK-W-18-1492	395.76	VNCR	420.0	453438	5434905	333	-58	337.3	339.5	2.2	10.1	
			including					338.7	339.5	0.8	26.3	
OSK-W-18-1492	395.76	VNCR	420.0	453438	5434905	333	-58	402.6	405.0	2.4	3.82	
OSK-W-18-1494	401.86	Bobcat	231.0	452836	5434894	332	-50	110.4	112.4	2.0	14.8	
			including					110.9	111.6	0.7	36.5	
OSK-W-18-1494	401.86	Bobcat	231.0	452836	5434894	332	-50	190.7	192.9	2.2	5.71	
			including					191.4	192.5	1.1	11.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1495	395.82	Lynx	381.0	453454	5434963	336	-67	365.0	367.0	2.0	7.54	
								365.5	366.4	0.9	15.8	
OSK-W-18-1496	401.14	Lynx	456.4	453318	5435368	143	-51	390.1	394.8	4.7	14.5	
								392.3	392.8	0.5	91.9	
OSK-W-18-1496	401.14	Lynx	456.4	453318	5435368	143	-51	422.8	425.0	2.2	10.1	
								422.8	423.7	0.9	24.6	
OSK-W-18-1497	399.39	Caribou	363.0	452349	5434662	331	-52	72.2	74.4	2.2	5.46	
								72.2	72.8	0.6	14.1	
OSK-W-18-1497	399.39	Caribou	363.0	452349	5434662	331	-52	91.3	94.0	2.7	3.84	
OSK-W-18-1497	399.39	227	363.0	452349	5434662	331	-52	288.0	295.0	7.0	10.00	
								292.0	292.8	0.8	46.9	
OSK-W-18-1497	399.39	227	363.0	452349	5434662	331	-52	305.0	311.0	6.0	8.53	
								310.4	311.0	0.6	42.3	
OSK-W-18-1498	398.42	227	384.0	452235	5434594	323	-61	372.0	374.0	2.0	3.58	
OSK-W-18-1498	398.42	227	384.0	452235	5434594	323	-61	351.0	353.0	2.0	3.58	
OSK-W-18-1499	400.54	Caribou	378.0	452313	5434628	326	-52	38.5	41.0	2.5	10.8	
								38.5	39.0	0.5	39.8	
OSK-W-18-1499	400.54	227	378.0	452313	5434628	326	-52	336.0	336.0	0.0	7.38	
								333.7	334.4	0.7	17.7	
OSK-W-18-1499	400.54	227	378.0	452313	5434628	326	-52	336.5	338.6	2.1	3.02	
OSK-W-18-1501	409.76	Bobcat	291.0	452918	5435022	140	-51	112.8	114.7	1.9	37.4	26.3
								113.9	114.4	0.5	142	100
OSK-W-18-1501	409.76	Lynx	291.0	452918	5435022	140	-51	227.8	240.0	12.2	20.8	
								239.1	240.0	0.9	49.0	
OSK-W-18-1501	409.76	Lynx	291.0	452918	5435022	140	-51	246.5	248.5	2.0	3.67	
OSK-W-18-1501	399.03	Lynx	543.0	453429	5435419	132	-46	445.8	448.4	2.6	62.1	36.2
								446.8	447.8	1.0	160	93.0
OSK-W-18-1501-W1	399.03	Lynx	468.0	453429	5435419	145	-45	455.0	457.0	2.0	3.75	
								408.8	409.1	2.3	5.08	
OSK-W-18-1501-W1	399.03	Lynx	468.0	453429	5435419	145	-45	407.5	408.3	0.8	11.3	
								420.0	422.0	2.0	59.3	36.4
OSK-W-18-1501-W1	399.03	Lynx	468.0	453429	5435419	145	-45	426.7	424.6	0.7	166	100
								430.5	432.5	2.0	29.7	15.5
								431.2	431.5	0.3	195	100
OSK-W-18-1504	396.05	Lynx	257.0	453413	5434904	330	-48	228.8	231.0	2.2	14.5	19.4
								228.8	229.1	0.3	1029	100
OSK-W-18-1505	399.35	Caribou	342.0	452349	5434662	328	-45	46.0	49.0	3.0	8.78	
OSK-W-18-1505	399.35	Caribou	342.0	452349	5434662	328	-45	55.0	57.0	2.0	8.78	
OSK-W-18-1505	399.35	Caribou	342.0	452349	5434662	328	-45	78.9	81.0	2.1	17.0	
								79.5	80.5	1.0	34.7	
OSK-W-18-1505	399.35	Caribou	342.0	452349	5434662	328	-45	88.0	90.4	2.4	4.50	
OSK-W-18-1505	399.35	227	342.0	452349	5434662	328	-45	196.0	198.0	2.0	3.07	
OSK-W-18-1506	400.47	Caribou	417.0	452367	5434645	329	-53	208.9	211.0	2.1	6.11	
OSK-W-18-1506	400.47	227	417.0	452367	5434645	329	-53	353.0	355.3	2.3	6.66	
OSK-W-18-1508	397.25	Lynx	282.0	453346	5434954	331	-57	214.0	217.0	3.0	18.3	
								214.0	214.7	0.7	74.4	
OSK-W-18-1508	397.25	Lynx	282.0	453346	5434954	331	-57	224.3	225.5	2.2	25.3	
								224.9	225.5	0.6	85.3	
OSK-W-18-1508	397.25	Lynx	282.0	453346	5434954	331	-57	231.2	233.8	2.6	27.2	
OSK-W-18-1508	397.25	Lynx	282.0	453346	5434954	331	-57	241.0	247.5	6.5	5.31	
OSK-W-18-1509	408.39	Bobcat	228.0	452907	5434997	329	-51	14.8	17.0	2.2	6.23	
								15.5	15.8	0.3	38.7	
OSK-W-18-1509	408.39	Bobcat	228.0	452907	5434997	329	-51	47.7	53.3	5.6	4.27	
								51.5	51.9	0.4	28.6	
OSK-W-18-1509	408.39	Bobcat	228.0	452907	5434997	329	-51	213.3	215.5	2.2	5.08	
								214.4	214.8	0.4	26.1	
OSK-W-18-1510	401.07	227 HW	405.0	452279	5434571	325	-58	304.7	306.7	2.0	34.6	
								306.0	306.7	0.7	75.1	
OSK-W-18-1510	401.07	227	405.0	452279	5434571	325	-58	360.2	362.4	2.2	4.81	
OSK-W-18-1511	397.22	Lynx	357.0	453346	5434953	335	-58	246.5	249.8	3.3	97.6	46.5
								267.9	248.6	0.7	345	100
OSK-W-18-1512	396.01	Lynx	450.0	453412	5434904	332	-55	223.0	225.0	2.0	3.38	
								223.0	223.6	0.6	10.8	
OSK-W-18-1512	396.01	Lynx	450.0	453412	5434904	332	-55	268.0	270.4	2.4	10.2	
								268.0	268.5	0.5	39.0	
OSK-W-18-1512	396.01	Lynx	450.0	453412	5434904	332	-55	286.0	288.0	2.0	8.66	
								287.0	287.4	0.4	41.4	
OSK-W-18-1512	396.01	VNCR	450.0	453412	5434904	332	-55	422.2	425.0	2.8	18.9	
OSK-W-18-1516	398.48	Lynx	302.0	453224	5435011	331	-48	43.7	46.8	3.1	135	10.7
								63.7	44.0	0.1	126	100
OSK-W-18-1516	398.48	Lynx	302.0	453224	5435011	331	-48	62.5	65.4	2.9	13.4	
OSK-W-18-1517	399.54	Caribou	348.0	452389	5434668	330	-49	81.7	86.0	6.3	4.24	
OSK-W-18-1517	399.54	Caribou	348.0	452389	5434668	330	-49	131.0	133.4	2.4	3.60	
OSK-W-18-1517	399.54	227	348.0	452389	5434668	330	-49	263.0	265.6	2.6	4.84	
OSK-W-18-1517	399.54	227	348.0	452389	5434668	330	-49	290.0	292.0	2.0	5.72	
OSK-W-18-1518	400.93	VNCR	393.0	452266	5434568	330	-54	71.6	74.0	2.4	5.39	
OSK-W-18-1518	400.93	Caribou	393.0	452266	5434568	330	-54	112.0	114.6	2.6	3.57	
OSK-W-18-1518	400.93	Caribou	393.0	452266	5434568	330	-54	112.0	121.0	4.0	6.95	
								118.7	120.0	1.3	11.4	
OSK-W-18-1518	400.93	Caribou	393.0	452266	5434568	330	-54	218.0	221.0	3.0	3.74	
OSK-W-18-1518	400.93	Caribou	393.0	452266	5434568	330	-54	288.0	291.0	2.6	20.6	





Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
including												
OSK-W-18-1541	398.59	Caribou	258.0	452252	5434639	332	-48	399.9	401.0	1.1	18.1	
including												
OSK-W-18-1543	398.57	227	294.0	452252	5434639	327	-52	62.5	63.4	0.9	31.7	
including												
OSK-W-18-1543	398.57	227	294.0	452252	5434639	327	-52	207.0	209.3	2.3	8.15	
including												
OSK-W-18-1543	398.57	227	294.0	452252	5434639	327	-52	219.4	222.6	3.2	4.97	
including												
OSK-W-18-1543	398.57	Zone 27	294.0	452252	5434639	327	-52	269.0	271.1	2.1	3.41	
OSK-W-18-1545	403.19	Caribou	522.0	452452	5434665	332	-49	189.6	196.3	6.7	3.31	
OSK-W-18-1545	403.19	Caribou	522.0	452452	5434665	332	-49	240.0	242.5	2.5	5.33	
OSK-W-18-1545	403.19	Zone 27	522.0	452452	5434665	332	-49	383.0	385.9	2.9	11.2	
OSK-W-18-1545	403.19	227	522.0	452452	5434665	332	-49	454.8	457.0	2.2	13.4	
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	232.6	235.3	2.7	4.13	
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	254.1	256.9	2.8	29.9	
including												
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	264.4	266.8	2.4	10.4	
including												
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	273.1	275.2	2.1	8.79	
including												
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	307.5	312.0	4.5	19.0	
including												
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	309.5	310.2	0.7	96.8	
including												
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	327.1	329.1	2.0	109	50.5
including												
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	327.7	328.7	1.0	219	100
including												
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	347.7	349.9	2.2	273	41.1
including												
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	348.0	348.9	0.9	668	100
including												
OSK-W-18-1546	395.81	Lynx	411.0	453421	5434024	331	-55	352.6	352.2	2.6	8.66	
including												
OSK-W-18-1547	400.15	Caribou	440.7	452301	5434638	330	-62	352.3	354.2	0.9	24.9	
OSK-W-18-1547	400.15	Caribou	440.7	452301	5434638	330	-62	108.6	113.2	4.6	4.86	
OSK-W-18-1547	400.15	Caribou	440.7	452301	5434638	330	-62	286.4	288.8	2.4	3.67	
OSK-W-18-1547	400.15	Caribou	440.7	452301	5434638	330	-62	294.6	296.8	2.2	3.60	
OSK-W-18-1547	400.15	227	440.7	452301	5434638	330	-62	338.0	348.7	10.7	12.6	
including												
OSK-W-18-1547	400.15	227	440.7	452301	5434638	330	-62	342.0	349.0	7.0	93.7	
OSK-W-18-1547	400.15	227	440.7	452301	5434638	330	-62	371.0	375.2	4.2	27.0	
OSK-W-18-1547	400.15	227	440.7	452301	5434638	330	-62	379.5	382.0	2.5	22.5	
OSK-W-18-1550	404.13	Lynx	1035.0	453373	5435483	140	-52	510.7	514.3	3.6	106	30.2
including												
OSK-W-18-1550	404.13	Lynx	1035.0	453373	5435483	140	-52	510.7	511.9	1.2	86	86.8
including												
OSK-W-18-1550	404.13	Lynx 313	1035.0	453373	5435483	140	-52	583.4	585.4	2.0	10.3	
including												
OSK-W-18-1550	404.13	Lynx 313	1035.0	453373	5435483	140	-52	584.5	585.0	0.5	30.1	
including												
OSK-W-18-1551	395.8	Lynx	291.0	453422	5434024	335	-53	886.3	889.5	3.2	284	57.9
including												
OSK-W-18-1551	395.8	Lynx	291.0	453422	5434024	335	-53	886.3	888.8	0.5	893	100
including												
OSK-W-18-1551	395.8	Lynx	291.0	453422	5434024	335	-53	234.4	236.8	2.4	34.0	
including												
OSK-W-18-1552	400.3	Caribou	366.0	452309	5434639	332	-52	236.3	236.8	0.5	98.7	
including												
OSK-W-18-1552	400.3	227	366.0	452309	5434639	332	-52	253.8	255.6	1.8	154	97.5
including												
OSK-W-18-1552	400.3	227	366.0	452309	5434639	332	-52	101.2	103.5	2.3	5.98	
including												
OSK-W-18-1552	400.3	227	366.0	452309	5434639	332	-52	101.6	102.4	0.8	15.1	
including												
OSK-W-18-1552	400.3	227	366.0	452309	5434639	332	-52	260.0	262.0	2.0	7.31	
including												
OSK-W-18-1552	400.3	227	366.0	452309	5434639	332	-52	260.0	261.0	1.0	14.1	
including												
OSK-W-18-1552	400.3	227	366.0	452309	5434639	332	-52	283.0	287.5	4.5	6.29	
including												
OSK-W-18-1552	400.3	227	366.0	452309	5434639	332	-52	316.0	318.0	2.0	3.70	
including												
OSK-W-18-1555	396.23	VNCR	423.0	453318	5434897	331	-60	116.0	116.3	0.3	19.9	
including												
OSK-W-18-1557	395.77	Lynx	374.0	453422	5434025	335	-52	400.6	402.6	1.0	51.0	
including												
OSK-W-18-1557	395.77	Lynx	374.0	453422	5434025	335	-52	230.0	232.0	2.0	3.72	
including												
OSK-W-18-1558	403.23	Caribou	459.0	452464	5434663	336	-47	279.0	284.6	5.6	39.3	22.3
including												
OSK-W-18-1558	403.23	Caribou	459.0	452464	5434663	336	-47	283.5	286.6	1.1	187	100.0
including												
OSK-W-18-1558	403.23	227 101	459.0	452464	5434663	336	-47	156.0	158.0	2.0	14.4	
including												
OSK-W-18-1558-W1	403.23	227 115	459.0	452464	5434663	336	-47	273.8	275.2	1.4	3.30	
including												
OSK-W-18-1558-W1	403.23	227 115	459.0	452464	5434663	336	-47	365.7	372.8	7.1	6.98	
including												
OSK-W-18-1558-W1	403.23	227 101	459.0	452464	5434663	336	-47	346.5	352.0	5.5	4.48	
including												
OSK-W-18-1558-W1	403.23	227 115	459.0	452464	5434663	336	-47	373.0	375.0	2.0	4.30	
including												
OSK-W-18-1558-W1	403.23	227 115	459.0	452464	5434663	336	-47	379.0	383.0	4.0	3.06	
including												
OSK-W-18-1558-W1	403.23	227 115	459.0</									



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-18-1561	396.4	Lynx	302.0	453404	5434957	334	-52	195.0	197.2	2.2	7.38	
								195.0	196.0	1.0	15.7	
OSK-W-18-1563	399.71	Caribou	330.0	452297	5434657	334	-46	64.0	66.8	2.8	4.72	
OSK-W-18-1563	399.71	Caribou	330.0	452297	5434657	334	-46	158.0	160.0	2.0	4.52	
OSK-W-18-1563	399.71	227	330.0	452297	5434657	334	-46	283.0	285.9	2.9	5.20	
OSK-W-18-1563	399.71	227	330.0	452297	5434657	334	-46	302.0	304.0	2.0	4.49	
OSK-W-18-1564	400.55	Caribou	366.0	452430	5434680	324	-47	160.0	162.0	2.0	4.67	
OSK-W-18-1564	400.55	Caribou	366.0	452430	5434680	324	-47	276.0	281.0	2.0	4.71	
OSK-W-18-1565	396.24	Lynx	426.0	453387	5434919	330	-57	220.6	223.2	2.6	16.4	
								220.6	221.2	0.6	68.5	
OSK-W-18-1565	396.24	Lynx	426.0	453387	5434919	330	-57	285.5	291.7	6.2	6.49	
								285.5	286.5	1.0	15.7	
								291.2	291.7	0.5	31.6	
OSK-W-18-1565	396.24	Lynx	426.0	453387	5434919	330	-57	370.0	372.8	2.8	9.63	
								370.0	370.8	0.8	32.4	
OSK-W-18-1567	398.94	227	213.0	452238	5434683	328	-48	172.0	174.0	2.0	3.34	
OSK-W-18-1567	398.94	227	213.0	452238	5434683	328	-48	187.2	191.0	3.8	8.56	
								190.5	191.0	0.5	40.5	
OSK-W-18-1569	401.73	Lynx	522.0	453325	5435397	142	-46	390.7	393.1	2.4	10.3	
								391.3	392.1	0.8	30.5	
OSK-W-18-1569-W1	401.73	Lynx	525.0	453325	5435397	142	-46	428.0	430.4	2.4	20.9	18.8
								429.4	429.8	0.4	113	100
OSK-W-18-1570	396.44	Lynx	402.0	453365	5434932	331	-55	191.0	193.8	2.8	24.5	20.3
								192.9	193.3	0.4	124	100
OSK-W-18-1570	396.44	Lynx	402.0	453365	5434932	331	-55	305.0	307.0	2.0	10.7	
								305.5	306.2	0.7	30.3	
OSK-W-18-1571	404.4	227	201.0	452181	5434857	154	-57	180.0	182.0	2.0	3.34	
OSK-W-18-1572	403.42	Caribou	558.0	452469	5434627	333	-50	206.0	208.6	2.6	3.49	
OSK-W-18-1572	403.42	227	558.0	452469	5434627	333	-50	532.0	534.0	2.0	6.61	
								532.0	532.6	0.6	21.4	
OSK-W-18-1575	397.6	Lynx	216.0	453358	5435008	330	-59	133.0	135.4	2.4	36.1	
								133.7	134.5	0.8	64.1	
								135.0	135.4	0.4	62.4	
OSK-W-18-1575	397.6	Lynx	216.0	453358	5435008	330	-59	142.0	144.0	2.0	7.35	
								143.0	144.0	1.0	14.7	
OSK-W-18-1577	401.13	227	153.0	452235	5434844	325	-45	88.8	91.2	2.4	8.83	
								89.5	90.2	0.7	30.1	
OSK-W-18-1578	396.14	Lynx	351.0	453451	5435008	331	-60	259.2	264.3	5.1	6.48	
								264.0	264.3	0.3	59.9	
OSK-W-18-1578	396.14	Lynx	351.0	453451	5435008	331	-60	279.5	282.1	2.6	3.59	
OSK-W-18-1578	396.14	Lynx	351.0	453451	5435008	331	-60	294.4	296.6	2.2	3.39	
OSK-W-18-1579	397.99	Lynx	171.0	453315	5435013	331	-57	115.0	117.0	2.0	4.09	
OSK-W-18-1579	397.99	Lynx	171.0	453315	5435013	331	-57	120.2	122.5	2.3	4.09	
								122.2	122.5	0.3	20.5	
OSK-W-18-1580	400.55	227	60.0	452264	5434854	327	-46	15.0	17.0	2.0	6.47	
								15.0	15.7	0.7	18.1	
OSK-W-18-1582	409.92	VNCR	1248.0	453279	5435516	143	-50	530.5	532.5	2.0	3.44	
OSK-W-18-1582	409.92	Lynx 4	1248.0	453279	5435516	143	-50	874.2	877.3	3.1	13.6	
								874.2	875.0	0.8	35.4	
OSK-W-18-1582	409.92	Lynx 4	1248.0	453279	5435516	143	-50	911.0	913.0	2.0	6.64	
OSK-W-18-1586	404.91	227	117.0	452271	5434953	146	-52	37.5	40.0	2.5	3.63	
OSK-W-18-1586	404.91	227	117.0	452271	5434953	146	-52	52.4	55.6	3.2	37.9	
								53.2	54.0	0.8	83.7	
OSK-W-18-1587	396.06	Lynx	360.0	453451	5435009	332	-62	198.1	200.1	2.0	10.0	
OSK-W-18-1587	396.06	Lynx	360.0	453451	5435009	332	-62	198.1	200.1	2.0	10.0	
								199.1	200.1	1.0	18.8	
OSK-W-18-1587	396.06	Lynx	360.0	453451	5435009	332	-62	288.1	290.5	2.4	13.2	
								289.1	289.5	0.4	77.7	
OSK-W-18-1587	396.06	VNCR	360.0	453451	5435009	332	-62	322.5	328.6	6.1	5.01	
								322.5	323.5	1.0	17.3	
OSK-W-18-1587	396.06	Lynx	360.0	453451	5435009	332	-62	345.8	347.8	2.0	21.5	
								345.8	346.8	1.0	40.7	
OSK-W-18-1589	405.71	227	123.0	452257	5434944	138	-48	101.6	103.8	2.2	74.2	24.0
								102.9	103.4	0.5	326.0	100
OSK-W-18-1593	396.03	Lynx	381.0	453489	5435064	329	-68	194.8	197.1	2.3	3.33	
								195.2	195.8	0.6	13.5	
OSK-W-18-1593	396.03	Lynx	381.0	453489	5435064	329	-68	228.1	230.9	2.8	494	13.2
								230.6	230.9	0.3	459.0	100
OSK-W-18-1593	396.03	VNCR	381.0	453489	5435064	329	-68	354.5	357.0	2.5	6.63	
OSK-W-18-1593	396.03	VNCR	381.0	453489	5435064	329	-68	364.0	367.9	3.9	3.25	
OSK-W-18-1594	405.39	227	270.0	452212	5434965	140	-50	166.9	169.3	2.4	3.53	
OSK-W-18-1594	405.39	227	270.0	452212	5434965	140	-50	177.8	180.4	2.6	10.4	
OSK-W-18-1596	399.59	227	339.0	452326	5434670	333	-45	245.6	247.1	2.1	5.52	
								245.6	246.1	0.5	13.4	
OSK-W-18-1597	399.05	Caribou	254.0	452277	5434662	325	-47	127.9	130.0	2.1	9.08	
								127.9	129.0	1.1	17.3	
OSK-W-18-1597	399.05	227	254.0	452277	5434662	325	-47	205.0	207.5	2.5	5.08	
OSK-W-18-1598	405.56	Lynx	525.0	453346	5435471	145	-51	434.8	437.0	2.2	5.47	
								435.4	436.1	0.7	14.7	
OSK-W-18-1598-W1	405.56	Lynx	546.0	453346	5435471	145	-51	511.0	513.0	2.0	51.5	46.5



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-18-1601	399.58	Caribou	273.0	452267	5434628	330	-49	33.0	35.0	2.0	4.38	
OSK-W-18-1602	399.14	Caribou	261.0	452277	5434662	330	-47	83.5	85.5	2.0	18.4	
		including						83.5	84.5	1.0	36.4	
OSK-W-18-1602	399.14	Caribou	261.0	452277	5434662	330	-47	140.7	143.1	2.4	7.94	
		including						141.8	142.4	0.6	22.4	
OSK-W-18-1602	399.14	Caribou	261.0	452277	5434662	330	-47	170.5	172.5	2.0	4.13	
OSK-W-18-1603	396.36	Triple 8	2109.0	453340	5434543	35	-80	1491.3	1519.6	28.3	20.4	17.7
		including						1501.0	1511.0	10.0	44.5	36.9
		including						1501.0	1505.0	4.0	81.1	62.0
OSK-W-18-1603-W1	396.36	Triple 8	1668.6	453340	5434543	35	-80	1373.3	1375.7	2.4	18.0	
		including						1373.3	1374.1	0.8	40.6	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1411.0	1413.9	2.9	8.94	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1453.5	1455.5	2.1	11.9	
		including						1453.5	1454.2	0.7	31.8	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1459.5	1461.5	2.0	4.04	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1477.7	1479.7	2.0	5.62	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1550.8	1553.0	2.2	4.25	
		including						1550.0	1552.4	0.4	13.2	
OSK-W-18-1603-W3	396.36	Triple 8	1743.0	453340	5434543	35	-80	1558.0	1560.2	2.2	4.80	
OSK-W-18-1603-W4	396.36	Triple 8	1743.0	453340	5434543	35	-80	1622.3	1624.8	2.5	9.17	
OSK-W-18-1603-W5	396.36	Triple 8 3002	1791.0	453340	5434543	35	-80	1525.4	1526.0	2.6	3.70	
OSK-W-18-1603-W5	396.36	Triple 8	1791.0	453340	5434543	35	-80	1542.0	1544.0	2.0	4.96	
		including						1540.5	1542.8	0.3	15.7	
OSK-W-18-1603-W5	396.36	Triple 8	1791.0	453340	5434543	35	-80	1612.0	1614.0	2.0	266	50.1
		including						1612.0	1613.0	1.0	531	100
OSK-W-18-1603-W5	396.36	Triple 8	1791.0	453340	5434543	35	-80	1613.3	1615.3	2.0	19.0	
		including						1613.9	1614.7	0.8	44.0	
OSK-W-18-1603-W5	396.36	Triple 8	1791.0	453340	5434543	35	-80	1681.8	1681.0	2.2	7.08	
		including						1681.4	1681.9	0.5	29.6	
OSK-W-18-1603-W5	396.36	Triple 8	1791.0	453340	5434543	35	-80	1711.7	1713.9	2.2	9.85	
OSK-W-18-1604	407.17	Lynx 336	909.0	453219	5435347	142	-52	715.3	717.3	2.0	35.1	
		including						715.3	720.8	1.0	66.9	
OSK-W-18-1604	407.17	Lynx 350	909.0	453219	5435347	142	-52	833.0	836.7	3.7	29.1	15.1
		including						834.6	834.9	0.3	272	100
OSK-W-18-1605	399.59	Caribou	345.0	452326	5434670	329	-45	91.3	93.3	2.0	3.37	
OSK-W-18-1605	399.59	227	345.0	452326	5434670	329	-45	248.0	250.0	2.0	3.05	
OSK-W-18-1607	398.71	227	261.0	452344	5434628	332	-47	202.0	204.0	2.0	8.80	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	510.1	513.4	3.3	17.2	
		including						512.6	513.4	0.8	54.9	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	818.7	823.2	4.5	10.0	
		including						819.7	820.6	0.9	26.5	
		and						822.9	823.2	0.3	42.2	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	1045.5	1048.5	3.0	3.74	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	1087.5	1089.0	5.5	3.50	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	1099.5	1105.1	5.6	3.73	
OSK-W-18-1608	405.63	Lynx	1161.0	453330	5435466	146	-51	1108.5	1115.5	2.0	6.61	
OSK-W-18-1609	399.68	Caribou	335.0	452314	5434664	334	-45	58.5	62.0	2.5	5.54	
		including						58.5	59.7	1.2	11.4	
OSK-W-18-1609	399.68	227	315.0	452314	5434664	334	-45	257.8	260.5	2.7	4.69	
		including						258.8	259.3	0.5	22.2	
OSK-W-18-1611	399.28	Caribou	270.0	452278	5434652	328	-46	82.0	84.1	2.1	5.19	
		including						83.3	84.1	0.8	12.6	
OSK-W-18-1611	399.28	227	270.0	452278	5434652	328	-46	215.9	218.0	2.1	5.41	
OSK-W-18-1613	401.01	Lynx	381.0	453201	5435176	141	-52	171.7	174.0	2.3	8.12	
		including						173.0	174.0	1.0	18.2	
OSK-W-18-1613	401.01	Lynx	381.0	453201	5435176	141	-52	221.4	226.6	5.2	46.4	17.2
		including						221.4	222.2	0.8	290	100
OSK-W-18-1613	401.01	Lynx	381.0	453201	5435176	141	-52	333.0	335.1	2.1	6.58	
		including						333.5	334.0	0.5	26.9	
OSK-W-18-1614	405.6	227	279.0	452158	5434951	146	-47	71.0	73.1	2.1	6.47	
OSK-W-18-1614	405.6	227	279.0	452158	5434951	146	-47	81.0	85.3	4.3	3.48	28.2
		including						84.0	85.3	1.3	10.0	78.5
OSK-W-18-1615	405.57	Lynx	992.5	453330	5435465	149	-48	479.3	481.4	2.1	18.0	
		including						479.8	480.4	0.6	60.0	
OSK-W-18-1615	405.57	Lynx	992.5	453330	5435465	149	-48	494.5	496.6	2.1	12.7	
		including						495.1	495.6	0.5	48.6	
OSK-W-18-1616-W1	395.9	New zone	2244.3	454135	5435058	40	-85	1985.1	1988.5	3.4	22.4	18.9
		including						1987.1	1987.7	0.6	120	100
OSK-W-18-1616-W2	395.9	Triple 8	2293.0	454135	5435058	40	-85	2075.0	2077.0	2.0	13.4	
OSK-W-18-1617	399.29	Caribou	245.0	452273	5434675	329	-47	151.7	154.9	2.6	3.49	
		including						153.9	154.3	0.4	15.7	
OSK-W-18-1618	399.72	Caribou	255.0	452315	5434663	326	-45	105.5	103.0	2.5	3.00	
		including						160.8	161.4	0.6	11.0	
OSK-W-18-1622	405.82	227	303.0	452159	5434943	139	-48	32.5	34.6	2.1	16.0	
OSK-W-18-1623	399.51	Caribou	279.0	452291	5434649	332	-45	175.0	177.3	2.3	6.51	
		including						175.5	176.0	0.5	18.7	
		including						177.0	177.3	0.3	14.3	
OSK-W-18-1624	399.71	Caribou	333.0	452315	5434663	330	-47	62.2	65.1	2.9	6.01	
		including						62.2	62.9	0.7	15.5	
OSK-W-18-1624	399.71	Caribou	333.0	452315	5434663	330	-47	181.6	184.0	2.4	7.97	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
including												
OSK-W-18-1624	399.71	227	333.0	452315	5434663	330	-47	181.6	182.1	0.5	36.1	
OSK-W-18-1627	406.52	Lynx	513.0	453229	5435372	141	-51	306.2	311.0	4.8	4.30	
OSK-W-18-1627	406.52	Lynx	513.0	453229	5435372	141	-51	406.6	409.0	2.4	9.25	
OSK-W-18-1627	406.52	Lynx	513.0	453229	5435372	141	-51	439.6	442.0	2.4	15.1	
OSK-W-18-1627	406.52	Lynx	513.0	453229	5435372	141	-51	476.0	478.0	2.0	11.8	
including												
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	476.9	477.5	0.6	38.1	
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	533.1	535.7	2.6	57.5	38.8
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	553.1	553.7	0.6	183	100
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	555.5	557.6	2.1	23.0	
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	555.9	556.6	0.7	68.8	
OSK-W-18-1628	407.88	Lynx	1284.3	453287	5435492	145	-48	754.6	758.9	4.3	9.92	
OSK-W-18-1628	407.88	Lynx 4	1284.3	453287	5435492	145	-48	754.6	755.4	0.8	46.6	
OSK-W-18-1628	407.88	Lynx 4	1284.3	453287	5435492	145	-48	925.3	928.7	3.4	21.0	
including												
OSK-W-18-1630	399.5	Caribou	207.0	452306	5434658	330	-45	306.9	307.5	0.6	86.0	
including												
OSK-W-18-1631	399.59	Caribou	315.0	452357	5434670	330	-45	41.9	42.4	0.5	14.3	
OSK-W-18-1631	399.59	Caribou	315.0	452357	5434670	330	-45	76.0	81.1	5.1	4.50	
OSK-W-18-1631	399.59	Caribou	315.0	452357	5434670	330	-45	265.0	267.0	2.0	17.1	
including												
OSK-W-18-1632	399.51	Caribou	390.0	452341	5434668	329	-47	266.0	267.0	1.0	34.0	
OSK-W-18-1632	399.51	Caribou	390.0	452341	5434668	329	-47	470.1	48.8	2.8	5.51	
OSK-W-18-1632	399.51	Caribou	390.0	452341	5434668	329	-47	322.0	324.5	2.5	3.28	
OSK-W-18-1632	399.51	Caribou	390.0	452341	5434668	329	-47	368.6	370.9	2.3	3.20	
OSK-W-18-1634	399.54	Caribou	354.0	452365	5434659	330	-46	169.0	172.9	3.9	6.29	
including												
OSK-W-18-1638	406.74	Lynx	555.0	453296	5435476	147	-49	169.0	169.3	0.3	32.1	
OSK-W-18-1638	406.74	Lynx	555.0	453296	5435476	147	-49	170.5	170.9	0.4	23.3	
OSK-W-18-1638	406.74	Lynx	555.0	453296	5435476	147	-49	172.6	172.9	0.3	14.3	
including												
OSK-W-18-1639	405.44	Lynx	1163.5	453266	5435397	142	-53	538.6	540.6	2.0	14.6	
OSK-W-18-1639	405.44	Lynx	1163.5	453266	5435397	142	-53	538.6	539.6	1.0	29.1	
OSK-W-18-1639	405.44	Lynx	1163.5	453266	5435397	142	-53	452.0	455.5	3.5	3.27	
OSK-W-18-1639	405.44	Lynx	1163.5	453266	5435397	142	-53	475.8	480.8	5.0	19.8	
OSK-W-18-1639	405.44	Lynx	1163.5	453266	5435397	142	-53	475.8	477.7	0.9	23.90	100
including												
OSK-W-18-1639	405.44	Lynx 236	1163.5	453266	5435397	142	-53	502.0	504.0	2.0	4.87	
OSK-W-18-1639	405.44	Lynx 236	1163.5	453266	5435397	142	-53	502.0	502.7	0.7	13.8	
OSK-W-18-1639	405.44	Lynx 350	1163.5	453266	5435397	142	-53	754.0	757.0	3.0	8.80	
OSK-W-18-1639	405.44	Lynx 350	1163.5	453266	5435397	142	-53	754.0	755.0	1.0	15.5	
OSK-W-18-1639	405.44	Lynx 327	1163.5	453266	5435397	142	-53	875.0	877.0	2.0	23.7	
OSK-W-18-1639	405.44	Caribou	407.0	452289	5434575	318	-59	875.0	876.0	1.0	45.3	
OSK-W-18-1640	401.1	Caribou	407.0	452289	5434575	318	-59	1078.9	1081.0	2.1	7.49	
OSK-W-18-1642	400.46	Caribou	479.0	452331	5434628	331	-55	106.7	109.0	2.3	6.29	
OSK-W-18-1642	400.46	Caribou	479.0	452331	5434628	331	-55	108.2	108.6	0.4	31.7	
including												
OSK-W-18-1643	400.44	Bobcat	377.0	452871	5435079	139	-45	121.2	124.2	3.0	50.0	43.6
OSK-W-18-1643	400.44	Bobcat	377.0	452871	5435079	139	-45	122.4	124.2	1.8	80.6	69.9
OSK-W-18-1644	402.69	Caribou	342.0	452069	5434449	352	-45	127.9	131.7	3.8	12.8	
OSK-W-18-1644	402.69	Caribou	342.0	452069	5434449	352	-45	372.0	374.3	2.3	5.85	
OSK-W-18-1644	402.69	Caribou	342.0	452069	5434449	352	-45	372.0	372.3	0.3	23.6	
OSK-W-18-1645	409.23	Lynx	618.0	453309	5435597	141	-50	157.7	157.7	2.7	5.99	
OSK-W-18-1645	409.23	Lynx	618.0	453309	5435597	141	-50	156.8	157.7	0.9	17.8	
OSK-W-18-1646	399.51	Caribou	330.0	452014	5434503	2	-53	107.0	109.6	2.6	5.32	
OSK-W-18-1646	399.51	Caribou	330.0	452014	5434503	2	-53	321.5	325.8	4.3	45.1	
OSK-W-18-1647	405.48	Lynx	536.0	453266	5435397	142	-53	152.8	155.2	2.4	7.51	
OSK-W-18-1648	402.76	Caribou	342.0	452057	5434456	343	-47	254.3	257.0	2.7	6.28	
OSK-W-18-1648	402.76	Caribou	342.0	452057	5434456	343	-47	496.3	498.9	2.6	17.4	
OSK-W-18-1649	402.68	Caribou	369.0	452069	5434449	357	-46	300.0	32.0	2.0	3.74	
OSK-W-18-1649	402.68	Caribou	369.0	452069	5434449	357	-46	334.9	334.4	4.4	9.39	
OSK-W-18-1649	402.68	Caribou	369.0	452069	5434449	357	-46	66.8	68.8	2.0	4.61	
OSK-W-18-1649	402.68	Caribou	369.0	452069	5434449	357	-46	266.0	268.0	2.0	48.4	45.0
including												
OSK-W-18-1649	402.68	Caribou	369.0	452069	5434449	357	-46	266.4	267.9	0.9	108	100
including												
OSK-W-18-1650	399.5	227	306.0	452014	5434503	360	-56	334.9	337.0	2.1	14.9	
OSK-W-18-1650	399.5	227	306.0	452014	5434503	360	-56	334.9	335.3	0.3	88.6	
OSK-W-18-1651	402.66	Caribou	378.0	452069	5434448	2	-45	265.9	270.0	4.1	6.11	
OSK-W-18-1651	402.66	Caribou	378.0	452069	5434448	2	-45	265.9	270.0	1.0	36.1	
OSK-W-18-1651	402.66	Caribou	378.0	452069	5434448	2	-45	265.9	266.0	0.1	14.3	
OSK-W-18-1651	402.66	Caribou	378.0	452069	5434448	2	-45	226.9	229.1	2.2	4.01	
OSK-W-18-1651	402.66	Caribou	378.0	452069	5434448	2	-45	305.0	307.0	2.0	3.68	
OSK-W-18-1651	402.66	Caribou	378.0	452069	5434448	2	-45	320.0	322.0	2.0	7.39	
OSK-W-18-1651	402.66	Caribou	378.0	452069	5434448	2	-45	321.0	322.0	1.0	14.3	
OSK-W-18-1653	402.62	227	378.0	452069	5434448	2	-45	337.3	340.0	2.7	3.45	
OSK-W-18-1654	399.5	227	336.0	452057	5434456	341	-45	285.4	288.0	2.6	4.15	
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	285.4	286.0	0.6	107	100
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	118.8	121.1	2.3	4.99	
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	343.6	369.0	19.4	21.6	19.9
including												
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	343.6	344.6	1.0	60.5	
including												
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	351.0	353.6	2.6	62.2	56.7
including												
OSK-W-18-1655	401.91	Caribou	375.0	452088	5434441	351	-45	360.0	360.9	0.9	122	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1655	401.91	227	375.0	452088	5434441	351	-45	365.8	368.1	2.3	11.1	
		including						367.6	368.1	0.5	50.3	
OSK-W-18-1656	407.47	Lynx	1154.4	453261	5435471	144	-45	550.9	556.7	5.8	8.28	
		including						553.3	554.3	1.0	28.6	
OSK-W-18-1656	407.47	Lynx	1154.4	453261	5435471	144	-45	730.0	736.0	6.0	5.07	
		including						730.0	730.5	0.5	36.5	
OSK-W-18-1656	407.47	Lynx	1154.4	453261	5435471	144	-45	783.7	786.0	2.3	8.08	
		including						784.7	785.3	0.6	23.0	
OSK-W-18-1656	407.47	Lynx	1154.4	453261	5435471	144	-45	900.7	901.4	0.7	391	33.9
		including						900.7	901.4	0.7	391	100
OSK-W-18-1656	407.47	Lynx	1154.4	453261	5435471	144	-45	1090.0	1092.5	2.5	7.29	
		including						1090.9	1091.8	0.9	17.9	
OSK-W-18-1657	404.8	Lynx	1131.0	453277	5435390	146	-53	391.0	393.9	2.9	5.08	
OSK-W-18-1657	404.8	Lynx	1131.0	453277	5435390	146	-53	447.0	449.1	2.1	8.41	
OSK-W-18-1659	399.54	227	315.0	452015	5434501	4	-55	260.3	267.1	6.8	4.08	
OSK-W-18-1659	399.54	227	315.0	452015	5434501	4	-55	274.3	279.5	5.2	5.88	
		including						275.4	275.8	0.4	27.1	
OSK-W-18-1660	402.72	Caribou	387.0	453059	5434457	359	-45	51.2	52.4	1.2	7.59	
		including						51.8	52.6	0.8	18.3	
OSK-W-18-1661	400.7	Caribou	393.0	452104	5434436	353	-45	246.8	249.0	2.2	6.23	
		including						247.2	247.6	0.4	29.1	
OSK-W-18-1661	400.7	227	393.0	452104	5434436	353	-45	347.2	349.3	2.1	9.28	
OSK-W-18-1662	399.53	Caribou	303.0	452016	5434501	6	-52	237.0	239.0	2.0	8.55	
OSK-W-18-1662	399.53	227	303.0	452016	5434501	6	-52	257.9	261.5	3.6	4.08	
OSK-W-18-1662	399.53	227	303.0	452016	5434501	6	-52	269.0	278.0	9.0	14.8	12.2
		including						270.9	271.8	0.9	126	100
OSK-W-18-1665	400.7	Caribou	375.0	452104	5434436	347	-46	68.7	71.3	2.6	5.60	
		including						71.0	71.3	0.3	15.9	
OSK-W-18-1665	400.7	227	375.0	452104	5434436	347	-46	341.2	343.9	2.7	4.65	
OSK-W-18-1665	400.7	Zone 27	375.0	452104	5434436	347	-46	363.7	366.0	2.3	39.3	
		including						365.0	366.0	1.0	72.2	
OSK-W-18-1667	407.39	Lynx	573.0	453360	5435472	141	-48	566.8	569.0	2.2	21.7	
		including						571.1	578.0	6.9	53.1	
OSK-W-18-1669	402.82	Caribou	405.0	452059	5434455	3	-47	54.0	56.1	2.1	4.15	
		including						55.3	55.8	0.5	16.0	
OSK-W-18-1669	402.82	227	405.0	452059	5434455	3	-47	323.6	327.0	3.4	4.75	
		including						326.2	326.0	0.8	12.6	
OSK-W-18-1671	399.65	227	309.0	452013	5434502	359	-52	248.0	250.3	2.3	12.7	
		including						249.0	249.3	0.3	95.0	
OSK-W-18-1671	399.65	227	309.0	452013	5434502	359	-52	253.9	257.8	3.9	5.64	
		including						256.8	257.4	0.6	22.3	
OSK-W-18-1671	399.65	227	309.0	452013	5434502	359	-52	287.9	290.4	2.5	24.1	
		including						289.8	290.4	0.6	85.5	
OSK-W-18-1671	399.65	Zone 27	309.0	452013	5434502	359	-52	294.5	296.8	2.3	3.52	
OSK-W-18-1672	402.77	Caribou	333.0	452039	5434455	345	-46	55.8	58.0	2.2	4.31	
OSK-W-18-1672	402.77	Zone 27	333.0	452039	5434455	345	-46	307.1	309.1	2.0	79.9	27.1
		including						308.6	309.1	0.5	311	100
OSK-W-18-1673	407.37	Lynx	984.0	453260	5435472	135	-46	464.0	466.0	2.0	20.4	
		including						465.0	465.6	0.6	66.1	
OSK-W-18-1673	407.37	Lynx	984.0	453260	5435472	135	-46	473.0	476.0	3.0	7.23	
		including						473.7	474.4	0.7	21.9	
OSK-W-18-1673	407.37	Lynx	984.0	453260	5435472	135	-46	479.0	481.5	2.5	7.34	
		including						479.7	480.8	1.1	15.4	
OSK-W-18-1673	407.37	Lynx	984.0	453260	5435472	135	-46	518.7	521.1	2.4	25.2	
		including						519.1	519.9	0.8	73.4	
OSK-W-18-1673	407.37	Lynx 313	984.0	453260	5435472	135	-46	925.5	941.6	16.1	23.4	21.8
		including						937.8	938.6	0.8	132	100
OSK-W-18-1674	400.75	Caribou	378.0	452102	5434436	345	-45	279.5	281.5	2.0	3.30	
		including						280.5	280.8	0.3	19.7	
OSK-W-18-1674	400.75	Caribou	378.0	452102	5434436	345	-45	315.5	317.5	2.0	5.30	
		including						316.3	316.6	0.3	29.9	
OSK-W-18-1674	400.75	Zone 27	378.0	452102	5434436	345	-45	344.4	343.0	1.4	3.53	
OSK-W-18-1675	400.9	Lynx	420.0	453306	5435331	136	-45	193.8	195.8	2.0	3.63	
OSK-W-18-1676	401.11	Zone 27	420.0	452289	5434575	327	-63	387.0	389.1	2.1	5.88	
		including						388.8	389.1	0.3	48.0	
OSK-W-18-1680	400.42	Caribou	372.0	452350	5434621	332	-48	91.0	96.0	5.0	10.9	
		including						91.0	92.0	1.0	23.1	
OSK-W-18-1680	400.42	Caribou	372.0	452350	5434621	332	-48	101.2	104.0	2.8	5.13	
OSK-W-18-1680	400.42	Caribou	372.0	452350	5434621	332	-48	279.5	281.0	1.5	2.84	
OSK-W-18-1680	400.42	Zone 27	372.0	452350	5434621	332	-48	291.6	281.6	2.0	18.4	
		including						279.6	280.1	0.5	52.1	
OSK-W-18-1680	400.42	Zone 27	372.0	452350	5434621	332	-48	299.1	306.6	7.5	3.21	
		including						304.3	306.6	2.3	5.85	
OSK-W-18-1680	400.42	227	372.0	452350	5434621	332	-48	332.7	335.2	2.5	9.83	
		including						332.7	333.3	0.6	30.6	
OSK-W-18-1681	407.26	Lynx	1131.0	453259	5435473	143	-46	517.0	519.0	2.0	11.9	
		including						517.5	517.8	0.3	76.9	
OSK-W-18-1681	407.26	Lynx	1131.0	453259	5435473	143	-46	538.5	541.0	2.5	8.06	
		including						540.0	541.0	1.0	18.9	
OSK-W-18-1681	407.26	Lynx 338	1131.0	453259	5435473	143	-46	1073.0	1075.1	4.1	61.6	35.4
		including						1073.7	1073.1	0.4	368	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-18-1584	399.08	Lynx	390.0	453493	5435405	143	-46	312.5	314.6	2.1	3.73	
OSK-W-18-1585	400.36	Zone 27	414.0	452350	5434621	330	-52	361.0	365.1	4.1	7.01	
								361.0	363.0	2.0	11.9	
OSK-W-18-1585	400.36	Zone 27	414.0	452350	5434621	330	-52	368.7	371.8	3.1	7.56	
								365.5	370.5	1.0	10.7	
OSK-W-18-1585	400.36	Zone 27	414.0	452350	5434621	330	-52	377.5	380.0	2.5	32.3	
								378.8	380.0	1.2	56.9	
OSK-W-18-1586	403.11	Zone 27	159.0	452098	5434820	141	-50	124.0	126.4	2.4	0.95	
								125.5	125.8	0.3	47.3	
OSK-W-18-1587	408.09	Lynx	1042.8	453344	5435502	141	-50	552.8	556.0	3.2	3.49	
OSK-W-18-1587	408.09	Lynx 331	1042.8	453344	5435502	141	-50	765.5	767.6	2.1	46.1	40.6
								766.8	767.6	0.8	115	100
OSK-W-18-1589	401.15	Zone 27	135.0	452177	5434814	150	-54	67.4	70.7	3.3	6.78	
								67.4	68.4	1.0	16.9	
OSK-W-18-1589	401.15	Zone 27	135.0	452177	5434814	150	-54	86.4	88.4	2.0	3.62	
OSK-W-18-1589	401.15	Caribou	135.0	452177	5434814	150	-54	123.0	125.0	2.0	3.72	
								123.7	124.0	0.3	23.8	
OSK-W-18-1590	401.6	Zone 27	141.0	452190	5434821	142	-49	127.5	130.0	2.5	6.51	
								127.9	131.3	0.4	24.7	
OSK-W-18-1591	399.7	Caribou	78.0	452251	5434568	338	-59	39.3	45.5	2.2	4.25	
								39.7	40.5	0.8	11.4	
OSK-W-18-1591	399.7	Caribou	78.0	452251	5434568	338	-59	44.9	47.0	2.1	3.30	
OSK-W-18-1592	401.42	Caribou	450.0	452407	5434632	329	-52	114.0	116.0	2.0	18.8	
								114.4	115.0	0.6	57.9	
OSK-W-18-1592	401.42	Caribou	450.0	452407	5434632	329	-52	176.3	178.8	2.5	4.30	
								178.0	178.8	0.8	11.4	
OSK-W-18-1595	398.92	Caribou	520.0	452418	5434562	329	-52	321.3	323.9	2.6	30.1	
								321.3	321.9	0.6	84.5	
OSK-W-18-1595	398.92	Caribou	520.0	452418	5434562	329	-52	330.0	332.3	2.3	5.39	
								330.7	331.6	0.9	13.5	
OSK-W-18-1595	398.92	Zone 27	520.0	452418	5434562	329	-52	510.1	512.2	2.1	4.57	
OSK-W-18-1596	399.02	Lynx 3	453.0	453481	5435423	142	-45	127.5	131.9	4.4	24.8	
								127.5	127.8	0.3	11.9	
OSK-W-18-1596	399.02	Lynx	453.0	453481	5435423	142	-45	348.9	351.0	2.1	4.77	
OSK-W-18-1597	397.33	Lynx	231.0	453022	5434874	328	-61	108.9	111.1	2.2	4.24	
								109.5	110.1	0.6	15.3	
OSK-W-18-1598	400.83	Caribou	513.0	452430	5434608	329	-53	241.8	243.8	2.0	5.75	
OSK-W-18-1598	400.83	Caribou	513.0	452430	5434608	329	-53	246.1	248.8	2.7	57.5	50.0
								247.2	248.0	0.8	126	100
OSK-W-18-1599	397.91	Lynx	174.0	452070	5434884	327	-64	84.0	84.0	2.0	5.06	
OSK-W-18-1599	397.91	Lynx	174.0	452070	5434884	327	-64	97.9	101.4	3.5	7.26	
OSK-W-18-1599	397.91	Lynx	174.0	452070	5434884	327	-64	126.3	131.9	5.6	7.25	
OSK-W-18-1599	397.91	Lynx	174.0	452070	5434884	327	-64	138.7	140.7	2.0	18.4	
								139.7	140.7	1.0	36.6	
OSK-W-18-1701	396.57	Lynx	207.0	452968	5434844	328	-46	186.6	188.6	2.0	29.0	
OSK-W-18-1702	398.0	Caribou	534.0	452418	5434561	330	-50	56.0	58.0	2.0	15.4	
OSK-W-18-1702	398.0	Caribou	534.0	452418	5434561	330	-50	293.0	295.0	2.0	30.3	
								294.0	295.0	1.0	60.5	
OSK-W-18-1702	398.0	Caribou	534.0	452418	5434561	330	-50	307.8	310.1	2.3	3.21	
								307.8	308.4	0.6	12.1	
OSK-W-18-1702	398.0	Caribou	534.0	452418	5434561	330	-50	349.8	351.8	2.0	7.51	
								350.8	351.8	1.0	15.0	
OSK-W-18-1702	398.0	Zone 27	534.0	452418	5434561	330	-50	498.0	502.8	4.8	5.58	
OSK-W-18-1704	410.04	Lynx	627.0	453349	5435524	137	-50	577.0	579.0	2.0	14.2	
OSK-W-18-1706	399.43	Lynx	416.0	453500	5435428	137	-46	360.0	362.6	2.6	45.5	15.7
								362.2	362.6	0.4	29.4	100
OSK-W-18-1707	403.28	Caribou	447.0	452450	5434658	329	-49	551.1	552.4	2.3	8.95	
OSK-W-18-1707	403.28	Caribou	447.0	452450	5434658	329	-49	199.0	201.0	2.0	6.23	
OSK-W-18-1707	403.28	Caribou	447.0	452450	5434658	329	-49	268.0	270.4	2.4	3.02	
OSK-W-18-1707	403.28	Zone 27	447.0	452450	5434658	329	-49	380.0	382.4	2.4	27.4	
								380.0	381.0	1.0	50.4	
OSK-W-18-1707	403.28	Zone 27	447.0	452450	5434658	329	-49	397.0	399.0	2.0	6.81	
OSK-W-18-1709	398.17	Zone 27	525.0	452399	5434512	330	-51	499.0	501.0	2.0	17.4	
OSK-W-18-1710	400.35	Bobcat	330.0	452878	5435018	141	-45	112.3	114.6	2.3	14.2	
OSK-W-18-1711	412.96	Lynx	642.0	453367	5435556	134	-52	605.4	608.0	2.6	5.08	
OSK-W-18-1711-W3	412.96	Lynx	637.5	453367	5435556	134	-52	547.0	549.0	2.0	4.55	
OSK-W-18-1711-W3	412.96	Lynx	637.5	453367	5435556	134	-52	560.6	562.4	1.8	12.5	11.5
								560.6	560.9	0.3	109	
OSK-W-18-1711-W3	412.96	Lynx	637.5	453367	5435556	134	-52	568.4	570.4	2.0	6.36	
OSK-W-18-1711-W3	412.96	Lynx	637.5	453367	5435556	134	-52	613.3	614.0	0.7	31.3	26.6
								612.2	612.9	0.7	126	100
OSK-W-18-1711-W3	412.96	Lynx	1233.0	453367	5435556	134	-52	821.6	827.0	5.4	4.35	
OSK-W-18-1711-W3	412.96	Lynx 312	1233.0	453367	5435556	134	-52	622.0	624.0	2.0	28.3	
								622.8	623.5	0.7	80.4	
OSK-W-18-1711-W3	412.96	Lynx 331	1233.0	453367	5435556	134	-52	789.5	791.5	2.0	5.71	
OSK-W-18-1711-W3	412.96	Lynx 327	1233.0	453367	5435556	134	-52	1136.0	1138.0	2.0	6.94	
								1137.7	1138.0	0.3	35.7	
OSK-W-18-1712	397.26	Lynx	252.0	453194	5434916	329	-55	210.0	212.2	2.2	5.14	
								210.4	211.2	0.8	13.0	
OSK-W-18-1713	398.09	Zone 27	552.0	452399	5434430	333	-45	533.8	535.9	2.1	6.48	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-18-1724	399.09	Lynx	321.0	453185	5434903	331	-63	290.0	292.4	2.4	3.59	
OSK-W-18-1721	399.67	Caribou	630.0	452510	5434500	332	-49	303.3	305.6	2.3	4.46	
OSK-W-18-1723	405.72	Lynx	531.0	453329	5435465	142	-49	488.4	490.6	2.2	22.7	
OSK-W-18-1723	405.72	Lynx	531.0	453329	5435465	142	-49	496.6	501.2	2.6	4.06	
		including						500.8	501.2	0.4	25.3	
OSK-W-18-1725	395.67	Lynx	399.0	453418	5434901	340	-54	283.3	286.0	2.7	1026	64.8
		including						283.3	284.0	0.7	502	100
		including						284.4	285.3	0.9	2670	
OSK-W-18-1725	395.67	Lynx	399.0	453418	5434901	340	-54	293.0	297.0	4.0	13.9	
		including						293.6	294.4	0.8	42.2	
OSK-W-18-1725	395.67	Lynx	399.0	453418	5434901	340	-54	377.8	380.2	2.4	9.73	
		including						378.1	379.1	1.0	22.0	
OSK-W-18-1727	395.88	Lynx	810.0	453461	5435040	331	-61	169.0	171.0	2.0	6.51	
		including						169.0	169.9	0.8	15.6	
OSK-W-18-1727	395.88	Lynx	810.0	453461	5435040	331	-61	782.9	784.9	2.0	12.7	
OSK-W-18-1728	399.25	Lynx	507.0	453468	5435417	138	-54	455.0	457.0	2.0	4.89	
OSK-W-18-1728-W1	399.25	Lynx	669.0	453468	5435417	145	-51	467.6	470.9	3.3	56.3	36.1
		including						468.7	469.4	0.7	196	100
OSK-W-18-1728-W1	399.25	Lynx	669.0	453468	5435417	145	-51	489.6	491.7	2.1	9.83	
		including						489.6	490.0	0.4	47.2	
OSK-W-18-1729	399.2	Zone 27	318.0	4530219	5434494	360	-53	263.0	268.0	5.0	3.16	
OSK-W-18-1729	399.2	Zone 27	318.0	4530219	5434494	360	-53	272.5	274.8	2.3	7.00	
		including						272.5	273.3	0.8	13.7	
		including						281.8	285.9	4.1	1.62	
OSK-W-18-1729	399.2	Zone 27	318.0	4530219	5434494	360	-53	282.8	283.2	0.4	20.0	
OSK-W-18-1731	400.05	Lynx	611.0	453383	5435518	139	-51	555.0	557.4	2.4	89.3	73.3
		including						556.3	557.4	1.1	135	100
OSK-W-18-1731	400.05	Lynx	611.0	453383	5435518	139	-51	585.2	588.5	3.3	59.9	35.5
		including						586.4	587.0	0.6	456	100
OSK-W-18-1731-W1	400.05	Lynx 322	995.0	453383	5435518	139	-51	581.0	583.0	2.0	9.27	
		including						581.6	582.0	0.4	33.8	
OSK-W-18-1731-W1	400.05	Lynx 313	995.0	453383	5435518	139	-51	871.1	874.0	2.9	7.93	
		including						872.4	873.0	0.6	71.3	
OSK-W-18-1731-W1	400.05	Lynx 327	995.0	453383	5435518	139	-51	895.5	897.8	2.3	5.39	
OSK-W-18-1731-W1	400.05	Lynx 322	995.0	453383	5435518	139	-51	591.0	593.0	2.0	7.70	
		including						591.0	592.0	1.0	14.5	
OSK-W-18-1731-W2	400.05	Lynx 313	996.0	453383	5435518	139	-51	877.0	879.0	2.0	12.3	
OSK-W-18-1731-W2	400.05	Lynx 313	996.0	453383	5435518	139	-51	882.7	887.3	4.6	1475	64.3
		including						886.3	887.0	0.7	8030	100
OSK-W-18-1731-W2	400.05	Lynx 313	996.0	453383	5435518	139	-51	891.0	893.2	2.2	33.6	
OSK-W-18-1731-W2	400.05	Lynx 327	996.0	453383	5435518	139	-51	927.7	929.8	2.1	31.8	
OSK-W-18-1731-W1	400.05	Lynx 304	905.0	453383	5435518	139	-51	533.0	536.0	3.0	5.74	
		including						533.0	533.5	0.5	18.7	
OSK-W-18-1731-W1	400.05	Lynx	905.0	453383	5435518	139	-51	641.6	643.9	2.3	4.47	
OSK-W-18-1731-W4	400.05	Lynx 304	975.0	453383	5435518	139	-51	534.7	539.6	4.9	7.76	
		including						534.7	535.2	0.5	36.5	
		including						536.9	539.6	0.7	17.6	
OSK-W-18-1731-W4	400.05	Lynx 313	975.0	453383	5435518	139	-51	878.0	880.0	2.0	3.86	
OSK-W-18-1731-W4	400.05	Lynx 4	975.0	453383	5435518	139	-51	907.0	909.0	2.0	12.9	
		including						907.0	907.5	0.5	50.1	
OSK-W-18-1731-W4	400.05	Lynx	975.0	453383	5435518	139	-51	920.1	921.5	1.4	71.2	37.1
		including						921.2	921.6	0.4	365	100
OSK-W-18-1731-W5	400.05	Lynx 304	1027.5	453383	5435518	139	-51	544.0	546.0	2.0	6.86	
		including						544.8	545.3	0.5	26.4	
OSK-W-18-1731-W5	400.05	Lynx 304	1027.5	453383	5435518	139	-51	547.5	549.7	2.2	79.1	15.4
		including						548.4	549.7	0.3	567	
OSK-W-18-1731-W5	400.05	Lynx	1027.5	453383	5435518	139	-51	607.0	609.0	2.0	11.9	
OSK-W-18-1731-W5	400.05	Lynx 329	1027.5	453383	5435518	139	-51	915.0	917.2	2.2	15.8	
		including						916.4	917.2	0.8	32.2	
OSK-W-18-1731-W5	400.05	Lynx 329	1027.5	453383	5435518	139	-51	923.0	925.3	2.3	62.2	13.4
		including						923.8	924.1	0.3	466	100
OSK-W-18-1731-W6	400.05	Lynx 320	1068.0	453383	5435518	139	-51	542.4	546.0	2.6	39.3	35.9
		including						543.0	543.9	0.9	110	100
OSK-W-18-1731-W6	400.05	Lynx 305	1068.0	453383	5435518	139	-51	577.4	580.2	2.8	11.5	
		including						577.4	577.7	0.3	98.9	
OSK-W-18-1731-W6	400.05	Lynx	1068.0	453383	5435518	139	-51	593.0	595.4	2.4	6.78	
		including						593.5	593.8	0.3	21.3	
OSK-W-18-1731-W6	400.05	Lynx 327	1068.0	453383	5435518	139	-51	1000.5	1003.0	2.5	4.90	
OSK-W-18-1731	405.72	Lynx 338	1140.0	453329	5435466	138	-51	1102.0	1104.5	2.5	7.59	
		including						1103.3	1103.7	0.4	29.2	
OSK-W-18-1731-W1	405.72	Lynx 330	1206.0	453329	5435466	138	-51	869.7	873.9	4.2	4.11	
		including						869.7	870.0	0.3	11.0	
		and						873.2	873.9	0.7	17.5	
OSK-W-18-1731-W1	405.72	Lynx 329	1206.0	453329	5435466	138	-51	979.0	981.0	2.0	16.6	
		including						979.9	980.2	0.3	64.0	
OSK-W-18-1734	395.88	Lynx	320.0	453461	5435038	338	-67	252.7	255.0	2.3	3.02	
OSK-W-18-1735	399.56	Caribou	327.0	452394	5434680	323	-46	86.7	91.0	4.3	6.54	
OSK-W-18-1735	399.56	Zone 27	327.0	452394	5434680	323	-46	117.0	119.0	2.0	5.20	
		including						117.0	120.1	3.1	5.40	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-18-1737	410.61	Bobcat	1809.8	452902	5435184	130	-53	108.0	110.0	2.0	7.18	
OSK-W-18-1737	410.61	Caribou	1809.8	452902	5435184	130	-53	362.0	364.3	2.3	13.0	
OSK-W-18-1737	410.61	Lynx	1809.8	452902	5435184	130	-53	514.0	516.0	2.0	16.2	
			including									
OSK-W-18-1737	410.61	Lynx	1809.8	452902	5435184	130	-53	515.3	515.6	0.3	96.1	
			including									
OSK-W-18-1737	410.61	Lynx	1809.8	452902	5435184	130	-53	629.1	629.5	0.4	42.4	
			including									
OSK-W-18-1737	410.61	Lynx	1809.8	452902	5435184	130	-53	688.5	690.7	2.2	19.0	
			including									
OSK-W-18-1737	410.61	Lynx	1809.8	452902	5435184	130	-53	689.0	690.2	1.2	51.7	
			including									
OSK-W-18-1738	395.96	Lynx	815.0	453460	5434986	329	-69	262.0	264.0	2.0	8.22	
			including									
OSK-W-18-1738	395.96	Lynx	815.0	453460	5434986	329	-69	262.0	263.0	1.0	16.3	
			including									
OSK-W-18-1738	395.96	Lynx	815.0	453460	5434986	329	-69	299.6	303.1	3.5	7.89	
			including									
OSK-W-18-1738	395.96	Lynx	815.0	453460	5434986	329	-69	350.9	353.8	2.9	29.3	16.0
			including									
OSK-W-18-1738	395.96	Vein	815.0	453460	5434986	329	-69	351.2	351.5	0.3	229	100
			including									
OSK-W-18-1738	395.96	Lynx	815.0	453460	5434986	329	-69	427.0	429.4	2.4	5.31	
			including									
OSK-W-18-1738	395.96	Lynx	815.0	453460	5434986	329	-69	428.0	428.4	0.4	13.9	
			including									
OSK-W-18-1738	395.96	Lynx 367	815.0	453460	5434986	329	-69	472.0	474.0	2.0	6.46	
			including									
OSK-W-18-1738	395.96	Lynx 367	815.0	453460	5434986	329	-69	473.0	473.5	0.5	25.5	
			including									
OSK-W-18-1738	395.96	Lynx 367	815.0	453460	5434986	329	-69	696.4	699.0	2.6	3.95	
			including									
OSK-W-18-1738	395.96	Lynx 367	815.0	453460	5434986	329	-69	696.4	696.8	0.4	14.7	
			including									
OSK-W-18-1738	395.96	Lynx 367	815.0	453460	5434986	329	-69	706.0	708.3	2.3	3.21	
			including									
OSK-W-18-1739	415.86	Lynx	813.0	453133	5435354	125	-55	710.0	712.3	2.3	18.3	
			including									
OSK-W-18-1739	415.86	Lynx 331	813.0	453133	5435354	125	-55	710.4	711.3	0.9	44.7	
			including									
OSK-W-18-1739	415.86	Lynx 331	813.0	453133	5435354	125	-55	517.3	517.6	0.3	83.6	
			including									
OSK-W-18-1739	415.86	Lynx 331	813.0	453133	5435354	125	-55	703.0	709.0	6.0	21.2	
			including									
OSK-W-18-1739	415.86	Lynx 331	813.0	453133	5435354	125	-55	707.0	708.0	1.0	95.1	
			including									
OSK-W-18-1741-W1	405.71	Lynx	1083.0	453328	5435466	144	-48	737.9	739.0	2.0	10.1	
			including									
OSK-W-18-1741-W1	405.71	Lynx	1083.0	453328	5435466	144	-48	745.0	747.5	2.5	9.72	
			including									
OSK-W-18-1741-W1	405.71	Lynx	1083.0	453328	5435466	144	-48	446.2	446.7	0.5	47.0	
			including									
OSK-W-18-1741-W1	405.71	Lynx 336	1083.0	453328	5435466	144	-48	481.1	485.4	4.3	14.0	
			including									
OSK-W-18-1741-W1	405.71	Lynx 336	1083.0	453328	5435466	144	-48	484.4	488.8	4.4	75.4	
			including									
OSK-W-18-1741-W1	405.71	Lynx 336	1083.0	453328	5435466	144	-48	493.8	502.0	8.2	5.13	
			including									
OSK-W-18-1741-W1	405.71	Lynx 4	1083.0	453328	5435466	144	-48	698.8	699.6	0.8	4.05	
			including									
OSK-W-18-1741-W1	405.71	Lynx 4	1083.0	453328	5435466	144	-48	847.0	849.7	2.7	7.02	
			including									
OSK-W-18-1741-W1	405.71	Lynx 329	1083.0	453328	5435466	144	-48	848.2	848.7	0.5	33.1	
			including									
OSK-W-18-1741-W1	405.71	Lynx 4	1083.0	453328	5435466	144	-48	916.1	918.7	2.6	76.5	50.0
			including									
OSK-W-18-1741-W1	405.71	Lynx 4	1083.0	453328	5435466	144	-48	926.0	928.0	2.0	4.90	
			including									
OSK-W-20-1741-W2	405.71	Lynx 347	972.0	453328	5435466	144	-48	860.0	862.0	2.0	3.20	
			including									
OSK-W-20-1741-W2	405.71	Lynx 329	972.0	453328	5435466	144	-48	899.0	901.0	2.0	4.29	
			including									
OSK-W-20-1741-W3	405.71	Lynx 336	1098.0	453328	5435466	144	-48	900.4	901.6	0.6	13.6	
			including									
OSK-W-20-1741-W3	405.71	Lynx 329	1098.0	453328	5435466	144	-48	956.0	958.0	2.0	3.97	
			including									
OSK-W-20-1741-W3	405.71	Lynx 312	1098.0	453328	5435466	144	-48	968.0	970.0	2.0	6.12	
			including									
OSK-W-20-1741-W3	405.71	Lynx 312	1098.0	453328	5435466	144	-48	1016.9	1018.1	1.2	20.7	
			including									
OSK-W-18-1742	400.82	Caribou	462.0	452320	5434588	335	-56	230.0	232.0	2.0	9.64	
			including									
OSK-W-18-1743-W1	401.46	Lynx	558.0	453331	5435394	140	-45	424.0	426.3	2.3	6.46	
			including									
OSK-W-18-1743-W1	401.46	Lynx	558.0	453331	5435394	140	-45	425.2	425.8	0.6	17.4	
			including									
OSK-W-18-1743-W1	401.46	Lynx	558.0	453331	5435394	140	-45	481.1	484.1	0.5	10.6	18.3
			including									
OSK-W-18-1743-W1	401.46	Lynx	558.0	453331	5435394	140	-45	483.6	484.1	0.5	10.7	100
			including									
OSK-W-18-1744	400.97	Lynx	598.5	453450	5435484	134	-48	493.0	497.1	4.1	3.35	
			including									
OSK-W-18-1744-W1	400.97	Lynx	598.5	453450	5435484	134	-48	507.1	509.5	2.4	8.38	
			including									
OSK-W-18-1744-W1	400.97	Lynx	594.0	453450	5435484	134	-48	527.8	532.3	4.5	9.71	
			including									
OSK-W-18-1744-W2	400.97	Lynx	621.0	453450	5435484	134	-48	527.8	528.1	0.3	55.6	
			including									
OSK-W-18-1745	407.07	Lynx	1038.0	453218	5435347	134	-51	386.0	386.0	2.0	20.4	
			including									
OSK-W-18-1745	407.07	Lynx	1038.0	453218	5435347	134	-51	387.4	388.0	0.6	67.2	
			including									
OSK-W-18-1745	407.07	Lynx	1038.0	453218	5435347	134	-51	450.9	452.9	2.0	13.0	
			including									
OSK-W-18-1745	407.07	Vein	1038.0	453218	5435347	134	-51	451.2	452.2	1.0	26.4	
			including									
OSK-W-18-1745	407.07	Lynx	1038.0	453218	5435347	134	-51	470.0	472.3	2.3	7.05	
			including									
OSK-W-18-1745	407.07	Lynx 4	1038.0	453218	5435347	134	-51	471.2	471.9	0.7	22.9	
			including									
OSK-W-18-1745	407.07	Lynx 327	1038.0	453218	5435347	134	-51	800.9	803.4	2.5	5.96	
			including									
OSK-W-18-1746	404.56	Lynx	882.0	453280	5435389	142	-53	801.6	802.1	0.5	29.2	
			including									
OSK-W-18-1746	404.56	Lynx 336	882.0	453280	5435389	142	-53	805.9	811.6	5.7	3.38	
			including									
OSK-W-19-1746-W1	404.56	Lynx	840.0	453280	5435389	142	-53	683.2	685.7	2.5	19.0	
			including									
OSK-W-19-1746-W1	404.56	Lynx 336	840.0	453280	5435389	142	-53	683.2	683.7	0.5	50.1	
			including									
OSK-W-19-1746-W1	404.56	Lynx	840.0	453280	5435389	142	-53	764.0	766.4	2.4	17.0	
			including									
OSK-W-18-1747	402.42	Caribou	518.0	452463	5434683	333	-54	202.6	205.0	2.4	56.9	
			including									
OSK-W-18-1747	402.42	Caribou	518.0	452463	5434683	333	-54	202.6	202.7	0.1	2.7	
			including									
OSK-W-18-1747	402.42	Caribou	518.0	452463	5434683	333	-54	203.3	205.0	1.7	3.38	
			including									
OSK-W-18-1747	402.42	Caribou	518.0	452463	5434683	333	-54	203.3	205.0	1.7	3.38	
			including									



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) ungot	Au (g/t) cut to 100 µm
including								277.3	272.6	0.3	15.0	
OSK-W-18-1747-W1	402.42	Zone 27	558.0	452463	5434683	333	-54	505.5	507.5	2.0	3.78	
OSK-W-18-1748	397.2	Lynx	147.0	452908	5434835	301	61	122.0	124.0	2.0	4.23	
OSK-W-18-1749	396.39	Lynx	315.0	453379	5434049	333	-52	172.1	174.3	2.2	20.0	
OSK-W-18-1750	396.39	Lynx	315.0	453379	5434049	333	-52	219.4	220.0	2.4	6.37	
OSK-W-18-1750	396.39	Lynx	315.0	453379	5434049	333	-52	229.4	231.8	2.4	6.37	
OSK-W-18-1750	396.39	Lynx	315.0	453379	5434049	333	-52	251.0	253.3	2.3	5.67	
including								252.3	252.8	0.5	24.9	
OSK-W-18-1754	396.5	Lynx	264.0	453338	5434047	332	-53	180.0	170.9	2.9	2.17	
OSK-W-18-1754	396.5	Lynx	264.0	453338	5434047	332	-53	188.0	190.0	2.0	5.28	
including								189.0	189.5	0.5	20.8	
OSK-W-18-1754	396.5	Lynx	264.0	453338	5434047	332	-53	208.0	210.0	2.0	22.9	
including								208.8	209.5	0.7	64.1	
OSK-W-18-1754	396.5	Lynx	264.0	453338	5434047	332	-53	222.8	225.0	2.2	3.39	
including								222.8	223.1	0.3	17.6	
OSK-W-18-1754	396.5	Lynx	264.0	453338	5434047	332	-53	237.0	239.7	2.7	3.93	
including								238.1	238.8	0.7	12.4	
OSK-W-18-1756	396.81	Lynx	291.0	453358	5434056	330	-57	169.5	172.0	2.5	33.0	31.9
including								170.2	170.6	0.4	232	100
OSK-W-18-1756	396.81	Lynx	291.0	453358	5434056	330	-57	223.5	227.0	3.5	30.5	
OSK-W-18-1756	396.81	Lynx	291.0	453358	5434056	330	-57	244.4	246.6	2.0	6.72	
OSK-W-18-1756	401.74	Zone 27	128.8	451942	5434724	160	-48	68.8	68.2	0.6	5.96	
including								67.1	68.0	0.9	15.5	
OSK-W-18-1759	397.45	Lynx	252.0	453323	5434055	331	-57	206.4	208.4	2.0	98.2	
including								206.4	207.5	1.1	59.1	
OSK-W-18-1759	397.45	Lynx	252.0	453323	5434055	331	-57	216.0	220.0	2.0	3.80	
OSK-W-18-1760	396.84	Lynx	267.0	453358	5434056	332	-55	211.7	213.7	2.0	3.74	
OSK-W-18-1760	396.84	Lynx	267.0	453358	5434056	332	-55	220.0	228.5	8.5	16.9	13.3
OSK-W-18-1760	396.84	Lynx	267.0	453358	5434056	332	-55	238.9	241.0	2.1	10.5	
including								238.9	239.4	0.5	43.2	
OSK-W-18-1761	407.96	Caribou	202.0	452873	5435000	329	-50	54.0	56.0	2.0	8.7	
including								55.1	56.0	0.9	9.43	
OSK-W-18-1761	407.96	Caribou	202.0	452873	5435000	329	-50	98.0	100.0	2.0	4.09	
OSK-W-18-1762	397.45	Lynx	234.0	453323	5434055	332	-58	229.5	234.2	4.7	13.5	
including								229.5	230.0	0.5	89.0	
OSK-W-18-1762	404.53	Caribou	234.0	452863	5434074	330	-51	203.0	205.2	2.4	7.25	
OSK-W-18-1765	396.84	Lynx	306.0	453359	5434055	333	-57	188.0	190.3	2.3	3.36	
including								189.8	190.3	0.5	10.5	
OSK-W-18-1765	396.84	Lynx	306.0	453359	5434055	333	-57	203.0	205.0	2.0	9.84	
including								205.0	205.5	0.5	10.5	
OSK-W-18-1765	396.84	Lynx	306.0	453359	5434055	333	-57	229.8	231.8	2.0	60.3	43.6
including								231.1	231.4	0.3	217	100
OSK-W-18-1765	396.84	Lynx	306.0	453359	5434055	333	-57	240.4	251.8	2.4	74.1	
including								250.7	250.7	0.7	24.7	
OSK-W-18-1767	404.53	Caribou	365.0	452577	5434901	329	-65	202.0	40.0	2.0	3.67	
OSK-W-18-1768	395.96	Lynx	375.0	453430	5434076	332	-63	202.5	204.5	2.0	3.65	
including								202.5	202.8	0.3	23.2	
OSK-W-18-1768	395.96	Lynx	375.0	453430	5434076	332	-63	218.0	222.4	3.4	13.0	
including								218.0	219.8	0.8	40.1	
OSK-W-18-1768	395.96	Lynx	375.0	453430	5434076	332	-63	261.0	263.0	2.0	4.40	
including								262.2	269.6	0.4	866	100
OSK-W-18-1768	395.96	Lynx	375.0	453430	5434076	332	-63	271.9	272.9	0.8	88.8	100
including								271.9	272.9	0.8	88.8	
OSK-W-18-1768	395.96	Lynx	375.0	453430	5434076	332	-63	283.0	285.5	2.5	22.1	
including								284.1	284.7	0.6	85.2	
OSK-W-18-1768	395.96	Lynx	375.0	453430	5434076	332	-63	294.0	296.0	2.0	74.4	15.1
OSK-W-18-1768	395.96	Lynx	375.0	453430	5434076	332	-63	306.0	312.6	2.7	4.06	
including								332.2	332.6	0.4	22.0	
OSK-W-18-1770	397.64	Lynx	312.0	453308	5434951	335	-60	127.8	130.4	2.6	96.9	37.5
including								128.7	129.5	0.8	293	100
OSK-W-18-1770	397.64	Lynx	312.0	453308	5434951	335	-60	172.0	175.0	3.0	11.1	
including								172.0	173.1	1.5	22.1	
OSK-W-18-1770	397.64	Lynx	312.0	453308	5434951	335	-60	213.0	215.5	2.5	19.0	
including								214.1	214.8	0.7	67.9	
OSK-W-18-1770	397.64	Lynx	312.0	453308	5434951	335	-60	246.8	249.0	2.2	30.2	
including								247.2	248.8	0.8	248.8	
OSK-W-18-1770	397.64	Lynx	312.0	453308	5434951	335	-60	252.0	257.1	5.1	32.0	25.5
including								256.0	257.1	1.1	83.1	
OSK-W-18-1771	401.7	Caribou	318.0	452475	5434526	334	-57	276.8	279.0	2.2	6.83	
including								277.4	277.4	0.6	24.3	
OSK-W-18-1772	396.03	Lynx	302.0	453431	5434076	331	-64	226.4	228.5	2.1	19.1	
including								226.4	227.7	1.3	30.7	
OSK-W-18-1772	396.03	Lynx	302.0	453431	5434076	331	-64	275.5	276.3	2.1	31.3	24.0
including								275.5	275.8	0.3	151	100
OSK-W-18-1772	396.03	Lynx	302.0	453431	5434076	331	-64	281.0	283.0	2.0	11.9	
OSK-W-18-1772	396.03	Lynx	302.0	453431	5434076	331	-64	349.6	351.9	2.3	4.37	
OSK-W-18-1773	399.52	Caribou	621.0	452632	5434696	331	-56	206.0	208.5	2.5	14.3	
OSK-W-18-1773	399.52	227	621.0	452632	5434696	331	-56	608.0	611.0	3.0	7.59	
OSK-W-18-1774	397.58	Lynx	315.0	453307	5434951	335	-60	251.1	255.0	3.9	17.0	
including								251.1	252.0	0.9	56.7	



Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-18-1779	400.12	Caribou	297.0	452430	5434514	334	-58	197.0	199.1	2.1	4.05	
OSK-W-18-1779	400.12	Caribou	297.0	452430	5434514	334	-58	286.5	288.5	2.0	6.13	
OSK-W-18-1781	397.44	Lynx	300.0	453326	5434951	331	-57	146.7	148.9	2.2	12.7	
OSK-W-18-1781	397.44	Lynx	300.0	453326	5434951	331	-57	147.7	148.6	0.9	30.9	
OSK-W-18-1781	397.44	Lynx	300.0	453326	5434951	331	-57	225.0	225.5	0.5	30.6	
OSK-W-18-1783	398.36	Triple 8	2223.7	453535	5434373	61	-78	182.3	1826.5	3.3	4.62	
OSK-W-18-1783	398.36	Triple 8	2223.7	453535	5434373	61	-78	185.8	1860.0	2.0	38.4	26.9
OSK-W-18-1783	398.36	Triple 8	2223.7	453535	5434373	61	-78	185.8	1859.4	0.5	138	100
OSK-W-18-1783-W1	398.36	Triple 8	2223.7	453535	5434373	61	-78	194.8	1946.1	2.3	36.0	
OSK-W-18-1783-W1	398.36	Triple 8	2208.0	453535	5434373	61	-78	364.8	3641.4	2.5	34.4	
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	193.5	1937.2	2.2	100	14.0
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	193.6	1937.2	0.3	734	100
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	2019.4	2021.4	2.4	6.65	
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	2102.9	2112.13	2.3	3.12	
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	2128.0	2130.0	2.0	3.55	
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	2133.2	2136.9	1.9	3.11	
OSK-W-18-1783-W3	398.36	Triple 8	2208.0	453535	5434373	61	-78	2185.0	2187.5	2.5	4.49	
OSK-W-18-1785	396.22	Lynx	273.0	453425	5434953	334	-59	2186	2186.5	0.4	25.7	
OSK-W-18-1785	396.22	Lynx	273.0	453425	5434953	334	-59	237.6	237.6	2.0	18.5	17.2
OSK-W-18-1785	396.22	Lynx	273.0	453425	5434953	334	-59	225.4	225.7	0.3	109	100
OSK-W-18-1785	396.22	Lynx	273.0	453425	5434953	334	-59	249.2	251.9	2.7	69.9	85.3
OSK-W-18-1785	396.22	Lynx	273.0	453425	5434953	334	-59	251.4	251.9	0.5	287	100
OSK-W-18-1785-W1	396.22	Lynx	273.0	453425	5434953	334	-59	264.9	264.9	0.4	6.87	
OSK-W-18-1785-W1	396.22	Lynx	273.0	453425	5434953	334	-59	264.9	266.2	0.3	53.9	
OSK-W-18-1785-W1	396.22	Lynx	375.0	453425	5434953	334	-59	224.2	226.3	2.1	64.2	38.2
OSK-W-18-1785-W1	396.22	Lynx	375.0	453425	5434953	334	-59	224.8	225.1	0.3	352	100
OSK-W-18-1785-W1	396.22	Lynx	375.0	453425	5434953	334	-59	258.9	263.0	4.1	36.0	22.6
OSK-W-18-1785-W1	396.22	Lynx	375.0	453425	5434953	334	-59	258.9	259.3	0.6	192	100
OSK-W-18-1785-W1	396.22	Lynx	375.0	453425	5434953	334	-59	275.0	277.2	2.3	27.4	
OSK-W-18-1785-W1	396.22	Lynx	375.0	453425	5434953	334	-59	349.4	352.0	2.6	3.44	
OSK-W-18-1786	400.58	Caribou	201.0	452319	5434588	332	-51	361.6	364.4	2.4	4.89	
OSK-W-18-1786	400.58	Caribou	201.0	452319	5434588	332	-51	93.7	95.0	2.0	14.6	
OSK-W-18-1786	400.58	Caribou	201.0	452319	5434588	332	-51	93.7	94.7	0.4	71.7	
OSK-W-18-1786	400.58	Caribou	201.0	452319	5434588	332	-51	115.2	117.3	2.1	3.50	
OSK-W-18-1786	400.19	Caribou	142.0	452289	5434590	330	-61	81.6	83.6	2.0	9.87	
OSK-W-18-1786	400.19	Caribou	142.0	452289	5434590	330	-61	81.6	81.9	0.3	65.0	
OSK-W-18-1786	401.19	Caribou	142.0	452289	5434590	330	-61	90.1	92.7	2.4	4.03	
OSK-W-18-1786	401.19	Caribou	142.0	452289	5434590	330	-61	122.8	125.2	2.4	3.00	
OSK-W-18-1786	401.19	Caribou	142.0	452289	5434590	330	-61	122.8	123.3	0.5	8.82	
OSK-W-18-1786	401.03	Caribou	624.0	452611	5434691	332	-56	327.0	329.0	2.0	3.87	
OSK-W-18-1786	401.03	Caribou	624.0	452611	5434691	332	-56	481.7	483.9	2.2	3.56	
OSK-W-18-1786	401.03	Caribou	624.0	452611	5434691	332	-56	577.0	577.0	2.0	4.39	
OSK-W-18-1786	401.03	Caribou	624.0	452611	5434691	332	-56	583.3	586.4	2.1	4.47	
OSK-W-18-1791	396.46	Lynx	294.0	453366	5434930	331	-50	272.5	275.0	2.5	30.9	
OSK-W-18-1791	396.46	Lynx	294.0	453366	5434930	331	-50	272.5	273.4	0.9	77.3	
OSK-W-18-1792	395.93	Lynx	315.0	453424	5434930	331	-58	280.0	282.9	2.9	22.1	
OSK-W-18-1792	395.93	Lynx	315.0	453424	5434930	331	-58	284.0	285.4	2.9	25.1	
OSK-W-18-1792	395.93	Lynx	315.0	453424	5434930	331	-58	270.8	280.8	10.0	3.70	
OSK-W-18-1792	395.93	Lynx	315.0	453424	5434930	331	-58	270.8	273.3	2.5	6.37	
OSK-W-18-1795	402.61	Caribou	357.0	453070	5434451	354	-45	278.1	280.6	2.7	5.01	
OSK-W-18-1795	402.61	Caribou	357.0	453070	5434451	354	-45	295.7	299.5	2.0	19.5	
OSK-W-18-1795	402.61	Caribou	357.0	453070	5434451	354	-45	259.0	259.5	0.5	63.9	
OSK-W-18-1795	402.61	Caribou	357.0	453070	5434451	354	-45	318.6	325.6	7.0	11.4	
OSK-W-18-1797	398.98	Caribou	247.4	452182	5434396	339	-56	324.0	325.6	1.6	40.9	
OSK-W-18-1797	398.98	Caribou	247.4	452182	5434396	339	-56	197.2	200.9	10.7	12.1	
OSK-W-18-1797	398.98	Caribou	247.4	452182	5434396	339	-56	197.2	198.0	1.8	31.3	
OSK-W-18-1797	398.98	Caribou	247.4	452182	5434396	339	-56	200.1	201.0	0.9	38.8	
OSK-W-18-1803	404.03	Caribou	585.0	452547	5434723	334	-58	291.4	294.2	2.8	9.88	
OSK-W-18-1803	404.03	Caribou	585.0	452547	5434723	334	-58	443.0	445.0	2.0	3.74	
OSK-W-18-1803	404.03	Caribou	585.0	452547	5434723	334	-58	443.5	444.2	0.7	9.77	
OSK-W-18-1803	404.03	Caribou	585.0	452547	5434723	334	-58	523.0	525.12	6.0	9.17	
OSK-W-18-1803	404.03	Caribou	585.0	452547	5434723	334	-58	523.9	525.0	1.1	30.9	
OSK-W-18-1804	396.11	Lynx	346.0	453414	5434922	331	-56	280.0	282.8	2.8	234	20.3
OSK-W-18-1804	396.11	Lynx	346.0	453414	5434922	331	-56	282.5	282.8	0.3	2000	100
OSK-W-18-1804	396.11	Lynx	346.0	453414	5434922	331	-56	306.6	312.7	4.1	69.3	
OSK-W-18-1804	396.11	Lynx	346.0	453414	5434922	331	-56	310.9	311.3	0.4	69.3	
OSK-W-18-1804	396.11	Lynx	346.0	453414	5434922	331	-56	314.9	317.0	2.1	77.9	56.5
OSK-W-18-1804	396.11	Lynx	346.0	453414	5434922	331	-56	315.8	317.0	1.2	134	100
OSK-W-18-1805	400.47	Caribou	147.0	452259	5434559	331	-56	93.3	97.5	4.2	3.76	
OSK-W-18-1805	400.47	Caribou	147.0	452259	5434559	331	-56	93.3	94.8	4.2	3.76	
OSK-W-18-1805	400.47	Caribou	147.0	452259	5434559	331	-56	123.0	125.0	2.0	9.59	
OSK-W-18-1805	400.47	Caribou	147.0	452259	5434559	331	-56	123.4	124.0	1.0	17.7	
OSK-W-18-1806	400.48	Caribou	132.0	452263	5434588	330	-56	55.8	57.8	2.0	3.74	
OSK-W-18-1807	395.82	Lynx	297.0	453423	5434923	332	-56	260.9	263.2	2.3	13.4	
OSK-W-18-1807	395.82	Lynx	297.0	453423	5434923	332	-56	267.3	272.0	4.7	88.0	
OSK-W-18-1807	395.82	Lynx	297.0	453423	5434923	332	-56	267.3	267.8	0.5	10.0	
OSK-W-18-1808	399.66	Caribou	351.0	452297	5434645	330	-50	143.3	145.7	2.3	23.8	
OSK-W-18-1808	399.66	Caribou	351.0	452297	5434645	330	-50	144.3	145.0	0.7	76.9	
OSK-W-18-1808	399.66	Caribou	351.0	452297	5434645	330	-50	199.7	201.7	2.0	13.8	
OSK-W-18-1808	399.66	Caribou	351.0	452297	5434645	330	-50	200.6	201.7	1.1	20.8	
OSK-W-18-1808	399.66	Caribou	351.0	452297	5434645	330	-50	209.0	209.5	2.3	6.69	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-18-1809	396.42	Lynx 320	291.0	453366	5434931	328	-51	228.0	230.0	2.0	3.40	
			including					228.0	230.0	0.6	9.56	
OSK-W-18-1809	396.42	Lynx 308	291.0	453366	5434931	328	-51	265.0	267.3	2.3	6.13	
			including					265.0	267.3	0.3	25.9	
OSK-W-18-1810	398.36	Caribou	566.0	452401	5434503	335	-49	113.0	115.0	2.0	3.35	
OSK-W-18-1810	398.36	227	566.0	452401	5434503	335	-49	546.0	548.0	2.0	5.86	
			including					547.0	548.0	1.0	11.3	
OSK-W-18-1811	396.58	Lynx 304	317.0	452395	5434931	333	-51	186.0	190.4	2.4	4.30	
OSK-W-18-1811	396.58	Lynx 305	317.0	452395	5434931	333	-51	214.6	217.0	2.4	5.56	
OSK-W-18-1811	396.58	Lynx 308	317.0	452395	5434931	333	-51	255.0	257.5	2.0	15.2	
			including					256.8	257.5	0.7	40.9	
OSK-W-18-1811	396.58	Lynx 311	317.0	452395	5434931	333	-51	268.6	271.0	2.4	32.6	25.7
			including					269.8	270.4	0.6	128	100
OSK-W-18-1812	396.44	Lynx 311	303.0	453366	5434932	330	-50	266.3	267.9	1.6	51.2	40.7
			including					266.8	267.9	1.1	131	100
OSK-W-18-1813	398.23	VNCR	731.0	452683	5434622	330	-60	333.4	335.5	2.1	52.9	
			including					333.4	335.5	1.1	98.9	
OSK-W-18-1813	398.23	Caribou	731.0	452683	5434622	330	-60	515.2	517.3	2.1	15.8	
			including					516.2	517.3	1.1	30.1	
OSK-W-18-1813	398.23	Caribou	731.0	452683	5434622	330	-60	580.9	583.0	2.1	5.54	
OSK-W-18-1813	398.23	Caribou	731.0	452683	5434622	330	-60	637.4	639.6	2.2	4.38	
			including					638.1	638.8	0.7	11.8	
OSK-W-18-1814	398.2	Vein	438.0	452683	5434622	333	-59	166.0	168.0	2.0	4.08	
			including					166.6	167.5	0.9	8.98	
OSK-W-18-1814	398.2	Caribou	438.0	452683	5434622	333	-59	299.0	300.0	2.0	13.2	
			including					299.0	300.0	1.0	26.4	
OSK-W-18-1814	398.2	Caribou	438.0	452683	5434622	333	-59	345.5	347.5	2.0	3.56	
OSK-W-18-1814	398.2	Caribou	438.0	452683	5434622	333	-59	430.0	432.0	2.0	8.39	
			including					431.0	432.0	1.0	16.2	
OSK-W-18-1817	398.92	Caribou	687.0	452656	5434699	332	-57	341.0	343.0	2.0	3.45	
			including					341.0	342.0	1.0	6.61	
OSK-W-18-1817	398.92	Caribou	687.0	452656	5434699	332	-57	406.0	408.0	2.0	7.60	
			including					406.8	407.6	0.8	18.1	
OSK-W-18-1817	398.92	227	687.0	452656	5434699	332	-57	555.0	557.3	2.3	5.93	
OSK-W-18-1819-W1	400.72	Lynx	654.0	453487	5435512	132	-45	503.0	503.4	0.4	20.4	
			including					601.0	603.4	2.4	34.9	
OSK-W-18-1819-W1	400.72	Lynx	654.0	453487	5435512	132	-45	602.5	603.4	0.9	71.4	
			including					257.0	259.2	2.2	21.8	
OSK-W-18-1820	397.93	Caribou	489.0	452672	5434723	333	-59	438.0	440.0	2.0	4.26	
OSK-W-18-1822	402.45	Caribou	615.0	452506	5434389	339	-60	513.0	515.0	2.0	4.39	
			including					514.0	515.0	1.0	8.62	
OSK-W-19-1823	403.54	Caribou	330.0	452546	5434702	329	-52	238.0	240.0	2.0	3.77	
OSK-W-19-1823	403.54	Caribou	330.0	452546	5434702	329	-52	257.0	269.6	12.6	9.56	
			including					257.0	259.2	2.2	21.8	
			including					261.0	263.0	2.0	23.6	
OSK-W-19-1824	404.15	Caribou	309.0	452566	5434725	327	-50	230.0	237.0	7.0	3.29	
			including					230.0	231.0	1.0	13.1	
OSK-W-19-1828	398.12	Caribou	237.0	452203	5434388	340	-50	191.6	194.1	2.5	5.09	
OSK-W-19-1830	399.09	Caribou	231.0	452179	5434396	338	-52	181.0	183.6	2.6	8.84	
OSK-W-19-1831	396.47	Lynx	734.0	454109	5435091	355	-72	629.6	632.0	2.4	189	33.1
			including					629.6	630.0	0.4	1035	100
OSK-W-19-1832	403.64	Lynx	345.0	453195	5435212	130	-46	288.8	291.9	2.2	8.63	
			including					288.8	289.2	0.4	17.0	
OSK-W-19-1832	403.64	Lynx	345.0	453195	5435212	130	-46	293.0	295.0	2.0	4.06	
OSK-W-19-1834	399.06	Caribou	216.0	452179	5434396	338	-47	154.7	157.5	2.8	12.4	
			including					156.6	157.5	0.9	25.9	
OSK-W-19-1835	406.32	Windfall N	1293.0	452305	5435474	172	-53	348.8	351.1	2.3	82.9	18.9
			including					348.8	350.2	0.4	468	100
OSK-W-19-1835	406.32	Windfall N	1293.0	452305	5435474	172	-53	368.0	370.0	2.0	8.38	
			including					368.9	370.0	1.1	15.2	
OSK-W-19-1835	406.32	Windfall N	1293.0	452305	5435474	172	-53	414.3	418.0	3.7	4.13	
			including					417.0	418.0	1.0	10.6	
OSK-W-19-1835	406.32	Underdog	1293.0	452305	5435474	172	-53	700.7	703.0	2.3	11.8	
			including					702.0	702.7	0.7	33.6	
OSK-W-19-1835	406.32	Underdog	1293.0	452305	5435474	172	-53	883.0	885.0	2.0	14.9	
			including					883.8	885.0	0.5	59.1	
OSK-W-19-1835	406.32	Underdog	1293.0	452305	5435474	172	-53	928.0	930.4	2.4	12.8	
			including					929.1	929.5	0.4	61.8	
OSK-W-19-1835	406.32	Vein	1293.0	452305	5435474	172	-53	946.0	948.4	2.4	5.06	
			including					947.0	947.6	0.6	36.6	
OSK-W-19-1835	406.32	Vein	1293.0	452305	5435474	172	-53	1003.1	1007.9	4.8	13.7	
			including					1006.3	1007.0	0.7	40.4	
OSK-W-19-1835-W1	406.32	Underdog	948.0	452305	5435474	172	-53	651.2	653.3	2.1	4.28	
			including					651.2	652.4	1.2	7.38	
OSK-W-19-1835-W2	406.32	Underdog	948.0	452305	5435474	172	-53	861.8	865.0	2.2	3.26	
			including					939.0	941.0	2.0	19.8	
OSK-W-19-1835-W2	406.32	Underdog	1251.0	452305	5435474	173	-53	939.5	940.7	1.2	32.6	
OSK-W-19-1835-W3	406.32	Underdog	1308.0	452305	5435474	205	-48	604.7	607.0	2.3	3.06	
OSK-W-19-1835-W3	406.32	Underdog	1308.0	452305	5435474	205	-48	746.7	748.0	2.0	3.43	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-1855-W3	406.32	Underdog	1308.0	452305	5435474	205	-48	915.0	917.0	2.0	3.33	
OSK-W-19-1855-W3	406.32	Underdog	1308.0	452305	5435474	205	-48	1144.0	1146.0	2.0	4.04	
OSK-W-19-1855-W3	406.32	Underdog	1308.0	452305	5435474	205	-48	1186.4	1186.5	10.1	4.76	
OSK-W-19-1846	397.63	Lynx 311	324.0	453324	5434949	330	-58	1190.7	1193.4	0.7	17.1	
		including						239.9	243.0	3.1	11.3	
								242.3	243.0	0.7	33.5	
OSK-W-19-1847	397.46	Lynx	293.0	453317	5434947	331	-58	132.7	135.0	2.3	4.95	
		including						134.6	135.0	0.4	18.6	
OSK-W-19-1847	397.46	Lynx	293.0	453317	5434947	331	-58	259.1	261.4	2.3	7.58	
		including						260.1	260.5	0.4	37.9	
OSK-W-19-1848	396.32	Lynx	697.0	454109	5435087	349	-72	614.4	617.0	2.6	4.44	
		including						614.4	614.7	0.3	18.7	
OSK-W-19-1848	396.32	Lynx	697.0	454109	5435087	349	-72	621.2	624.0	2.8	7.46	
		including						621.6	624.0	0.4	35.0	
OSK-W-19-1848	396.32	Yves	697.0	454109	5435087	349	-72	669.0	671.0	2.0	5.4	
OSK-W-19-1848-W1	396.32	Lynx	672.0	454109	5435087	349	-72	605.7	608.0	2.3	13.7	
		including						606.6	607.6	1.0	28.1	
OSK-W-19-1848-W2	396.32	Lynx	675.0	454109	5435087	349	-72	611.0	613.0	2.0	48.1	35.3
		including						612.0	612.7	0.7	137	100
OSK-W-19-1848-W3	396.32	Lynx	675.0	454109	5435087	349	-72	628.0	630.1	2.1	86.0	38.4
		including						629.3	630.1	0.8	225	100
OSK-W-19-1850	397.61	Lynx 304	270.0	453320	5434954	329	-54	141.8	144.8	3.0	16.8	
		including						141.8	142.1	0.3	99.8	
OSK-W-19-1850	397.61	Lynx 311	270.0	453320	5434954	329	-54	228.2	231.4	3.2	43.7	37.6
		including						230.3	231.4	1.1	118	100.0
OSK-W-19-1852	397.47	Lynx 305	300.0	453312	5434949	330	-58	154.7	156.8	2.1	13.7	
		including						155.4	156.1	0.7	35.9	
OSK-W-19-1852	397.47	Lynx 311	300.0	453312	5434949	330	-58	248.0	250.6	2.6	14.8	
		including						248.9	249.3	0.4	80.2	
OSK-W-19-1855	403.76	Lynx 310	351.0	453178	5435190	124	-45	272.8	275.0	2.2	38.6	19.1
		including						274.6	275.0	0.4	207	100
OSK-W-19-1855	403.76	Lynx 305	351.0	453178	5435190	124	-45	301.0	304.3	3.3	6.08	
		including						283.9	284.3	0.4	18.1	
OSK-W-19-1855	403.76	Lynx 305	351.0	453178	5435190	124	-45	301.0	303.0	2.0	4.67	
OSK-W-19-1857	405.22	Lynx	1415.2	453525	5435704	108	-58	1278.3	1282.6	4.3	322	41.9
		including						1282.1	1282.6	0.5	2420	100
OSK-W-19-1857	405.22	Lynx	1415.2	453525	5435704	108	-58	1387.8	1390.6	2.8	146	67.9
		including						1415.2	1416.6	1.4	16.0	
OSK-W-19-1857-W1	405.22	Lynx	1415.0	453525	5435704	108	-58	1190.1	1193.3	3.2	5.37	
		including						1190.1	1190.0	0.8	13.5	
OSK-W-19-1857-W2	405.22	Lynx 313	1455.0	453525	5435704	108	-58	1230.8	1233.3	2.5	3.94	
OSK-W-19-1857-W3	405.22	Lynx 313	1455.0	453525	5435704	108	-58	1235.4	1237.6	2.2	3.31	
OSK-W-19-1857-W4	405.22	Lynx 4	1385.0	453525	5435704	108	-58	1300.8	1304.8	2.8	7.39	
OSK-W-20-1857-W12	405.22	Lynx 349	1354.0	453525	5435704	108	-58	1453.0	1455.5	2.5	10.2	
OSK-W-20-1857-W12	405.22	Lynx 349	1354.0	453525	5435704	108	-58	1457.5	1460.0	2.5	3.50	
		including						1457.5	1458.2	0.7	8.83	
OSK-W-19-1857-W2	405.22	Lynx 313	1449.0	453525	5435704	108	-58	1274.5	1278.8	2.3	121	39.7
		including						1274.9	1275.8	0.9	307	100
OSK-W-19-1857-W2	405.22	Triple Lynx	1449.0	453525	5435704	108	-58	1322.0	1325.0	3.0	3.99	
OSK-W-19-1857-W3	405.22	Lynx 4	1280.4	453525	5435704	108	-58	1179.0	1181.0	2.0	38.8	
		including						1179.7	1181.0	1.3	59.6	
OSK-W-19-1857-W3	405.22	Lynx 313	1280.4	453525	5435704	108	-58	1199.6	1199.9	2.3	6.43	
		including						1199.6	1194.3	0.7	16.8	
OSK-W-19-1857-W4	405.22	Lynx 4	1415.0	453525	5435704	108	-58	1312.8	1316.3	3.5	145	49.8
OSK-W-19-1857-W4	405.22	Lynx 4	1415.0	453525	5435704	108	-58	1312.8	1313.7	0.9	172	100
OSK-W-19-1857-W4	405.22	Lynx 4	1415.0	453525	5435704	108	-58	1313.7	1314.3	0.6	540	100
OSK-W-19-1857-W4	405.22	Lynx 4	1415.0	453525	5435704	108	-58	1335.5	1337.1	3.6	6.33	
OSK-W-19-1857-W5	405.22	Lynx 4	1439.0	453525	5435704	108	-58	1400.2	1404.2	2.0	8.12	
OSK-W-19-1857-W6	405.22	Lynx 4	1487.4	453525	5435704	108	-58	1342.6	1354.5	11.9	30.8	28.3
		including						1348.0	1348.0	0.0	99.3	74.6
								1350.5	1352.7	2.2	86.7	85.7
OSK-W-19-1857-W7	405.22	Lynx 4	1460.4	453525	5435704	108	-58	1371.0	1373.4	2.4	23.1	
		including						1372.4	1372.9	0.5	65.7	
OSK-W-19-1857-W7	405.22	Lynx 4	1460.4	453525	5435704	108	-58	1421.0	1423.0	2.0	10.0	
		including						1421.0	1422.0	1.0	39.9	
OSK-W-19-1857-W8	405.22	Lynx 4	1527.8	453525	5435704	108	-58	1415.1	1420.8	5.7	62.4	38.3
		including						1418.3	1419.6	1.3	206	100
OSK-W-19-1859	399.98	Caribou	553.0	452106	5434414	332	-50	103.7	106.1	2.4	19.4	
		including						103.7	104.2	0.5	84.9	
OSK-W-19-1859	399.98	Caribou	553.0	452106	5434414	332	-50	113.1	115.3	2.2	6.30	
		including						114.6	115.3	0.7	17.6	
OSK-W-19-1860	403.8	Lynx 305	333.0	453186	5435200	124	-45	287.7	290.5	2.8	6.39	
		including						287.7	288.6	0.9	17.1	
OSK-W-19-1860	403.8	Lynx 305	333.0	453186	5435200	124	-45	294.5	298.4	3.9	13.0	
		including						297.0	298.4	0.7	4.4	
OSK-W-19-1860	403.8	Lynx 304	333.0	453186	5435200	124	-45	310.7	313.0	2.3	28.6	
		including						311.0	311.9	0.9	70.7	
OSK-W-19-1865	403.72	Lynx 304	339.0	453191	5435212	124	-45	313.3	315.5	2.2	56.0	33.0
		including						314.2	314.9	0.7	172	100
OSK-W-19-1867	401.3	PS1	547.8	453360	5435758	334	-49	260.9	263.6	2.7	3.26	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-1871	402.37	Caribou	573.0	452486	5434397	331	-56	519.2	521.2	2.0	3.71	
OSK-W-19-1871	402.37	Caribou	573.0	452486	5434397	331	-56	524.5	527.0	2.5	8.78	
OSK-W-19-1871	402.37	Caribou	573.0	452486	5434397	331	-56	530.1	532.1	2.0	20.5	
								531.1	533.1	1.0	40.5	
OSK-W-19-1874	403.48	Caribou	327.0	452525	5434698	329	-52	151.4	153.5	2.1	3.11	
								152.6	152.9	0.3	21.5	
OSK-W-19-1874	403.48	Caribou	327.0	452525	5434698	329	-52	225.8	238.7	12.9	5.49	
								225.8	227.8	2.0	34.8	
OSK-W-19-1875	402.79	Vein	360.0	453023	5435222	154	-46	244.3	247.0	2.7	5.35	
								244.3	245.1	0.8	18.3	
OSK-W-19-1878	402.68	Lynx	651.0	453419	5435500	135	-46	544.2	546.3	2.1	48.8	
								545.2	545.6	0.4	93.8	
OSK-W-19-1878	402.68	Lynx	651.0	453419	5435500	135	-46	556.6	559.0	2.4	3.63	
OSK-W-19-1878	402.68	Lynx	651.0	453419	5435500	135	-46	600.0	602.0	2.0	6.98	
								601.0	601.6	0.6	22.1	
OSK-W-19-1880	402.97	Caribou corridor	372.0	452553	5434683	333	-52	149.0	151.2	2.2	4.07	
								149.6	150.2	0.6	34.8	
OSK-W-19-1882	399.92	Caribou	914.5	452469	5434405	328	-57	485.1	487.5	2.4	3.74	
								487.0	487.5	0.5	15.2	
OSK-W-19-1882	399.92	Underdog	914.5	452469	5434405	328	-57	798.0	800.4	2.4	7.60	
								799.7	800.4	0.7	22.1	
OSK-W-19-1883	404.32	Windfall N	294.0	452063	5435248	154	-46	100.2	102.4	2.2	393	23.5
								101.5	102.0	0.5	1725	100
OSK-W-19-1884	406.32	Windfall N	459.0	452278	5435429	163	-52	350.7	353.2	2.5	15.0	
								350.7	351.0	0.3	54.7	
OSK-W-19-1886	403.38	Caribou	336.2	452506	5434672	331	-50	185.0	187.4	2.4	5.00	
								185.0	185.8	0.8	14.3	
OSK-W-19-1886	403.38	Caribou	336.2	452506	5434672	331	-50	251.6	264.0	10.4	3.20	
OSK-W-19-1888	404.95	Windfall N	285.0	452123	5435237	156	-46	165.3	168.0	2.7	5.62	
								165.3	165.9	0.6	25.1	
OSK-W-19-1889	398.28	Vein	528.0	452452	5434400	327	-57	207.7	210.0	2.3	7.82	
OSK-W-19-1891	399.24	Lynx	600.0	453513	5435472	135	-52	495.3	497.6	2.3	72.3	35.0
								496.5	497.8	0.3	263	100
OSK-W-19-1891	399.24	Lynx	600.0	453513	5435472	135	-52	503.0	504.1	1.1	4.46	
								503.6	504.1	0.5	18.2	
OSK-W-19-1891	399.24	Lynx	600.0	453513	5435472	135	-52	515.8	520.6	4.8	96.7	23.0
								516.6	516.9	0.3	1070	100
								517.9	518.5	0.6	208	100
OSK-W-19-1891-W1	399.24	Lynx W1	585.0	453513	5435472	135	-52	533.0	535.4	2.4	70.0	
								532.0	535.4	3.4	7.18	
OSK-W-19-1891-W1	399.24	Lynx W1	585.0	453513	5435472	135	-52	473.1	473.8	0.7	30.1	
								502.7	504.7	2.0	7.49	
OSK-W-19-1891-W1	399.24	Lynx W1	585.0	453513	5435472	135	-52	503.3	503.6	0.3	42.3	
OSK-W-19-1891-W1	399.24	Lynx W1	585.0	453513	5435472	135	-52	515.7	520.0	4.3	4.04	
OSK-W-19-1891-W1	399.24	Lynx W1	585.0	453513	5435472	135	-52	532.5	534.5	2.0	31.1	
								532.9	534.0	1.1	56.3	
OSK-W-19-1891-W1	399.24	Lynx W1	585.0	453513	5435472	135	-52	547.1	553.5	6.4	17.0	15.4
								553.1	553.5	0.4	125	100
OSK-W-19-1891-W2	399.24	Lynx W2	588.8	453513	5435472	135	-52	513.6	516.3	2.7	5.18	
OSK-W-19-1891-W3	399.24	Lynx W3	603.0	453513	5435472	135	-52	532.3	537.0	4.7	7.54	
OSK-W-19-1891-W3	399.24	Lynx W3	603.0	453513	5435472	135	-52	556.0	558.3	2.3	10.6	
								557.0	557.6	0.6	32.0	
OSK-W-19-1891-W3	399.24	Lynx W3	603.0	453513	5435472	135	-52	566.0	568.0	2.0	4.99	
								567.2	567.6	0.4	20.3	
OSK-W-19-1891-W4	399.24	Lynx W4	665.6	453513	5435472	135	-52	548.5	551.0	2.5	14.0	
OSK-W-19-1891-W4	399.24	Lynx W4	665.6	453513	5435472	135	-52	576.7	579.3	2.6	4.36	
OSK-W-19-1891-W4	399.24	Lynx W4	665.6	453513	5435472	135	-52	587.5	589.7	2.2	6.08	
OSK-W-19-1893	404.85	Windfall N	182.4	452113	5435150	329	-46	55.5	58.0	2.5	7.77	
								56.5	57.2	0.7	19.2	
OSK-W-19-1894	406.28	Windfall N	459.0	452278	5435429	151	-61	347.4	349.4	2.0	0.51	
								347.8	348.7	0.9	26.7	
OSK-W-19-1896	405.81	Windfall N	570.0	452140	5435111	329	-53	361.0	363.0	2.0	3.16	
OSK-W-19-1897	402.54	Underdog, 4300	1125.0	452535	5434406	331	-57	848.0	851.0	3.0	4.37	
OSK-W-19-1897	402.54	Underdog	1125.0	452535	5434406	331	-57	860.0	862.3	2.3	19.0	
								860.8	861.8	1.0	42.8	
OSK-W-19-1897	402.54	Underdog	1125.0	452535	5434406	331	-57	892.0	894.0	2.0	6.96	
OSK-W-19-1897	402.54	Underdog, 4511	1125.0	452535	5434406	331	-57	983.3	985.6	2.3	6.35	
								985.1	985.6	0.5	17.8	
OSK-W-19-1898	401.83	Caribou	300.0	452490	5434705	327	-52	158.0	200.2	2.2	4.85	
OSK-W-19-1898	401.83	Caribou	300.0	452490	5434705	327	-52	203.4	208.0	4.6	5.26	
OSK-W-19-1898	401.83	Caribou	300.0	452490	5434705	327	-52	214.9	219.5	4.6	4.49	
OSK-W-19-1900	401.30	Caribou, 230	348.0	452619	5434733	323	-52	267.0	269.0	2.0	9.41	
								262.0	263.0	1.0	18.3	
OSK-W-19-1900	401.36	Caribou	345.0	452619	5434733	323	-52	286.7	291.1	4.4	6.65	
OSK-W-19-1903	399.76	Caribou corridor	564.0	452470	5434382	330	-60	205.6	208.0	2.4	10.5	
								205.6	205.4	0.2	18.0	
OSK-W-19-1903	399.76	Caribou corridor	564.0	452470	5434382	330	-60	394.6	397.4	2.8	6.18	
								395.5	396.4	0.9	16.9	
OSK-W-19-1904	399.86	Caribou	624.0	452628	5434706	328	-50	297.2	299.3	2.1	51.9	14.6
								298.0	298.3	0.3	361	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-1904	399.86	Caribou	624.0	452628	5434706	328	-50	354.0	356.1	2.1	4.14	
		including						354.6	355.1	0.5	10.0	
OSK-W-19-1904	399.86	227 112	624.0	452628	5434706	328	-50	522.0	525.0	3.0	3.93	
OSK-W-19-1906	405.38	Windfall N	340.0	453262	5435149	536	-54	99.7	101.7	2.0	7.50	
		including						100.0	100.3	0.3	19.4	
		and						100.3	100.7	0.4	16.4	
OSK-W-19-1911	403.79	Windfall N	403.8	452154	5435377	147	-50	202.4	204.7	2.3	6.86	
		including						203.4	205.7	0.3	39.0	
OSK-W-19-1911	403.79	Windfall N	403.8	452154	5435377	147	-50	211.3	217.4	6.1	31.0	12.6
		including						215.7	216.0	0.3	474	100
OSK-W-19-1911	403.79	Windfall N	403.8	452154	5435377	147	-50	298.0	300.4	2.4	9.75	
		including						300.1	300.4	0.3	74.8	
OSK-W-19-1911	403.79	Windfall N	403.8	452154	5435377	147	-50	303.9	306.3	2.4	12.9	
		including						304.6	305.4	0.8	30.1	
OSK-W-19-1915	396.23	Lynx	651.0	454120	5435104	350	-70	562.2	564.9	2.7	3.25	
OSK-W-19-1915	396.23	Lynx	651.0	454120	5435104	350	-70	568.0	570.7	2.5	3.12	
OSK-W-19-1915	396.23	Lynx	651.0	454120	5435104	350	-70	585.0	587.1	2.1	7.84	
		including						585.0	585.4	0.4	40.7	
OSK-W-19-1917	400.38	Caribou 240	620.0	452555	5434363	329	-57	465.0	467.0	2.0	3.62	
OSK-W-19-1921-W1	399.06	Lynx	951.0	453502	5435488	112	-52	787.0	789.1	2.1	19.9	
		including						788.3	788.8	0.5	81.3	
OSK-W-19-1921-W1	399.06	Lynx 333	951.0	453502	5435488	112	-52	837.4	840.0	2.6	5.78	
		including						839.0	840.0	1.0	14.0	
OSK-W-19-1921-W1	399.06	Lynx 332	951.0	453502	5435488	112	-52	897.6	900.0	2.4	4.01	
OSK-W-19-1921-W2	399.06	Lynx 317	1080.4	453502	5435488	112	-52	877.3	879.9	2.6	3.67	
OSK-W-19-1921-W2	399.06	Lynx 313	1080.4	453502	5435488	112	-52	953.0	956.0	3.0	5.52	
OSK-W-19-1921-W2	399.06	Lynx 313	1080.4	453502	5435488	112	-52	958.0	961.6	3.6	5.67	
OSK-W-19-1921-W2	399.06	Lynx 4	1080.4	453502	5435488	112	-52	1040.2	1043.7	3.5	7.83	
		including						1041.2	1042.0	0.8	20.2	
OSK-W-19-1921-W2	399.06	Lynx 4	1080.4	453502	5435488	112	-52	1049.3	1052.2	2.9	5.88	
OSK-W-19-1928	398.78	Lynx 326	654.0	454120	5435104	329	-72	582.0	584.1	2.1	37.8	
		including						583.1	584.5	0.8	49.4	
OSK-W-19-1932	400.12	Lynx 326	721.0	453710	5435620	127	-55	671.7	675.8	4.1	31.3	
		including						674.1	675.0	0.9	97.3	
OSK-W-19-1932-W1	400.12	Lynx 326	723.0	453710	5435620	127	-55	688.3	690.5	2.2	3.40	
OSK-W-19-1932-W2	400.12	Lynx 326	824.4	453710	5435620	127	-55	717.5	719.5	2.0	10.2	
OSK-W-19-1932-W2	400.12	Lynx 324	824.4	453710	5435620	127	-55	745.0	747.0	2.0	66.5	70.4
		including						745.6	747.0	1.4	125	100
OSK-W-19-1932-W2	400.12	Lynx 4	824.4	453710	5435620	127	-55	800.9	803.0	2.1	85.8	20.0
		including						801.8	802.2	0.4	445	100
OSK-W-19-1932-W2	400.12	Lynx 4	824.4	453710	5435620	127	-55	808.0	810.0	2.0	29.6	27.2
		including						808.5	809.0	0.5	110	100
OSK-W-19-1932-W3	400.12	Lynx 334	803.0	453710	5435620	127	-55	722.7	724.8	2.1	6.85	100
		including						723.4	724.2	0.8	17.3	
OSK-W-19-1933	403.63	Caribou 201	602.0	452578	5434713	333	-54	303.0	305.0	2.0	3.40	
OSK-W-19-1933	403.63	Caribou 207	602.0	452578	5434713	333	-54	396.0	398.1	2.1	4.53	
OSK-W-19-1933	403.63	227 112	602.0	452578	5434713	333	-54	508.5	512.0	3.5	3.86	
OSK-W-19-1933	403.63	227 110	602.0	452578	5434713	333	-54	524.0	526.7	2.7	4.91	
OSK-W-19-1939	400.37	Lynx	519.0	453285	5435277	126	-46	253.6	255.8	2.2	4.47	
OSK-W-19-1939	400.37	Lynx 316	519.0	453285	5435277	126	-46	351.0	353.0	2.0	6.44	
OSK-W-19-1939	400.37	Lynx 316	519.0	453285	5435277	126	-46	357.9	360.3	2.4	18.7	
		including						357.9	358.4	0.5	68.3	
OSK-W-19-1942	402.65	Lynx 323	930.0	453315	5435390	128	-54	447.0	449.7	2.7	3.25	
		including						448.3	448.9	0.6	14.0	
OSK-W-19-1942	402.65	Lynx 327	930.0	453315	5435390	128	-54	861.2	863.5	2.3	11.3	
		including						861.2	861.7	0.5	49.4	
OSK-W-19-1942	402.65	Lynx	930.0	453315	5435390	128	-54	884.0	886.0	2.0	6.66	
		including						884.5	885.0	0.5	17.4	
OSK-W-19-1942-W1	402.65	Lynx 4	942.0	453315	5435390	128	-54	825.0	828.0	3.0	7.55	
		including						825.0	825.5	1.5	13.4	
OSK-W-19-1942-W1	402.65	Lynx 313	942.0	453315	5435390	128	-54	837.0	839.0	2.0	3.08	
OSK-W-19-1942-W1	402.65	Lynx 4	942.0	453315	5435390	128	-54	844.0	846.0	2.0	12.8	
OSK-W-19-1942-W2	402.65	Lynx 303	1056.0	453315	5435390	128	-54	398.5	400.5	2.0	9.48	
		including						398.5	399.5	1.0	18.9	
OSK-W-19-1942-W2	402.65	Lynx 313	1056.0	453315	5435390	128	-54	849.0	852.0	3.0	9.80	
		including						851.5	852.0	0.5	28.8	
OSK-W-19-1942-W2	402.65	Lynx 313	1056.0	453315	5435390	128	-54	857.2	859.4	2.2	15.2	
		including						857.8	858.7	0.9	35.9	
OSK-W-19-1942-W2	402.65	Lynx 327	1056.0	453315	5435390	128	-54	906.0	908.2	2.2	4.81	
		including						907.8	908.2	0.4	17.9	
OSK-W-19-1942-W2	402.65	Lynx	1056.0	453315	5435390	128	-54	998.6	1003.4	4.8	6.89	
		including						1009.0	1003.4	0.4	41.3	
OSK-W-19-1943	405.54	Explo	297.0	452241	5435078	340	-47	106.5	108.5	2.0	5.46	
		including						106.5	107.0	0.5	39.3	
OSK-W-19-1947	400.63	Lynx 321	632.8	453412	5435463	137	-46	502.1	504.6	2.5	12.8	
		including						502.1	503.1	1.0	28.2	
OSK-W-19-1947	400.63	Lynx 301	632.8	453412	5435463	137	-46	517.5	520.9	3.4	14.1	
		including						517.5	528.0	0.5	34.7	
OSK-W-19-1948	400.34	Lynx 309	489.0	453286	5435277	121	-45	185.0	188.0	3.0	8.67	
OSK-W-19-1948	400.34	Lynx 305	489.0	453286	5435277	121	-45	248.8	252.3	3.5	7.06	
		including						248.8	249.7	0.9	17.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-1948	400.34	Lynx 306	including 489.0	453286	5435277	121	-45	380.2	382.2	2.0	5.98	
								381.2	382.2	1.0	11.4	
OSK-W-19-1949	400.55	Lynx	1073.0	453440	5435479	105	-57	731.0	733.0	2.0	3.19	
OSK-W-19-1949	400.55	Lynx 317	including 1073.0	453440	5435479	105	-57	871.3	975.0	3.7	11.5	
								975.1	975.1	1.0	31.2	
OSK-W-19-1949	400.55	Lynx 330	including 1073.0	453440	5435479	105	-57	996.2	999.5	3.3	31.3	
								996.2	997.1	0.9	74.2	
								999.1	999.5	0.4	29.0	
OSK-W-19-1949-W1	400.55	Lynx 317	including 1071.0	453440	5435479	105	-57	987.0	990.3	3.3	53.1	18.7
								989.4	989.9	0.5	327	
OSK-W-19-1949-W1	400.55	Lynx 313	including 1071.0	453440	5435479	105	-57	1058.9	1060.0	2.0	20.2	
								1059.9	1060.0	1.0	40.2	
OSK-W-19-1949-W2	400.55	Lynx	1127.3	453440	5435479	105	-57	701.0	704.1	3.1	7.88	
OSK-W-19-1949-W2	400.55	Lynx	1127.3	453440	5435479	105	-57	719.0	721.0	2.0	288	17.4
								719.7	720.0	0.3	1905	100
OSK-W-19-1949-W2	400.55	Lynx 333	including 1127.3	453440	5435479	105	-57	998.2	1000.2	2.0	7.72	
OSK-W-19-1949-W2	400.55	Lynx 333	including 1127.3	453440	5435479	105	-57	1080.6	1085.4	4.8	25.4	18.1
								1082.4	1083.1	0.7	150	
OSK-W-19-1949-W2	400.55	Lynx 333	including 1127.3	453440	5435479	105	-57	1097.8	1100.5	2.7	3.92	
OSK-W-19-1949-W3	400.55	Lynx 341	including 1326.0	453440	5435479	105	-57	642.2	644.6	2.4	4.38	
OSK-W-19-1949-W3	400.55	Lynx	1326.0	453440	5435479	105	-57	651.0	653.0	2.0	14.0	
								652.3	653.0	0.7	39.5	
OSK-W-19-1949-W3	400.55	Lynx	including 1326.0	453440	5435479	105	-57	691.2	696.8	5.6	37.4	23.6
								692.7	693.8	1.1	170	300.0
OSK-W-19-1949-W3	400.55	Lynx	1326.0	453440	5435479	105	-57	698.1	700.4	2.3	3.27	
OSK-W-19-1949-W3	400.55	Lynx 333	including 1326.0	453440	5435479	105	-57	1046.0	1048.0	2.0	138	31.3
								1046.0	1046.6	0.6	485	100
OSK-W-19-1949-W3	400.55	Lynx 4	including 1326.0	453440	5435479	105	-57	1295.0	1297.0	2.0	10.8	
								1296.5	1296.2	0.7	30.2	
OSK-W-19-1949-W4	400.55	Lynx 333	including 1297.9	453440	5435479	105	-57	1086.7	1088.8	2.1	5.61	
OSK-W-19-1950	405.51	Vein	228.0	452167	5435110	343	-46	32.3	34.6	2.3	88.9	11.5
								32.3	32.6	0.3	289	100
OSK-W-19-1952	405.18	Lynx 311	including 486.0	453236	5435306	132	-51	338.1	341.0	2.9	28.4	
								340.0	341.0	1.0	72.7	
OSK-W-19-1952	405.18	Lynx	486.0	453236	5435306	132	-51	346.0	350.0	4.0	4.67	
OSK-W-19-1952	405.18	Lynx 308	including 486.0	453236	5435306	132	-51	371.9	379.0	7.1	14.2	
OSK-W-19-1952	405.18	Lynx 310	including 486.0	453236	5435306	132	-51	383.0	387.7	4.7	21.1	
								384.0	384.5	0.5	40.9	
								386.9	387.7	0.8	79.3	
OSK-W-19-1954	408.95	Windfall Nord	246.0	452256	5435146	339	-52	61.6	64.4	2.8	27.8	
								61.6	64.4	0.8	89.6	
OSK-W-19-1958	410.68	Lynx	including 1065.0	453430	5435572	111	-52	690.7	693.0	2.3	12.9	
								692.3	693.0	0.7	41.6	
OSK-W-19-1958	410.68	Lynx 317	including 1065.0	453430	5435572	111	-52	970.3	977.3	7.0	7.94	
								972.1	972.5	0.4	27.9	
OSK-W-19-1958-W1	410.68	Lynx 317	including 1104.0	453430	5435572	111	-52	975.4	977.8	2.4	8.40	
OSK-W-19-1958-W1	410.68	Lynx 313	including 1104.0	453430	5435572	111	-52	1028.0	1030.0	2.0	3.51	
OSK-W-19-1958-W1	410.68	Lynx 312	including 1104.0	453430	5435572	111	-52	1050.0	1052.5	2.5	8.31	
OSK-W-19-1958-W1	410.68	Lynx 312	including 1104.0	453430	5435572	111	-52	1075.3	1077.5	2.2	5.34	
OSK-W-19-1958-W2	410.68	Lynx 317	including 1158.0	453430	5435572	111	-52	1003.3	1007.1	3.8	80.7	52.8
								1003.7	1003.2	0.5	325	100
OSK-W-19-1962	396.51	Lynx 310	including 455.0	453261	5434881	338	-34	232.4	234.4	2.0	5.41	
								234.0	234.4	0.4	22.3	
OSK-W-19-1962	396.51	Lynx 307	including 455.0	453261	5434881	338	-34	305.5	308.8	3.3	5.83	
OSK-W-19-1963-W1	401.03	Lynx 4	including 1461.0	453761	5435816	123	-58	1325.5	1327.9	2.4	96.9	55.9
OSK-W-19-1963-W1	401.03	Lynx	1461.0	453761	5435816	123	-58	1326.6	1327.6	1.0	100	
OSK-W-19-1963-W2	401.03	Lynx 4	including 1424.0	453761	5435816	123	-58	1172.0	1174.0	2.0	6.34	
OSK-W-19-1963-W2	401.03	Lynx 4	including 1424.0	453761	5435816	123	-58	1319.2	1324.4	5.2	13.8	
								1319.2	1320.7	1.5	26.8	
OSK-W-19-1963-W2	401.03	Lynx 4	including 1424.0	453761	5435816	123	-58	1337.8	1341.8	4.0	13.0	
								1342.2	1341.8	0.6	45.9	
OSK-W-19-1963-W3	401.03	Lynx 4	including 1459.6	453761	5435816	123	-58	1348.9	1356.0	7.1	27.5	21.0
								1353.2	1354.4	1.2	134	95.8
OSK-W-19-1963-W3	401.03	Lynx 345	including 1459.6	453761	5435816	123	-58	1405.0	1403.5	1.5	5.03	
OSK-W-19-1963-W3	401.03	Lynx 4	including 1459.6	453761	5435816	123	-58	1431.0	1433.8	2.8	7.29	
								1432.7	1433.1	0.4	44.8	
OSK-W-19-1963-W4	401.03	Lynx	including 1487.4	453761	5435816	123	-58	1230.5	1234.7	4.2	40.4	34.4
								1233.5	1234.7	1.2	152	100
OSK-W-19-1963-W4	401.03	Lynx 4	including 1487.4	453761	5435816	123	-58	1444.0	1448.7	4.7	34.4	
								1444.0	1445.0	1.0	28.3	
OSK-W-19-1963-W5	401.03	Lynx 4	including 1616.0	453761	5435816	123	-58	1466.6	1470.4	3.8	19.5	
								1469.0	1470.4	1.4	42.8	
OSK-W-19-1963-W6	401.03	Lynx 4	including 1493.0	453761	5435816	123	-58	1402.7	1406.6	3.9	23.8	
								1405.1	1405.6	0.5	44.8	
OSK-W-19-1963-W6	401.03	Lynx 4	including 1493.0	453761	5435816	123	-58	1413.8	1414.0	0.2	3.98	
OSK-W-19-1965	405.45	Windfall Nord	231.0	452201	5435148	352	-48	118.0	118.5	0.5	114	34.8
								117.3	118.1	0.8	346	100
OSK-W-19-1966	404.95	Windfall Nord	195.0	452091	5435139	343	-52	90.0	92.0	2.0	4.69	
OSK-W-19-1969	405.32	Lynx corridor	336.0	452832	5434947	164	-51	198.0	200.0	2.0	3.06	
								199.0	200.0	1.0	5.64	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-1969	405.32	Lynx corridor	336.0	452832	5434947	164	-51	305.0	307.0	2.0	7.82	
		including						306.0	307.0	1.0	15.6	
OSK-W-19-1969	405.32	Lynx	336.0	452832	5434947	164	-51	315.0	317.0	2.0	8.00	
OSK-W-19-1970	400.83	Explo	2274.0	451911	5435347	90	-51	2018.6	1020.9	2.3	7.85	
		including						1020.3	1020.9	0.6	28.8	
OSK-W-19-1970	400.83	Underdog	2274.0	451911	5435347	90	-51	1658.8	1662.0	3.2	5.75	
OSK-W-19-1970	400.83	Vein	2274.0	451911	5435347	90	-51	1674.0	1675.0	1.0	62.3	
OSK-W-19-1970	400.83	Underdog	2274.0	451911	5435347	90	-51	170.9	1773.0	2.1	24.1	
		including						1771.3	1772.0	0.7	41.4	
OSK-W-19-1970	400.83	Explo	2274.0	451911	5435347	90	-51	2048.1	2050.7	2.6	3.39	
OSK-W-19-1970	400.83	Triple 8	2274.0	451911	5435347	90	-51	2191.2	2198.8	7.6	9.58	9.09
		including						2193.8	2192.1	0.3	112	100
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2358.2	2360.7	2.5	4.01	
		including						2358.9	2359.5	0.6	15.7	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2377.0	2392.0	15.0	1.34	
		including						2385.0	2385.8	0.8	9.88	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2545.0	2547.0	2.0	5.72	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2650.2	2650.0	19.8	0.75	
		including						2669.5	2670.0	0.5	11.7	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2738.0	2740.0	2.0	7.41	
		including						2739.0	2739.3	0.3	48.7	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	2861.9	2862.2	2.1	10.7	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	3038.0	3038.0	4.0	5.25	
OSK-W-19-1970-W1	400.83	Explo	3467.0	451911	5435347	90	-51	3130.0	3330.0	191.0	1.04	
		including						3168.9	3170.3	1.4	11.4	
		including						3178.0	3180.0	2.0	3.26	
		including						3199.0	3200.0	1.0	15.4	
		including						3274.5	3277.0	2.5	10.0	
		including						3275.9	3277.0	1.1	19.9	
OSK-W-19-1971	405.64	Explo	147.0	452134	5435132	343	-46	135.0	137.4	2.4	3.28	
OSK-W-19-1971	398.69	Caribou 220	509.0	452392	5434547	325	-50	83.2	96.5	2.3	5.29	
		including						84.2	96.5	0.3	40.5	
OSK-W-19-1973	398.69	Caribou 220	509.0	452392	5434547	325	-50	92.2	95.1	2.9	4.37	
		including						94.8	95.1	0.3	23.7	
OSK-W-19-1973	398.69	Caribou 201	509.0	452392	5434547	325	-50	387.0	389.0	2.0	4.51	
OSK-W-19-1973	398.69	227 corridor	509.0	452392	5434547	325	-50	415.2	419.0	2.8	5.88	
OSK-W-19-1975	402.08	Triple Lynx	1716.0	453768	5435892	119	-58	1510.9	1512.9	2.0	7.86	
OSK-W-19-1975	402.08		1716.0	453768	5435892	119	-58	1511.2	1512.0	0.8	18.3	
OSK-W-19-1975-W1	402.08	Lynx 4	1560.0	453768	5435892	119	-58	1504.2	1506.6	2.4	5.69	
OSK-W-19-1978	403.64	Windfall Nord	490.2	452479	5435006	341	-48	454.0	456.0	2.0	12.1	
		including						454.7	455.4	0.7	8.1	
OSK-W-19-1982	406.61	Bobcat	363.0	452974	5435016	163	-53	158.7	151.9	3.2	10.6	
OSK-W-19-1986	397.89	Lynx	1085.0	453352	5434424	46	-75	952.4	960.6	8.2	3.99	
		and						956.0	956.7	0.7	12.4	
								959.4	960.0	0.6	13.5	
OSK-W-19-1988	396.15	Triple 8	1962.0	453374	5434480	48	-78	1581.2	1585.4	2.2	9.52	
OSK-W-19-1988	396.15	Triple 8	1962.0	453374	5434480	48	-78	1690.6	1693.0	2.2	5.97	
OSK-W-19-1988	396.15	Triple 8	1962.0	453374	5434480	48	-78	1771.0	1773.2	2.2	6.17	
OSK-W-19-1988	396.15	Triple 8	1962.0	453374	5434480	48	-78	1779.0	1783.0	4.0	6.02	
OSK-W-19-1988-W1	396.15	Triple 8	1812.0	453374	5434480	48	-78	1596.0	1598.0	2.0	9.05	
OSK-W-19-1988-W1	396.15	Triple 8	1812.0	453374	5434480	48	-78	1794.8	1795.8	2.0	5.66	
		including						1795.3	1795.7	0.4	24.7	
OSK-W-19-1991	397.99	Lynx 336	1266.0	453561	5434349	358	-46	852.1	854.3	2.2	5.27	
OSK-W-19-1991	397.99	Lynx 4	1266.0	453561	5434349	358	-46	891.2	893.7	2.5	5.30	
OSK-W-19-1991	397.99	Triple Lynx	1266.0	453561	5434349	358	-46	1127.3	1129.9	2.6	5.62	
OSK-W-19-1991	397.99		1266.0	453561	5434349	358	-46	1127.3	1131.0	0.7	14.0	
OSK-W-19-1992-W1	401.48	Lynx 4	1875.0	454007	5436004	106	-61	1393.2	1396.7	3.5	10.2	
OSK-W-19-1992-W1	401.48	Lynx 4	1875.0	454007	5436004	106	-61	1399.9	1403.2	3.3	16.3	
OSK-W-19-1992-W1	401.48	Lynx 4	1875.0	454007	5436004	106	-61	1708.4	1714.3	5.9	14.3	
		including						1711.0	1713.5	0.6	9.7	
								103.1	105.5	2.4	5.14	
OSK-W-19-1993	406.15	F11	193.0	452350	5435850	146	-54	133.3	136.3	3.0	248	35.0
OSK-W-19-1995	396.57	Lynx 335	564.0	452818	5434775	336	-59	135.3	136.3	1.0	740	100
		including						135.3	136.3	1.0	740	100
OSK-W-19-1995	396.57	Caribou 230	564.0	452818	5434775	336	-59	400.1	402.4	2.3	4.16	
OSK-W-19-1995	396.57	Caribou 253A	564.0	452818	5434775	336	-59	424.1	427.0	3.2	4.59	
OSK-W-19-1995	396.57	Caribou 207	564.0	452818	5434775	336	-59	501.0	503.5	2.5	12.2	
		including						501.0	502.0	1.0	30.3	
OSK-W-19-1996	404.47		165.0	452808	5434912	177	-55	13.0	15.1	2.1	3.67	
OSK-W-19-1998	406.1	F11	183.0	452350	5435850	151	-46	100.9	104.0	3.1	12.6	
		including						101.0	104.0	3.0	29.0	23.0
OSK-W-19-1999	406.23	Bobcat	213.0	452756	5434873	319	-45	122.8	125.0	2.2	12.7	
		including						122.8	123.3	0.5	127	100
OSK-W-19-2001	405.89	F11	201.0	452402	5435876	166	-53	119.5	121.7	2.2	16.8	
		including						119.5	120.1	0.6	43.6	
OSK-W-19-2001	405.89	F11	201.0	452402	5435876	166	-53	125.4	127.7	2.3	7.8	
OSK-W-19-2003	402.29	Bobcat	196.0	452838	5435025	330	-47	85.8	90.2	4.4	3.06	
OSK-W-19-2004	406.26	Bobcat	252.0	452924	5434976	323	-47	213.6	216.9	3.3	5.31	
		including						216.0	216.9	0.9	15.6	
OSK-W-19-2009	408.33	Bobcat	288.0	4523947	5435015	169	-49	145.6	147.8	2.2	3.87	
OSK-W-19-2009	408.33	Bobcat	288.0	4523947	5435015	169	-49	170.1	174.2	4.1	4.97	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
			including					170.1	172.0	1.9	8.25	
OSK-W-19-2011	398.98	Lynx 301	452.0	453465	5435434	150	-47	463.8	466.0	2.2	22.6	
			including					463.8	464.3	0.5	98.0	
OSK-W-19-2012	395.81	Lynx 306	321.0	453482	5435045	359	-69	216.0	218.0	2.0	6.44	
			including					216.0	216.6	0.6	20.9	
OSK-W-19-2012	395.81	Lynx 310	321.0	453482	5435045	359	-69	303.0	307.2	4.2	52.3	50.5
			including					306.0	306.5	0.5	115	
OSK-W-19-2013	406.01	F11	201.0	452491	5435886	149	-45	101.6	104.2	2.6	15.5	
			including					101.6	102.0	0.4	49.9	
			including					102.0	102.4	0.4	54.4	
OSK-W-19-2015	409.53	Lynx 315	780.0	453481	5435590	132	-50	698.5	700.5	2.0	32.9	
			including					699.2	699.8	0.6	57.2	
OSK-W-19-2015	409.53	Lynx 315	780.0	453481	5435590	132	-50	701.9	706.0	2.1	3.38	
			including					704.5	705.3	0.8	8.34	
OSK-W-19-2017	399.08	Lynx 322	471.0	453486	5435433	149	-46	385.0	387.0	2.0	17.9	
			including					386.0	386.5	0.5	70.5	
OSK-W-19-2017	399.08	Lynx 301	471.0	453466	5435433	149	-46	415.0	417.0	2.0	6.99	
			including					415.0	416.0	1.0	13.9	
OSK-W-19-2019	405.73	F11	234.0	453407	5435819	153	-51	149.0	151.0	2.0	17.5	
			including					149.0	150.0	1.0	34.8	
OSK-W-19-2020	406.64	Bobcat	294.0	452727	5434929	163	-45	68.0	70.0	2.0	9.30	
			including					68.6	69.0	0.4	44.3	
OSK-W-19-2020	406.64	Bobcat	294.0	452727	5434929	163	-45	166.0	168.0	2.0	7.22	
			including					166.0	166.6	0.6	23.9	
OSK-W-19-2020	406.64	Bobcat	294.0	452727	5434929	163	-45	185.0	187.0	2.0	5.61	
			including					186.6	187.0	0.4	23.7	
OSK-W-19-2020	406.64	Bobcat	294.0	452727	5434929	163	-45	190.0	192.0	2.0	3.14	
			including					224.9	225.4	0.5	14.4	
OSK-W-19-2021	409.62	F11	192.0	452534	5435914	152	-49	58.4	60.4	2.0	4.08	
			including					60.0	60.4	0.4	17.4	
OSK-W-19-2023	406	Bobcat	243.0	452825	5434978	157	-49	158.0	160.0	2.0	37.2	25.6
			including					158.5	159.0	0.5	147	
OSK-W-19-2023	406	Lynx 302	243.0	452825	5434978	157	-49	206.0	208.0	2.0	13.5	100
			including					207.0	207.4	0.4	57.1	
OSK-W-19-2024	406.42	F11	162.0	452415	5435854	165	-45	99.0	101.0	2.0	12.9	
			including					100.0	101.0	1.0	24.3	
OSK-W-19-2024	406.42	F11	162.0	452415	5435854	165	-45	108.6	110.6	2.0	4.24	
OSK-W-19-2025	407.81	Bobcat	235.0	452977	5435033	157	-51	112.9	115.4	2.5	7.24	
			including					114.8	115.4	0.6	26.2	
OSK-W-19-2025	407.81	Lynx 302	276.0	452977	5435033	157	-51	186.0	188.0	2.0	19.9	
			including					186.5	187.1	0.6	49.0	
OSK-W-19-2025	407.81	Bobcat	276.0	452977	5435033	157	-51	241.6	245.1	2.5	6.88	
OSK-W-19-2025	407.81	Bobcat	276.0	452977	5435033	157	-51	254.0	256.0	2.0	3.71	
OSK-W-19-2026	414.2	Triple Lynx	1302.0	453214	5435642	123	-56	1079.6	1089.7	10.1	8.77	
			including					1086.3	1086.7	0.4	40.7	
			including					1089.3	1089.7	0.4	56.9	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	824.1	826.2	2.1	3.43	
			including					825.5	826.2	0.7	10.1	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	847.7	853.4	5.7	3.70	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	890.1	892.2	2.1	9.56	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	932.2	939.0	6.8	4.12	
			including					932.2	932.6	0.4	22.3	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	982.0	984.0	2.0	6.89	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	988.5	990.7	2.2	5.04	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	1026.0	1028.9	2.9	4.88	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	1028.6	1028.9	0.3	22.0	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	1058.0	1064.0	6.0	3.92	
			including					1063.1	1063.4	0.3	16.6	
OSK-W-19-2026-W1	414.2	Triple Lynx	1152.0	453214	5435642	123	-56	1083.0	1085.1	2.1	6.74	
			including					1083.8	1084.1	0.3	37.3	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	927.0	929.3	2.3	9.96	
			including					928.4	928.7	0.3	38.4	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	973.0	975.0	2.0	5.98	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	982.6	984.1	4.4	8.71	
			including					983.0	984.1	1.1	24.7	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	1000.3	1004.2	3.9	13.7	
			including					1009.7	1004.2	0.5	62.7	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	1034.0	1036.4	2.4	35.7	
			including					1034.6	1035.4	0.8	99.8	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	1052.6	1054.6	2.0	9.27	
			including					1054.3	1054.6	0.3	32.4	
OSK-W-19-2026-W2	414.2	Triple Lynx	1208.0	453214	5435642	123	-56	1083.0	1085.0	2.0	6.97	
			including					1083.0	1083.3	0.3	33.3	
OSK-W-19-2026-W3	414.2	Triple Lynx	1182.0	453214	5435642	123	-56	936.0	938.1	2.1	5.08	
OSK-W-19-2026-W3	414.2	Triple Lynx	1182.0	453214	5435642	123	-56	987.0	989.0	2.0	4.40	
OSK-W-19-2026-W3	414.2	Triple Lynx	1182.0	453214	5435642	123	-56	1059.0	1063.0	4.0	12.7	
OSK-W-19-2027	406.98	F11	102.0	452274	5435732	154	-46	21.0	27.0	6.0	4.46	
OSK-W-19-2027	406.98	F11	102.0	452274	5435732	154	-46	29.9	32.5	2.6	3.39	
OSK-W-19-2021	416.2	Bobcat	78.0	452995	5435106	271	-68	72.0	74.2	2.2	14.0	
			including					73.4	74.2	0.8	37.7	
OSK-W-19-2022	402.44	Underdog	909.0	453499	5434310	360	-48	685.5	687.6	2.1	3.25	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumult (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-2022	403.44	Underdog	809.0	451949	5434310	360	-48	831.0	833.0	2.0	8.40	
		including						832.1	833.0	0.9	18.6	
OSK-W-19-2023	411.05	Bobcat	174.0	453007	5435076	307	-49	79.0	85.5	2.5	13.5	
		including						79.7	80.2	0.5	98.7	
OSK-W-19-2025	399.64	Lynx 321	780.0	453421	5435432	134	-51	505.7	508.0	2.3	4.55	
		including						506.4	507.0	0.6	17.0	
OSK-W-19-2025	399.64	Lynx 301	780.0	453421	5435432	134	-51	554.1	556.5	2.4	3.24	
OSK-W-19-2025	399.64	Lynx 315	780.0	453421	5435432	134	-51	672.9	677.0	4.1	14.1	
		including						675.9	676.3	0.4	27.0	
OSK-W-19-2025	399.64	Lynx 4	780.0	453421	5435432	134	-51	743.0	745.3	2.3	7.82	
		including						744.1	744.8	0.7	24.9	
OSK-W-19-2026	409.67	Bobcat	153.0	452726	5435006	316	-46	26.2	28.3	2.1	16.6	
		including						26.2	26.8	0.6	55.6	
OSK-W-19-2027	407.66	F11	183.0	453431	5435770	308	-45	23.0	25.0	2.0	14.9	
OSK-W-19-2028	410.68	Bobcat	111.0	452690	5435003	322	-46	23.7	26.1	2.4	18.2	
		including						24.5	25.4	0.9	48.2	
OSK-W-19-2028	410.68	Bobcat	111.0	452690	5435003	322	-46	63.0	65.0	2.0	22.9	
		including						63.5	64.2	0.7	50.1	
OSK-W-19-2041-W1	408.81	Triple Lynx	1350.0	453236	5435775	118	-49	1079.0	1104.0	7.0	3.88	
OSK-W-19-2041-W1	408.81	Triple Lynx	1350.0	453236	5435775	118	-49	1109.0	1113.8	4.8	14.8	13.2
		including						1109.5	1109.5	0.5	116	100
OSK-W-19-2041-W1	408.81	Triple Lynx	1350.0	453236	5435775	118	-49	1131.9	1134.8	2.9	5.88	
OSK-W-19-2043	407.82	Lynx RW	831.0	453585	5435775	131	-49	786.2	788.4	2.2	8.48	
OSK-W-19-2044	406.31	Lynx corridor	440.0	452820	5435006	158	-48	143.2	147.3	4.1	10.9	
OSK-W-19-2044	406.31	Lynx 344	441.0	452820	5435006	158	-48	192.0	194.0	2.0	33.7	
OSK-W-19-2046	403.47	F17	255.0	452726	5435636	130	-54	146.0	148.1	2.1	3.84	
		including						146.0	146.7	0.7	10.5	
OSK-W-19-2048	399.08	Lynx 301	531.0	453502	5435475	137	-48	480.0	480.0	2.0	12.2	
		including						480.0	480.7	0.7	24.1	
OSK-W-19-2054	403.72	Caribou	573.0	451913	5434363	359	-46	194.0	196.0	2.0	6.24	
OSK-W-19-2055	403.47	F51	291.0	453608	5435712	337	-46	193.9	196.0	2.1	7.03	
OSK-W-19-2055	403.47	F51	291.0	453608	5435712	337	-46	210.8	213.0	2.2	12.4	
		including						211.6	211.9	0.3	80.3	
OSK-W-19-2055	403.47	F51	291.0	453608	5435712	337	-46	280.9	281.0	0.1	7.80	
OSK-W-19-2059	400.44	Lynx 321	993.0	453446	5435477	131	-52	563.0	565.0	2.0	7.30	
OSK-W-19-2059	400.44	Lynx	993.0	453446	5435477	131	-52	685.0	687.0	2.0	3.27	
OSK-W-19-2059	400.44	Lynx 4	993.0	453446	5435477	131	-52	795.6	798.0	2.4	15.2	
		including						796.1	796.9	0.8	39.3	
OSK-W-19-2059	400.44	Lynx 324	993.0	453446	5435477	131	-52	846.9	852.0	5.1	21.3	
		including						850.0	852.0	2.0	41.2	
OSK-W-19-2059	400.44	Lynx 327	993.0	453446	5435477	131	-52	863.8	866.7	2.9	7.07	
		including						865.4	866.7	0.3	49.0	
OSK-W-19-2059-W1	400.44	Lynx 301	1041.0	453446	5435477	131	-52	588.0	590.0	2.0	5.39	
OSK-W-19-2059-W1	400.44	Lynx 301	1041.0	453446	5435477	131	-52	595.0	597.0	2.0	58.8	50.8
		including						596.0	597.0	1.0	116	100
OSK-W-19-2059-W1	400.44	Lynx	1041.0	453446	5435477	131	-52	735.0	737.0	2.0	3.77	
OSK-W-19-2059-W1	400.44	Lynx 333	1041.0	453446	5435477	131	-52	780.4	782.4	2.0	9.48	
OSK-W-19-2059-W1	400.44	Lynx	1041.0	453446	5435477	131	-52	823.8	824.8	2.0	7.07	
		including						824.1	824.4	0.3	25.7	
OSK-W-19-2059-W1	400.44	Lynx	1041.0	453446	5435477	131	-52	827.0	829.0	2.0	3.24	
		including						827.5	828.0	0.5	12.0	
OSK-W-19-2059-W1	400.44	Lynx 313	1041.0	453446	5435477	131	-52	833.9	835.3	0.9	21.1	
		including						834.8	835.7	0.9	27.3	
OSK-W-19-2059-W1	400.44	Lynx 329	1041.0	453446	5435477	131	-52	867.4	869.4	2.0	50.0	
OSK-W-19-2059-W1	400.44	Lynx 4	1041.0	453446	5435477	131	-52	881.0	883.4	2.4	7.14	
OSK-W-19-2059-W1	400.44	Lynx 4	1041.0	453446	5435477	131	-52	885.9	888.0	2.1	9.43	
OSK-W-20-2059-W2	400.44	Lynx 321	933.0	453446	5435477	131	-52	596.0	598.5	2.5	6.08	
		including						597.6	598.0	0.4	25.7	
OSK-W-20-2059-W2	400.44	Lynx 333	933.0	453446	5435477	131	-52	806.0	808.0	2.0	7.35	
OSK-W-20-2059-W3	400.44	Lynx 315	1029.2	453446	5435477	131	-52	701.3	704.0	2.7	11.2	
		including						701.1	704.0	0.9	29.3	
OSK-W-20-2059-W3	400.44	Lynx 330	1029.2	453446	5435477	131	-52	805.0	807.2	2.2	10.1	
		including						806.7	807.2	0.5	43.5	
OSK-W-20-2059-W3	400.44	Lynx 4	1029.2	453446	5435477	131	-52	992.8	995.0	2.2	7.28	
OSK-W-20-2059-W4	400.44	Lynx 327	1092.0	453446	5435477	131	-52	991.5	995.6	2.1	13.4	
		including						994.2	994.5	0.3	18.0	
OSK-W-20-2059-W4	400.44	Lynx 348	1092.0	453446	5435477	131	-52	1038.1	1066.1	28.0	202	31.0
		including						1043.3	1043.6	0.3	102	100
		and						1049.4	1049.7	0.3	674	100
		and						1049.7	1050.0	0.3	98.0	100
		and						1050.0	1050.8	0.8	152	100
		and						1051.7	1052.5	0.8	468	100
		and						1054.6	1055.0	0.4	157	100
		and						1055.0	1056.0	1.0	108	100
		and						1058.1	1058.5	0.4	216	100
		and						1058.5	1059.1	0.6	307	100
		and						1062.5	1063.1	0.6	1785	100
OSK-W-20-2059-W4	400.44	Lynx 4	1092.0	453446	5435477	131	-52	1063.1	1064.0	0.9	256	100
		including						1077.0	1079.0	2.0	3.40	
		and						1077.7	1078.0	0.3	17.4	
OSK-W-19-2061	400.79	Lynx corridor	468.0	451783	5435007	150	-48	155.7	158.0	2.3	3.73	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-2061	406.79	Lynx 335	468.0	452783	5435007	150	-48	252.0	254.3	2.3	5.17	
OSK-W-19-2061	406.79	Lynx	468.0	452783	5435007	150	-48	453.0	455.0	2.0	4.72	
OSK-W-19-2064	405.1	Lynx 314	912.0	453627	5435635	127	-55	793.0	795.2	2.2	4.13	
OSK-W-19-2066	403.97	F51	429.0	453486	5436028	159	-45	261.5	263.7	2.2	59.1	
								261.8	263.4	1.6	79.2	
OSK-W-19-2067	415.5	Triple Lynx	1212.0	453241	5435697	123	-53	925.4	927.7	2.3	12.6	
								927.2	927.7	0.5	28.8	
OSK-W-19-2067	415.5	Triple Lynx	1212.0	453241	5435697	123	-53	1058.1	1060.8	2.7	6.85	
								1060.4	1060.9	0.4	24.4	
OSK-W-19-2067	415.5	Triple Lynx	1212.0	453241	5435697	123	-53	1144.0	1146.0	2.0	3.35	
OSK-W-19-2067-W1	415.5	Triple Lynx	1302.0	453241	5435697	123	-53	1100.5	1105.0	4.5	21.8	
								1104.3	1105.0	0.7	51.6	
OSK-W-19-2067-W1	415.5	Triple Lynx	1302.0	453241	5435697	123	-53	1110.3	1123.3	13.0	8.20	
								1121.1	1121.4	0.3	37.7	
OSK-W-19-2067-W1	415.5	Triple Lynx	1302.0	453241	5435697	123	-53	1117.1	1129.1	12.0	8.38	
								1127.1	1127.4	0.3	51.9	
OSK-W-19-2067-W1	415.5	Triple Lynx	1302.0	453241	5435697	123	-53	1140.1	1142.2	2.1	47.9	14.7
								1141.9	1142.2	0.3	33.2	100
OSK-W-19-2067-W2	415.5	Triple Lynx	1158.5	453241	5435697	123	-53	924.3	926.4	2.1	3.38	
OSK-W-19-2067-W2	415.5	Triple Lynx	1158.5	453241	5435697	123	-53	933.0	935.0	2.0	4.02	
OSK-W-19-2067-W2	415.5	Triple Lynx	1158.5	453241	5435697	123	-53	937.7	940.0	2.3	3.71	
OSK-W-19-2067-W2	415.5	Triple Lynx	1158.5	453241	5435697	123	-53	945.0	948.0	3.0	3.74	
OSK-W-19-2067-W2	415.5	Triple Lynx	1158.5	453241	5435697	123	-53	957.4	960.6	3.2	12.8	
								958.8	959.2	0.4	50.3	
OSK-W-19-2067-W2	415.5	Triple Lynx	1158.5	453241	5435697	123	-53	966.0	961.6	5.6	30.5	33.2
								987.3	988.2	0.9	112	100
OSK-W-19-2067-W2	415.5	Triple Lynx	1158.5	453241	5435697	123	-53	1079.0	1081.3	2.3	14.46	
OSK-W-19-2067-W2	415.5	Triple Lynx	1158.5	453241	5435697	123	-53	1155.0	1157.0	2.0	4.49	
OSK-W-19-2067-W3	415.5	Triple Lynx	1227.0	453241	5435697	123	-53	1063.0	1065.0	2.0	5.09	
OSK-W-19-2067-W3	415.5	Triple Lynx	1227.0	453241	5435697	123	-53	1078.0	1080.0	2.0	3.97	
OSK-W-19-2067-W4	415.5	Lynx 368	1203.0	453241	5435697	123	-53	1028.0	1030.5	2.5	3.25	
OSK-W-19-2067-W4	415.5	Triple Lynx	1203.0	453241	5435697	123	-53	1049.0	1053.3	4.3	3.70	
OSK-W-19-2067-W4	415.5	Triple Lynx	1203.0	453241	5435697	123	-53	1068.5	1072.0	3.5	6.88	
OSK-W-19-2067-W4	415.5	Triple Lynx	1203.0	453241	5435697	123	-53	1106.0	1109.0	3.0	12.2	
OSK-W-19-2067-W4	415.5	Triple Lynx	1203.0	453241	5435697	123	-53	1115.0	1117.5	2.5	5.46	
OSK-W-19-2067-W4	415.5	Triple Lynx	1203.0	453241	5435697	123	-53	1123.0	1126.6	3.6	25.4	
OSK-W-19-2067-W4	415.5	Triple Lynx	1203.0	453241	5435697	123	-53	1128.0	1129.0	1.0	37.4	
OSK-W-19-2067-W4	415.5	Triple Lynx	1203.0	453241	5435697	123	-53	1134.0	1139.0	5.0	5.56	
OSK-W-19-2067-W5	415.5	Triple Lynx	1226.0	453241	5435697	123	-53	1077.0	1079.0	2.0	4.68	
OSK-W-19-2067-W5	415.5	Triple Lynx	1226.0	453241	5435697	123	-53	1134.0	1136.8	2.8	9.04	
OSK-W-19-2067-W5	415.5	Lynx 370	1226.0	453241	5435697	123	-53	1148.0	1151.0	3.0	8.24	
								1150.7	1151.0	0.3	46.8	
OSK-W-19-2067-W5	415.5	Triple Lynx	1226.0	453241	5435697	123	-53	1174.0	1176.0	2.0	3.57	
OSK-W-19-2068	401.97	Lynx 304	1098.0	453317	5435387	116	-53	481.0	483.3	2.3	9.57	
								481.5	481.9	0.4	45.2	
OSK-W-19-2068	401.97	Lynx	1098.0	453317	5435387	116	-53	516.8	519.0	2.2	4.17	
OSK-W-19-2068	401.97	Lynx 330	1098.0	453317	5435387	116	-53	844.3	846.6	2.3	56.0	35.7
								845.8	846.6	0.8	159	100
OSK-W-19-2068	401.97	Lynx 348	1098.0	453317	5435387	116	-53	915.5	917.7	2.2	38.4	32.6
								917.3	917.7	0.4	13.2	100
OSK-W-19-2068	401.97	Lynx 4	1098.0	453317	5435387	116	-53	1008.8	1010.4	1.6	5.23	
OSK-W-19-2068	401.97	Lynx 4	1098.0	453317	5435387	116	-53	1011.0	1013.0	2.0	6.67	
OSK-W-19-2068-W1	401.97	Lynx 313	1049.0	453317	5435387	116	-53	885.5	887.7	2.2	5.63	
OSK-W-19-2068-W1	401.97	Lynx 313	1049.0	453317	5435387	116	-53	903.0	911.7	8.7	8.85	
								905.0	906.7	1.7	29.4	
OSK-W-19-2068-W1	401.97	Lynx 4	1049.0	453317	5435387	116	-53	922.0	922.5	0.5	7.15	
OSK-W-19-2068-W1	401.97	Lynx 327	1049.0	453317	5435387	116	-53	942.5	944.5	2.0	3.93	
OSK-W-19-2068-W1	401.97	Lynx 312	1049.0	453317	5435387	116	-53	993.0	995.0	2.0	4.32	
OSK-W-19-2068-W1	401.97	Lynx 331	1049.0	453317	5435387	116	-53	944.2	946.6	2.4	4.54	
OSK-W-19-2068-W2	401.97	Lynx 313	1046.0	453317	5435387	116	-53	853.8	851.8	2.0	16.7	69.7
								856.5	857.0	0.5	282	100
								857.6	858.8	1.2	488	100
								861.2	861.8	0.6	34.5	100
OSK-W-19-2068-W2	401.97	Lynx 327	1046.0	453317	5435387	116	-53	897.0	901.1	4.1	16.5	
								900.6	901.1	0.5	36.9	
OSK-W-19-2068-W2	401.97	Lynx 312	1046.0	453317	5435387	116	-53	934.7	936.8	2.1	6.54	
								934.7	935.3	0.6	18.2	
OSK-W-19-2068-W2	401.97	Lynx	1046.0	453317	5435387	116	-53	967.0	969.0	2.0	3.76	
OSK-W-19-2068-W2	401.97	Lynx 4	1046.0	453317	5435387	116	-53	1071.0	1073.0	2.0	4.05	
OSK-W-19-2068-W3	401.97	Lynx 313	1022.0	453317	5435387	116	-53	893.5	896.0	2.5	22.3	
								894.7	895.3	0.6	82.1	
OSK-W-19-2068-W3	401.97	Lynx 338	1022.0	453317	5435387	116	-53	992.3	994.5	2.2	9.57	
								992.3	993.0	0.7	29.3	
OSK-W-19-2070	401.28	Lynx 313	990.0	453502	5435523	112	-52	905.9	914.6	8.7	4.08	
OSK-W-19-2075	410.86	Lynx corridor	288.0	452940	5430299	177	-50	146.0	149.1	3.1	3.75	
OSK-W-19-2077	418.15	Lynx 363	1122.0	453147	5435489	127	-57	755.4	761.0	5.6	4.76	
								755.4	756.0	0.6	14.1	
OSK-W-19-2077	418.15	Triple Lynx	1122.0	453147	5435489	127	-57	761.5	767.0	5.5	4.50	
								763.5	764.0	0.5	23.6	
OSK-W-19-2077	418.15	Triple Lynx	1122.0	453147	5435489	127	-57	770.0	776.0	6.0	10.7	
								771.8	772.3	0.5	36.7	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-2107-W1	395.79	Triple Lynx	1059.0	453426	5434778	23	-70	639.0	641.0	2.0	5.58	
		including						639.7	640.5	0.8	13.7	
OSK-W-19-2107-W1	395.79	Triple Lynx	1059.0	453426	5434778	23	-70	646.0	648.0	2.0	4.65	
OSK-W-19-2107-W1	395.79	Triple Lynx	1059.0	453426	5434778	23	-70	733.0	737.0	4.0	3.72	
OSK-W-19-2107-W1	395.79	Triple Lynx	1059.0	453426	5434778	23	-70	782.0	784.0	2.0	6.28	
OSK-W-19-2107-W1	395.79	Triple Lynx	1059.0	453426	5434778	23	-70	890.5	893.0	2.5	174	56.6
		including						891.2	892.0	0.8	464	100
OSK-W-19-2107-W2	395.79	Lynx 331	932.0	453426	5434778	23	-70	578.5	580.6	2.1	12.2	
		including						579.8	580.2	0.4	28.7	
OSK-W-19-2107-W2	395.79	Triple Lynx	932.0	453426	5434778	23	-70	636.4	639.0	2.6	5.19	
OSK-W-19-2107-W2	395.79	Triple Lynx	932.0	453426	5434778	23	-70	730.4	734.1	3.7	3.95	
OSK-W-19-2107-W2	395.79	Triple Lynx	932.0	453426	5434778	23	-70	779.0	781.0	2.0	15.5	15.1
		including						778.5	779.8	0.3	100	100
OSK-W-19-2107-W2	395.79	Triple Lynx	932.0	453426	5434778	23	-70	890.0	892.0	2.0	3.82	
OSK-W-19-2108-W1	413.53	Triple Lynx	1506.0	453215	5435858	117	-53	1352.6	1357.8	5.2	18.8	
		including						1355.3	1357.8	2.5	34.8	
OSK-W-19-2108-W2	413.53	Triple Lynx	1578.0	453215	5435858	117	-53	1299.6	1302.0	2.4	11.2	
		including						1299.6	1300.1	0.5	52.9	
OSK-W-19-2108-W2	413.53	Triple Lynx	1578.0	453215	5435858	117	-53	1346.2	1348.5	2.3	6.50	
OSK-W-19-2115	400.86	Underdog	1806.0	453082	5434267	8	-68	1795.9	1798.5	2.6	8.02	
		including						1797.0	1798.5	1.5	13.2	
OSK-W-19-2119	404.78	F11 6000	282.0	452546	5436001	148	-45	129.3	132.1	2.8	8.26	
OSK-W-19-2119	404.78	F11 6001	282.0	452546	5436001	148	-45	157.0	161.1	4.1	12.6	
		including						157.0	158.0	1.0	37.3	
OSK-W-19-2120-W2	400.83	Lynx 4	1317.0	453800	5435747	114	-60	1058.4	1060.4	2.0	28.5	
OSK-W-19-2120-W2	400.83	Lynx 4	1317.0	453800	5435747	114	-60	1128.0	1132.2	4.2	56.6	35.9
		including						1131.8	1132.7	0.4	51.7	100
OSK-W-19-2120-W2	400.83	Lynx 4	1317.0	453800	5435747	114	-60	1201.4	1203.6	2.2	33.7	60.0
		including						1201.4	1202.7	1.3	569	100
OSK-W-19-2120-W2	400.83	Lynx 4	1317.0	453800	5435747	114	-60	1209.5	1212.6	3.1	8.82	
		including						1211.5	1212.0	0.5	21.2	
OSK-W-19-2120-W3	400.83	Lynx 4	1247.0	453800	5435747	114	-60	1052.4	1054.8	2.4	8.19	
OSK-W-19-2123	408.65	Triple Lynx	1293.0	453235	5435774	126	-57	1164.4	1167.0	2.6	9.97	
OSK-W-19-2123	408.65	Triple Lynx	1293.0	453235	5435774	126	-57	1197.0	1199.3	2.3	26.7	20.8
		including						1198.9	1199.3	0.4	134	100
OSK-W-19-2123	408.65	Triple Lynx	1293.0	453235	5435774	126	-57	1205.0	1205.0	2.0	3.26	
OSK-W-19-2123-W1	408.65	Triple Lynx	1308.0	453235	5435774	126	-57	1048.0	1051.5	3.5	8.84	
OSK-W-19-2123-W1	408.65	Triple Lynx	1308.0	453235	5435774	126	-57	1123.0	1125.0	2.0	8.72	
		including						1123.8	1124.4	0.6	27.9	
OSK-W-19-2123-W1	408.65	Triple Lynx	1308.0	453235	5435774	126	-57	1195.0	1194.0	3.0	5.59	
OSK-W-19-2123-W1	408.65	Triple Lynx	1308.0	453235	5435774	126	-57	1217.0	1226.0	9.0	24.9	24.1
		including						1221.0	1222.3	1.3	80.3	74.7
		and						1224.0	1225.0	1.0	71.4	
OSK-W-19-2123-W2	408.65	Triple Lynx	1367.0	453235	5435774	126	-57	1198.0	1200.0	2.0	11.5	
		including						1199.1	1199.4	0.3	73.4	
OSK-W-19-2123-W2	408.65	Triple Lynx	1367.0	453235	5435774	126	-57	1265.4	1268.2	2.8	10.9	
		including						1267.6	1268.2	0.6	49.8	
OSK-W-19-2123-W3	408.65	Triple Lynx	1284.0	453235	5435774	126	-57	1002.0	1004.8	2.8	3.23	
OSK-W-19-2123-W3	408.65	Triple Lynx	1284.0	453235	5435774	126	-57	1081.0	1083.0	2.0	5.55	
OSK-W-19-2123-W3	408.65	Triple Lynx 363	1284.0	453235	5435774	126	-57	1147.0	1149.4	2.4	4.30	
		including						1149.0	1149.4	0.4	13.9	
OSK-W-19-2123-W3	408.65	Triple Lynx	1284.0	453235	5435774	126	-57	1185.3	1187.5	2.2	4.24	
OSK-W-19-2123-W3	408.65	Triple Lynx 370	1284.0	453235	5435774	126	-57	1190.5	1192.5	2.0	5.11	
		including						1191.1	1191.7	0.6	14.6	
OSK-W-19-2123-W3	408.65	Lynx 370	1284.0	453235	5435774	126	-57	1194.5	1196.6	2.1	4.06	
OSK-W-19-2123-W3	408.65	Lynx 370	1284.0	453235	5435774	126	-57	1198.3	1201.5	3.2	58.4	37.7
		including						1198.6	1199.2	0.6	210	100
OSK-W-20-2123-W4	408.65	Triple Lynx	1235.5	453235	5435774	126	-57	1036.0	1038.0	2.0	4.00	
OSK-W-20-2123-W4	408.65	Triple Lynx	1235.5	453235	5435774	126	-57	1096.0	1098.0	2.0	12.6	
OSK-W-20-2123-W4	408.65	Lynx 368	1235.5	453235	5435774	126	-57	1112.0	1114.0	2.0	3.13	
OSK-W-20-2123-W4	408.65	Triple Lynx	1235.5	453235	5435774	126	-57	1128.0	1130.3	2.3	5.31	
OSK-W-20-2123-W4	408.65	Lynx 364	1235.5	453235	5435774	126	-57	1168.0	1173.0	5.0	8.48	
OSK-W-20-2123-W4	408.65	Triple Lynx	1235.5	453235	5435774	126	-57	1177.2	1182.5	5.3	36.5	33.6
		including						1177.5	1178.0	0.5	146	100
OSK-W-20-2123-W4	408.65	Lynx 370	1235.5	453235	5435774	126	-57	1184.0	1186.5	2.5	7.07	
OSK-W-20-2123-W4	408.65	Triple Lynx	1235.5	453235	5435774	126	-57	1198.0	1200.0	2.0	8.70	
OSK-W-19-2124	406.59	F11	270.0	452590	5435977	140	-45	51.0	53.0	2.0	10.8	
		including						51.0	52.0	1.0	19.5	
OSK-W-19-2123	416.77	Lynx	1055.0	453080	5435531	118	-49	786.3	788.8	2.5	37.0	
		including						792.5	798.4	0.9	29.7	
OSK-W-19-2123-W1	416.77	Lynx	987.0	453080	5435531	118	-49	887.0	889.8	2.8	6.06	
OSK-W-20-2123-W2	416.77	Lynx 361	1139.0	453080	5435531	118	-49	783.6	786.0	2.4	39.1	31.1
		including						784.2	784.6	0.4	2260	100
OSK-W-20-2123-W2	416.77	Lynx 331	1139.0	453080	5435531	118	-49	901.3	905.0	3.7	8.27	
		including						901.7	902.0	0.3	59.4	
OSK-W-20-2123-W3	416.77	Lynx	965.0	453080	5435531	118	-49	791.2	793.5	2.3	193	41.7
		including						792.7	793.1	0.4	972	100
OSK-W-20-2123-W3	416.77	Triple Lynx	965.0	453080	5435531	118	-49	874.8	877.0	2.2	9.52	
		including						875.8	876.3	0.5	32.8	
OSK-W-20-2123-W3	416.77	Triple Lynx	965.0	453080	5435531	118	-49	931.1	933.2	2.1	8.05	
		including						932.7	933.2	0.5	20.2	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
OSK-W-19-2133-W4	416.77	Triple Lynx	987.0	452080	5435531	118	-49	928.8	939.6	10.8	85.0	22.7
		including						931.0	933.1	2.1	420	100
OSK-W-19-2139	419.93	Lynx	1149.0	452080	5435549	115	-52	965.3	967.4	2.1	6.53	
OSK-W-19-2139	419.93	Lynx 361	1149.0	452080	5435549	115	-52	887.9	896.0	2.1	3.81	
		including						887.9	888.3	0.4	14.4	
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	892.4	899.8	7.4	6.93	
		including						896.0	897.0	1.0	22.9	
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	909.7	915.2	5.5	21.2	
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	918.2	920.6	2.4	3.06	
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	956.6	960.6	4.0	106	46.5
		including						959.8	960.3	0.5	566	100
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	964.0	966.0	2.0	3.19	
OSK-W-19-2139	419.93	Triple Lynx	1149.0	452080	5435549	115	-52	1120.0	1121.0	2.1	27.5	15.4
		including						1121.5	1121.8	0.3	185	100
OSK-W-19-2139-W1	419.93	Triple Lynx	1152.0	452080	5435549	115	-52	867.0	872.0	5.0	3.09	
OSK-W-19-2139-W11	419.93	Lynx 361	995.0	452080	5435549	115	-52	882.9	885.0	2.1	8.33	
OSK-W-19-2139-W11	419.93	Lynx 361	995.0	452080	5435549	115	-52	896.3	896.6	2.3	13.6	
		including						896.3	896.6	0.3	95.3	
OSK-W-19-2139-W1	419.93	Triple Lynx	1152.0	452080	5435549	115	-52	898.8	902.6	3.8	56.9	37.1
OSK-W-19-2139-W10	419.93	Lynx 371	1212.0	452080	5435549	115	-52	899.0	914.9	15.9	22.3	
OSK-W-19-2139-W12	419.93	Lynx 371	1038.0	452080	5435549	115	-52	905.3	907.9	2.6	28.5	
		including						906.2	906.8	0.6	88.3	
		including						907.5	907.6	0.5	80.2	
OSK-W-19-2139-W1	419.93	Triple Lynx	1152.0	452080	5435549	115	-52	910.0	912.2	2.2	84.2	
		including						910.0	910.7	0.7	22.5	
OSK-W-19-2139-W11	419.93	Lynx 363	995.0	452080	5435549	115	-52	912.2	914.4	2.2	4.36	
		including						914.0	914.4	0.4	13.7	
OSK-W-19-2139-W10	419.93	Lynx 363	1212.0	452080	5435549	115	-52	941.9	944.0	2.1	17.4	
OSK-W-19-2139-W12	419.93	Lynx 369	995.0	452080	5435549	115	-52	954.0	956.0	2.0	7.81	
		including						954.5	955.2	0.7	20.4	
OSK-W-19-2139-W10	419.93	Triple Lynx	1212.0	452080	5435549	115	-52	1196.0	1198.0	2.0	11.7	
		including						1196.0	1197.1	1.1	21.3	
OSK-W-19-2139-W2	419.93	Triple Lynx	1203.0	452080	5435549	115	-52	876.7	879.0	2.3	22.9	
		including						876.7	877.2	0.5	84.7	
OSK-W-19-2139-W2	419.93	Lynx 363	1203.0	452080	5435549	115	-52	887.4	894.0	6.6	8.38	
OSK-W-19-2139-W2	419.93	Triple Lynx	1203.0	452080	5435549	115	-52	927.4	929.5	2.1	4.99	
		including						927.4	928.1	0.7	12.5	
OSK-W-19-2139-W2	419.93	Triple Lynx	1203.0	452080	5435549	115	-52	1077.0	1079.0	2.0	3.08	
OSK-W-19-2139-W2	419.93	Triple Lynx	1203.0	452080	5435549	115	-52	1085.0	1085.3	2.3	5.65	
OSK-W-19-2139-W3	419.93	Triple Lynx	1169.0	452080	5435549	115	-52	882.0	884.1	2.1	3.38	
OSK-W-19-2139-W3	419.93	Triple Lynx	1169.0	452080	5435549	115	-52	910.0	912.0	2.0	32.4	15.3
		including						910.9	911.2	0.3	214	100
OSK-W-19-2139-W3	419.93	Triple Lynx	1169.0	452080	5435549	115	-52	924.0	926.0	2.0	3.72	
OSK-W-19-2139-W3	419.93	Triple Lynx	1169.0	452080	5435549	115	-52	1005.0	1007.0	2.0	3.38	
OSK-W-19-2139-W4	419.93	Triple Lynx	1011.0	452080	5435549	115	-52	945.0	947.1	2.1	5.80	
		including						946.5	947.1	0.6	18.4	
OSK-W-19-2139-W4	419.93	Lynx 361	1011.0	452080	5435549	115	-52	898.7	902.0	3.3	21.3	
OSK-W-19-2139-W4	419.93	Lynx 363	1011.0	452080	5435549	115	-52	913.0	915.0	2.0	6.87	
		including						913.6	914.1	0.5	25.5	
OSK-W-19-2139-W4	419.93	Triple Lynx	1011.0	452080	5435549	115	-52	993.0	995.2	2.2	40.9	39.7
		including						993.7	994.0	0.3	175	100
OSK-W-19-2139-W5	419.93	Lynx 361	1146.0	452080	5435549	115	-52	891.1	894.6	3.5	4.93	
		including						891.1	891.5	0.4	27.7	
OSK-W-19-2139-W5	419.93	Lynx 364	1146.0	452080	5435549	115	-52	941.7	947.0	5.3	3.60	
		including						941.7	943.0	1.3	7.91	
OSK-W-19-2139-W5	419.93	Triple Lynx	1146.0	452080	5435549	115	-52	1006.0	1008.5	2.5	4.82	
OSK-W-19-2139-W5	419.93	Lynx 374	1146.0	452080	5435549	115	-52	1113.4	1115.0	2.5	3.12	
		including						1114.4	1114.8	0.4	18.7	
OSK-W-19-2139-W6	419.93	Lynx 361	1089.0	452080	5435549	115	-52	874.8	876.8	2.0	91.3	45.7
		including						876.0	876.4	0.4	328	100
OSK-W-19-2139-W6	419.93	Triple Lynx	1089.0	452080	5435549	115	-52	902.0	904.3	2.3	99.8	16.5
		including						902.4	902.7	0.3	278	100
OSK-W-19-2139-W6	419.93	Triple Lynx	1089.0	452080	5435549	115	-52	912.3	914.3	2.0	5.64	
		including						913.6	913.9	0.3	34.5	
OSK-W-19-2139-W6	419.93	Lynx 369	1089.0	452080	5435549	115	-52	939.0	941.3	2.3	23.1	
		including						939.8	940.8	1.0	48.3	
OSK-W-19-2139-W7	419.93	Lynx 361	1164.0	452080	5435549	115	-52	867.0	869.0	2.0	4.41	
		including						867.8	868.2	0.4	12.5	
OSK-W-19-2139-W7	419.93	Lynx 361	1164.0	452080	5435549	115	-52	872.0	874.8	2.8	3.09	
OSK-W-19-2139-W7	419.93	Lynx 363	1164.0	452080	5435549	115	-52	894.0	896.6	2.6	3.01	
		including						895.0	895.3	0.3	24.5	
OSK-W-19-2139-W7	419.93	Lynx 363	1164.0	452080	5435549	115	-52	899.4	901.7	2.3	3.06	
OSK-W-19-2139-W7	419.93	Triple Lynx	1164.0	452080	5435549	115	-52	1081.0	1083.5	2.5	9.53	
		including						1083.0	1083.0	0.0	26.1	
OSK-W-19-2139-W8	419.93	Triple Lynx	1125.0	452080	5435549	115	-52	943.0	945.0	2.0	6.68	
		including						943.5	944.4	0.9	14.5	
OSK-W-19-2139-W8	419.93	Triple Lynx	1125.0	452080	5435549	115	-52	965.0	967.4	2.4	9.28	
		including						966.2	966.8	0.6	36.9	
OSK-W-19-2139-W8	419.93	Lynx 371	1125.0	452080	5435549	115	-52	918.7	920.7	2.0	22.3	20.2
		including						919.6	920.9	0.3	114	100



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-19-2176	397.79	Lynx 307	195.0	453148	5434907	328	-48	149.5	153.7	4.2	4.69	
		including						151.0	151.6	0.6	14.9	
OSK-W-19-2176	397.79	Lynx 307	195.0	453148	5434907	328	-48	158.5	160.5	2.0	5.08	
OSK-W-19-2177	406.13	F41	396.0	453464	5435997	153	-51	200.0	202.0	2.0	3.39	
OSK-W-19-2178	399.03	Lynx 301	416.0	453504	5435428	132	-46	367.0	369.3	2.3	13.4	
		including						367.5	368.3	0.8	37.5	
OSK-W-19-2179	397.52	Lynx 305	213.0	453449	5434907	335	-45	104.0	106.0	2.0	9.35	
		including						104.9	105.6	0.7	25.5	
OSK-W-19-2181	397.69	Lynx 305	207.0	453179	5434911	333	-48	117.0	119.1	2.1	4.14	
		including						117.0	117.3	0.3	20.0	
OSK-W-19-2181	397.09	Lynx 307	207.0	453179	5434911	333	-48	150.6	153.2	2.6	10.2	
OSK-W-19-2183	398.91	Lynx 301	485.0	453504	5435428	135	-49	441.0	443.1	2.1	8.41	
		including						441.0	441.5	0.5	17.9	
OSK-W-19-2184	398.34	Lynx 308	120.0	453211	5434967	334	-50	97.0	99.4	2.4	18.0	
		including						98.5	98.9	0.4	89.9	
OSK-W-19-2186	398.39	Lynx	135.0	453211	5434968	332	-45	62.0	64.1	2.1	14.4	
		including						62.0	62.3	0.3	87.0	
OSK-W-19-2186	398.39	Lynx 308	135.0	453211	5434968	332	-45	83.0	85.0	2.0	6.42	
		including						84.2	84.5	0.3	42.3	
OSK-W-19-2188	398.36	Lynx 306	120.0	453211	5434968	323	-47	53.8	55.9	2.1	5.83	
		including						53.8	54.1	0.3	33.2	
OSK-W-19-2188	398.36	Lynx 308	120.0	453211	5434968	323	-47	93.0	95.0	2.0	7.50	
OSK-W-19-2191	398.51	Lynx 320	93.0	453197	5434994	327	-54	52.7	55.1	2.4	5.68	
		including						54.0	54.3	0.3	31.3	
OSK-W-19-2191	398.43	Lynx 308	90.0	453197	5434995	333	-45	60.0	62.2	2.2	4.40	
		including						61.6	61.9	0.3	19.7	
OSK-W-19-2194	400.94	Triple Lynx	1122.0	453215	5435512	135	-51	778.7	786.2	7.5	5.36	
		including and						778.7	779.5	0.8	12.9	
		and						781.5	784.3	0.8	18.5	
								785.2	786.2	1.0	13.2	
OSK-W-19-2194	400.94	Lynx 350	1122.0	453215	5435512	135	-51	992.3	994.5	2.2	11.7	
		including						993.6	994.5	0.9	25.2	
OSK-W-19-2195	398.98	Lynx 301	420.0	453503	5435430	134	-45	336.9	339.0	2.1	16.8	
		including						336.9	338.0	1.1	32.2	
OSK-W-19-2197	417.15	Lynx	1059.0	453087	5435526	121	-48	759.8	762.0	2.2	4.04	
OSK-W-19-2197	417.15	Lynx	1059.0	453087	5435526	121	-48	878.0	881.0	3.0	5.11	
OSK-W-19-2197	417.15	Lynx 331	1059.0	453087	5435526	121	-48	904.7	906.7	2.0	12.0	
		including						904.7	905.4	0.7	39.3	
OSK-W-19-2197-W1	417.15	Triple Lynx	1104.0	453087	5435526	121	-48	784.5	789.6	5.1	72.0	23.6
		including						789.0	789.6	0.6	51.1	100
OSK-W-19-2197-W1	417.15	Triple Lynx	1104.0	453087	5435526	121	-48	822.4	826.5	4.1	7.30	
		including						825.9	826.5	0.6	29.4	
OSK-W-19-2197-W1	417.15	Triple Lynx	1104.0	453087	5435526	121	-48	845.0	847.1	2.1	5.99	
OSK-W-19-2197-W1	417.15	Triple Lynx	1104.0	453087	5435526	121	-48	1047.8	1050.0	2.2	64.4	20.4
		including						1048.6	1048.9	0.3	42.9	100
OSK-W-19-2197-W1	417.15	Triple Lynx	1104.0	453087	5435526	121	-48	1062.0	1064.0	2.0	143	45.4
		including						1062.5	1063.4	0.9	31.7	100
OSK-W-20-2197-W2	417.15	Lynx 361	1064.0	453087	5435526	121	-48	768.7	771.4	2.7	10.3	
		including						769.7	770.7	1.0	26.0	
OSK-W-20-2197-W2	417.15	Lynx 363	1064.0	453087	5435526	121	-48	780.0	782.0	2.0	10.1	
		including						780.8	781.7	0.9	22.1	
OSK-W-20-2197-W2	417.15	Lynx 4	1064.0	453087	5435526	121	-48	1049.0	1057.0	2.0	5.66	
OSK-W-19-2201	398.44	Lynx 311	93.0	453179	5434981	331	-46	48.8	51.0	2.2	14.1	
		including						49.4	50.6	1.2	25.6	
OSK-W-19-2202	424.48	Triple Lynx	1176.0	452997	5435606	127	-54	942.0	944.0	2.0	3.21	
		including						942.2	944.0	0.8	7.88	
OSK-W-20-2202-W1	424.48	Triple Lynx	1259.2	452997	5435606	127	-54	860.0	862.6	2.6	3.35	
OSK-W-20-2202-W1	424.48	Triple Lynx	1259.2	452997	5435606	127	-54	891.0	893.0	2.0	6.52	
		including						891.0	891.4	0.4	29.7	
OSK-W-20-2202-W2	424.48	Lynx 367	1146.0	452997	5435606	127	-54	848.1	850.2	2.1	12.0	
		including						849.9	850.2	0.3	49.4	
OSK-W-20-2202-W2	424.48	Triple Lynx	1146.0	452997	5435606	127	-54	874.8	877.0	2.2	7.35	
		including						874.8	875.2	0.4	38.7	
OSK-W-20-2202-W2	424.48	Lynx 361	1146.0	452997	5435606	127	-54	930.7	934.4	3.7	11.8	
		including						932.9	933.4	0.5	27.2	
		and						934.1	934.4	0.3	50.2	
OSK-W-20-2202-W2	424.48	Lynx 363	1146.0	452997	5435606	127	-54	948.0	951.0	2.0	15.4	
		including						950.0	950.3	0.3	81.1	
OSK-W-20-2202-W2	424.48	Lynx 363	1146.0	452997	5435606	127	-54	954.4	960.5	6.1	7.49	
		and						954.4	954.7	0.3	54.4	
OSK-W-20-2202-W2	424.48	Lynx 363	1146.0	452997	5435606	127	-54	969.6	972.0	2.4	14.2	13.3
		including						970.1	970.4	0.3	107	100
OSK-W-19-2203	398.63	Lynx 308	111.0	453220	5434993	329	-50	71.5	73.9	2.4	55.2	18.2
		including						72.9	73.2	0.3	396	100
OSK-W-19-2204	398.05	Lynx 304	143.0	453254	5434979	326	-46	69.4	71.5	2.1	4.82	
		including						70.9	71.5	0.7	14.2	
OSK-W-19-2208	398.33	Lynx 308	81.0	453212	5435008	334	-45	56.0	58.1	2.1	40.4	28.7
		including						57.5	58.1	0.6	143	100
OSK-W-19-2210	398.42	Lynx 311	135.0	453235	5434970	332	-50	97.3	99.5	2.2	11.7	
		including						98.0	98.5	0.5	49.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t)	Au (g/t) cut to 100 g/t
OSK-W-19-2220	398.42	Lynx 311	135.0	453235	5434970	332	-50	101.1	103.6	2.5	19.0	
		including						102.0	102.7	0.7	65.5	
OSK-W-19-2213	398.31	Lynx 308	144.0	453235	5434970	325	-48	103.1	105.5	2.4	18.0	
		including						103.4	104.3	0.9	40.5	
OSK-W-19-2215	398.09	Lynx 304	204.0	453254	5434980	329	-51	71.0	73.5	2.5	4.71	
OSK-W-19-2216	398.56	Lynx 306	129.0	453235	5434971	329	-45	72.4	74.4	2.0	5.02	
OSK-W-19-2216	398.56	Lynx 308	129.0	453235	5434971	329	-45	91.7	94.7	3.0	39.7	26.8
		including						91.7	92.0	0.3	115	100
		and						94.3	94.7	0.5	189	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	781.9	784.0	2.1	16.8	
		including						782.6	783.0	0.4	78.9	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	791.6	793.6	2.0	3.11	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	805.4	807.5	2.1	4.61	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	876.7	878.8	2.1	13.4	
		including						878.0	878.8	0.8	29.3	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	905.5	908.0	2.5	8.61	
		including						905.5	906.5	1.0	17.4	
OSK-W-19-2217	418.46	Triple Lynx	1172.0	452944	5435565	134	-48	961.2	963.3	2.1	13.4	
		including						961.7	962.3	0.5	98.4	
OSK-W-20-2217-W1	418.46	Triple Lynx	1044.0	452944	5435565	134	-48	753.8	759.2	5.4	3.04	
		including						754.8	755.1	0.3	11.1	
OSK-W-20-2217-W1	418.46	Triple Lynx	1044.0	452944	5435565	134	-48	877.0	879.0	2.0	3.29	
		including						877.0	877.4	0.4	3.71	
OSK-W-20-2217-W1	418.46	Triple Lynx	1044.0	452944	5435565	134	-48	948.0	950.0	2.0	4.36	
		including						948.8	949.4	0.6	14.0	
OSK-W-20-2217-W2	418.46	Lynx 365	892.8	452944	5435565	134	-48	546.0	548.0	2.0	11.7	
		including						546.0	547.0	1.0	23.4	
OSK-W-20-2217-W2	418.46	Triple Lynx	892.8	452944	5435565	134	-48	755.2	757.9	2.7	35.3	17.0
		including						756.3	756.6	0.3	265	100
OSK-W-20-2217-W2	418.46	Triple Lynx	892.8	452944	5435565	134	-48	795.7	797.7	2.0	6.84	
		including						795.7	796.0	0.3	44.7	
OSK-W-20-2217-W3	418.46	Triple Lynx	892.8	452944	5435565	134	-48	806.0	808.0	2.0	4.42	
OSK-W-20-2217-W3	418.46	Triple Lynx	892.8	452944	5435565	134	-48	850.0	852.0	2.0	14.0	
		including						860.0	860.5	0.5	55.6	
OSK-W-20-2217-W3	418.46	Triple Lynx	1128.0	452944	5435565	134	-48	760.4	764.0	3.6	21.8	
OSK-W-20-2217-W3	418.46	Lynx 363	1128.0	452944	5435565	134	-48	830.0	832.1	2.1	7.53	
		including						831.0	831.4	0.4	26.8	
OSK-W-20-2217-W3	418.46	Triple Lynx	1128.0	452944	5435565	134	-48	910.0	912.0	2.0	19.7	
		including						910.5	911.0	0.5	78.8	
OSK-W-20-2217-W3	418.46	Triple Lynx	1128.0	452944	5435565	134	-48	1117.7	1114.0	2.3	16.4	
		including						1118.5	1114.0	0.5	66.3	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	758.7	775.0	5.3	9.88	
		including						772.8	773.6	0.8	52.3	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	781.0	783.0	2.0	4.08	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	793.6	795.8	2.2	4.42	
		including						795.2	795.5	0.3	24.4	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	917.0	919.0	2.0	10.9	
		including						918.0	918.3	0.3	71.9	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	972.0	974.0	2.0	22.8	
		including						972.0	974.0	1.0	43.9	
OSK-W-20-2217-W4	418.46	Triple Lynx	1134.0	452944	5435565	134	-48	981.0	983.0	2.0	29.2	15.6
		including						981.3	981.6	0.3	191	100
OSK-W-19-2219	397.79	Lynx 308	174.0	453286	5434966	330	-45	135.0	137.0	2.0	13.6	
		including						135.6	135.9	0.3	68.2	
OSK-W-19-2221	401.01	Lynx 325	789.0	453422	5435465	134	-49	607.0	609.0	2.0	4.93	
		including						608.3	609.0	0.7	11.7	
OSK-W-19-2221	401.01	Lynx 4	789.0	453422	5435465	134	-49	775.0	777.0	2.0	5.48	
		including						775.7	776.1	0.4	26.4	
OSK-W-19-2225	397.73	Lynx 308	189.0	453286	5434966	334	-52	144.7	146.6	1.9	18.6	
		including						147.7	145.4	0.7	76.0	
OSK-W-19-2225	397.73	Lynx 308	189.0	453286	5434966	334	-52	179.2	181.2	2.0	4.57	
		including						179.2	179.8	0.6	15.0	
OSK-W-19-2226	398.05	Lynx 311	126.0	453238	5435014	322	-55	49.0	51.2	2.2	4.27	
OSK-W-19-2226	398.05	Lynx 311	126.0	453238	5435014	322	-55	55.7	58.1	2.4	940	33.8
		and						55.7	56.2	0.5	377	100
		including						57.8	58.1	0.3	6950	100
OSK-W-19-2226	398.05	Lynx 311	126.0	453238	5435014	322	-55	71.6	74.0	2.4	15.4	
OSK-W-19-2227	398.26	Lynx 308	108.0	453250	5435018	332	-45	51.7	54.0	2.3	4.24	
OSK-W-19-2232	398.26	Lynx 304	108.0	453250	5435018	332	-45	49.0	51.9	2.0	4.40	
OSK-W-19-2230	398.17	Lynx 304	177.0	453238	5434984	332	-51	105.5	108.0	2.5	4.18	
		including						106.6	107.1	0.5	20.1	
OSK-W-19-2230	398.17	Lynx 311	177.0	453238	5434984	332	-51	154.5	156.6	2.1	3.50	
OSK-W-19-2232	398.26	Lynx 318	123.0	453251	5435018	337	-59	92.5	94.1	2.4	3.01	
OSK-W-20-2237	397.63	Lynx 311	207.0	453267	5434960	337	-49	131.0	135.3	4.3	8.80	
		including						133.0	133.5	0.5	14.8	
OSK-W-20-2238	397.72	Lynx 304	189.0	453267	5434960	338	-51	94.1	96.2	2.1	8.36	
		including						94.1	94.5	0.4	41.6	
OSK-W-20-2238	397.72	Lynx 311	189.0	453267	5434960	338	-51	151.9	154.0	2.1	3.36	
		including						152.7	153.3	0.6	10.7	
OSK-W-20-2239	397.77	Lynx 311	165.0	453267	5434960	332	-48	130.0	132.0	2.0	4.43	
		including						130.7	131.4	0.7	12.5	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-20-2240	397.67	Lynx	167.0	453267	5434960	323	-45	120.6	122.6	2.0	3.98	
			including					120.6	120.9	0.3	26.1	
OSK-W-20-2240	397.67	Lynx 311	167.0	453267	5434960	323	-45	128.6	131.0	2.4	31.2	31.1
			including					128.4	129.7	0.3	100	100
OSK-W-20-2241	397.62	Lynx 304	265.0	453267	5434961	328	-49	91.9	93.9	2.0	4.62	
			including					92.3	92.7	0.4	21.7	
OSK-W-20-2241	397.62	Lynx 311	165.0	453267	5434961	328	-49	140.2	144.0	3.8	4.29	
OSK-W-20-2243	416.95	Lynx 361	815.3	453086	5435526	122	-54	789.6	792.0	2.4	19.4	18.4
			including					790.2	790.5	0.3	108	100
OSK-W-20-2243	416.95	Lynx 361	815.3	453086	5435526	122	-54	795.0	797.0	2.0	7.13	
OSK-W-20-2243	416.95	Triple Lynx	815.3	453086	5435526	122	-54	800.1	802.4	2.3	5.01	
OSK-W-20-2243-W1	416.95	Triple Lynx	960.0	453086	5435526	122	-54	795.0	797.1	2.1	6.82	
			including					795.3	796.1	0.8	15.9	
OSK-W-20-2243-W1	416.95	Lynx 363	960.0	453086	5435526	122	-54	804.0	806.0	2.0	3.05	
OSK-W-20-2243-W1	416.95	Lynx 363	960.0	453086	5435526	122	-54	814.0	816.0	2.0	5.36	
OSK-W-20-2243-W1	416.95	Triple Lynx	960.0	453086	5435526	122	-54	820.8	824.3	3.5	15.4	
			including					822.4	823.3	0.9	46.8	
OSK-W-20-2243-W1	416.95	Lynx 364	960.0	453086	5435526	122	-54	828.1	833.3	5.2	5.43	
			including					828.1	828.4	0.3	40.6	
OSK-W-20-2243-W1	416.95	Triple Lynx	960.0	453086	5435526	122	-54	923.0	927.0	4.0	5.34	
OSK-W-20-2243-W2	416.95	Lynx 361	972.0	453086	5435526	122	-54	789.0	795.2	6.2	31.0	16.5
			including					792.2	792.5	0.3	999	100
OSK-W-20-2243-W2	416.95	Lynx 361	972.0	453086	5435526	122	-54	804.5	807.0	2.5	10.9	
			including					805.4	805.7	0.3	49.3	
OSK-W-20-2243-W2	416.95	Lynx 363	972.0	453086	5435526	122	-54	828.0	834.0	6.0	2.99	
OSK-W-20-2243-W2	416.95	Triple Lynx	972.0	453086	5435526	122	-54	962.0	964.0	2.0	17.7	
			including					961.2	963.6	0.4	86.7	
OSK-W-20-2243-W3	416.95	Lynx 361	1062.0	453086	5435526	122	-54	782.9	791.0	8.1	10.8	
			including					781.9	784.5	0.6	24.6	
OSK-W-20-2243-W3	416.95	Lynx 363	1062.0	453086	5435526	122	-54	819.8	822.0	2.2	3.80	
			including					819.8	820.1	0.3	11.6	
OSK-W-20-2243-W3	416.95	Triple Lynx	1062.0	453086	5435526	122	-54	1016.0	1020.0	4.0	15.1	
			including					1016.0	1017.0	1.0	30.2	
OSK-W-20-2243-W4	416.95	Triple Lynx	1121.0	453086	5435526	122	-54	773.4	776.5	3.1	42.8	20.9
			including					774.8	775.1	0.3	326	100
OSK-W-20-2243-W4	416.95	Lynx 364	1121.0	453086	5435526	122	-54	829.8	833.0	3.2	4.89	
OSK-W-20-2244	398.47	Lynx 308	165.0	453236	5434971	330	-52	144.6	146.8	2.2	3.80	
OSK-W-20-2244	398.47	Lynx 311	165.0	453236	5434971	330	-52	108.7	111.0	2.3	21.5	20.1
			including					109.5	109.9	0.4	108	100
OSK-W-20-2245	398.43	Lynx 304	153.0	453236	5434971	321	-49	77.3	79.4	2.1	7.31	
			including					77.3	77.9	0.6	25.2	
OSK-W-20-2245	398.43	Lynx 311	153.0	453236	5434971	321	-49	109.5	111.5	2.0	15.2	
			including					110.6	110.9	0.3	91.6	
OSK-W-20-2246	398.42	Lynx 311	111.0	453237	5435001	329	-52	62.0	64.0	2.0	10.7	
			including					62.3	62.9	0.6	35.5	
OSK-W-20-2248	398.58	Lynx 311	123.0	453214	5435007	328	-52	55.9	58.0	2.1	8.34	
			including					56.3	56.6	0.3	56.7	
OSK-W-20-2249	410.79	Bobcat	759.0	452775	5435192	132	-56	354.0	356.0	2.0	5.08	
			including					354.7	355.3	0.6	16.4	
OSK-W-20-2249	410.79	Caribou Corridor	759.0	452775	5435192	132	-56	374.6	376.6	2.0	3.44	
OSK-W-20-2249	410.79	Lynx SW	759.0	452775	5435192	132	-56	726.0	732.0	2.0	5.65	
			including					730.5	730.9	0.4	22.8	
OSK-W-20-2250	419.32	Lynx 364	1064.0	453129	5435505	132	-57	799.5	804.0	4.5	27.0	14.7
			including					799.5	799.8	0.3	134	100
			and					801.5	801.8	0.3	251	100
OSK-W-20-2250	419.32	Lynx 364	1064.0	453129	5435505	132	-57	807.0	809.0	2.0	5.87	
OSK-W-20-2250	419.32	Triple Lynx	1064.0	453129	5435505	132	-57	1002.2	1005.0	2.8	18.1	15.6
			including					1002.2	1002.5	0.3	129	100
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	719.9	722.4	2.5	27.1	
			including					720.9	721.8	0.9	47.0	
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	732.8	735.0	2.2	3.53	
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	752.0	757.6	5.6	4.07	
OSK-W-20-2250-W1	419.32	Lynx 363	1059.8	453129	5435505	132	-57	767.0	769.0	2.0	5.65	
OSK-W-20-2250-W1	419.32	Lynx 372	1059.8	453129	5435505	132	-57	930.4	932.6	2.2	42.6	28.0
			including					930.4	931.0	0.6	154	100
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	973.0	975.0	2.0	48.6	15.4
			including					973.5	973.8	0.3	321	100
OSK-W-20-2250-W1	419.32	Triple Lynx	1059.8	453129	5435505	132	-57	1009.0	1011.1	2.1	5.08	
OSK-W-20-2250-W2	419.32	Lynx 364	1134.0	453129	5435505	132	-57	787.0	792.0	5.0	11.1	
			including					790.0	790.4	0.4	67.5	
OSK-W-20-2250-W2	419.32	Triple Lynx	1134.0	453129	5435505	132	-57	1024.7	1028.0	3.3	28.8	
			including					1026.4	1027.0	0.6	63.0	
OSK-W-20-2250-W3	419.32	Triple Lynx	1170.0	453129	5435505	132	-57	714.0	716.5	2.5	34.4	
OSK-W-20-2250-W3	419.32	Triple Lynx	1170.0	453129	5435505	132	-57	748.0	750.0	2.0	3.11	
OSK-W-20-2250-W3	419.32	Triple Lynx	1170.0	453129	5435505	132	-57	756.4	758.5	2.1	11.5	
			including					756.8	757.1	0.3	42.9	
OSK-W-20-2250-W3	419.32	Lynx 363	1170.0	453129	5435505	132	-57	765.0	767.0	2.0	28.4	24.5
			including					765.4	765.8	0.4	139	100
OSK-W-20-2250-W4	419.32	Triple Lynx	1005.0	453129	5435505	132	-57	727.7	736.5	8.8	4.58	
			including					727.7	728.4	0.7	10.3	
			and					730.5	731.0	0.5	12.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-20-2250-W4	419.32	Lynx 371	including 1005.0	453129	5435505	132	-57	744.0	746.0	2.0	14.7	
								744.0	746.0	1.0	27.3	
OSK-W-20-2250-W4	419.32	Lynx 361	including 1005.0	453129	5435505	132	-57	764.7	767.0	2.3	10.8	
								765.7	766.4	0.7	33.1	
OSK-W-20-2250-W4	419.32	Triple Lynx	including 1005.0	453129	5435505	132	-57	855.4	858.0	2.6	6.29	
								857.2	858.0	0.8	18.6	
OSK-W-20-2252	415.27	Lynx 371	including 1194.0	453241	5435694	129	-54	871.1	873.6	2.5	3.21	
								871.1	872.0	0.9	7.51	
OSK-W-20-2252	415.27	Lynx 371	including 1194.0	453241	5435694	129	-54	875.3	877.7	2.4	4.09	
								876.3	877.0	0.7	10.6	
OSK-W-20-2252-W1	415.27	Lynx 371	including 1119.0	453241	5435694	129	-54	828.0	830.0	2.0	3.48	
								828.9	829.2	0.3	19.1	
OSK-W-20-2252-W1	415.27	Lynx 371	including 1119.0	453241	5435694	129	-54	832.0	834.6	2.6	27.6	13.2
								834.3	834.6	0.3	225	100
OSK-W-20-2252-W1	415.27	Triple Lynx	including 1119.0	453241	5435694	129	-54	861.0	863.0	2.0	4.86	
								874.1	876.2	2.1	4.21	
OSK-W-20-2252-W1	415.27	Lynx 361	including 1119.0	453241	5435694	129	-54	892.0	894.0	2.0	3.60	
								897.9	899.0	1.1	3.29	
OSK-W-20-2252-W1	415.27	Lynx 369	including 1119.0	453241	5435694	129	-54	988.5	990.0	0.5	8.49	
								812.0	814.0	2.0	7.94	
OSK-W-20-2252-W2	415.27	Triple Lynx	including 1194.0	453241	5435694	129	-54	817.2	822.0	4.8	54.4	10.4
								817.2	817.5	0.3	494	100
OSK-W-20-2252-W2	415.27	Lynx 371	including 1194.0	453241	5435694	129	-54	826.0	828.0	2.0	4.03	
								833.0	835.0	2.0	4.41	
OSK-W-20-2252-W2	415.27	Lynx 371	including 1194.0	453241	5435694	129	-54	837.0	841.2	4.2	12.9	
								838.8	839.5	0.7	50.7	
OSK-W-20-2252-W2	415.27	Triple Lynx	including 1194.0	453241	5435694	129	-54	856.0	861.1	5.1	31.2	12.7
								859.7	860.1	0.4	290	100
OSK-W-20-2252-W2	415.27	Lynx 371	including 1194.0	453241	5435694	129	-54	1154.0	1158.8	2.8	5.37	
								824.3	829.7	5.4	3.58	
OSK-W-20-2252-W3	415.27	Triple Lynx	including 1062.0	453241	5435694	129	-53	845.1	847.1	2.0	4.01	
								857.7	857.7	0.0	11.7	
OSK-W-20-2252-W3	415.27	Lynx 371	including 1062.0	453241	5435694	129	-53	865.7	866.0	0.3	58.6	
								940.1	943.0	2.9	4.33	
OSK-W-20-2252-W3	415.27	Lynx 363	including 1062.0	453241	5435694	129	-53	946.1	949.4	3.3	21.3	
								880.5	882.6	2.1	54.4	33.2
OSK-W-20-2252-W4	415.27	Lynx 371	including 1143.0	453241	5435694	129	-54	882.0	882.6	0.6	171	100
								890.0	892.0	2.0	3.24	
OSK-W-20-2252-W4	415.27	Lynx 361	including 1143.0	453241	5435694	129	-54	902.0	904.0	2.0	41.5	
								901.0	904.0	3.0	18.6	
OSK-W-20-2252-W5	415.27	Lynx 371	including 1092.0	453241	5435694	129	-54	854.7	856.9	2.2	18.6	
								855.6	856.0	0.4	97.3	
OSK-W-20-2252-W5	415.27	Lynx 371	including 1092.0	453241	5435694	129	-54	882.3	886.3	4.0	71.3	43.8
								884.1	884.6	0.5	234	100
OSK-W-20-2252-W5	415.27	Triple Lynx	including 1092.0	453241	5435694	129	-54	885.9	886.3	0.4	375	100
								943.6	950.1	6.5	36.0	25.8
OSK-W-20-2252-W7	415.27	Lynx 368	including 1191.0	453241	5435694	129	-54	943.9	946.2	1.3	151	100
								387.5	389.5	2.0	4.30	
OSK-W-20-2253	413.55	Caribou Corridor	924.0	452831	5435325	128	-54	554.1	556.4	2.3	5.60	
OSK-W-20-2253	413.55	Triple Lynx	including 924.0	452831	5435325	128	-54	554.1	555.0	0.9	12.2	
								596.7	599.0	2.3	3.01	
OSK-W-20-2253	413.55	Triple Lynx	including 924.0	452831	5435325	128	-54	598.7	599.0	0.3	16.4	
								833.8	835.9	2.1	3.33	
OSK-W-20-2256	410.82	Lynx	924.0	453160	5435686	125	-51	830.7	833.4	2.7	4.61	
OSK-W-20-2256	410.82	Triple Lynx	including 1179.0	453160	5435686	125	-51	844.0	845.5	1.5	4.24	
OSK-W-20-2256	410.82	Lynx 371	including 1179.0	453160	5435686	125	-51	852.8	855.0	2.2	44.4	19.7
								853.2	853.6	0.4	236	100
OSK-W-20-2256	410.82	Triple Lynx	including 1179.0	453160	5435686	125	-51	870.0	872.8	2.8	1.81	
								881.1	883.4	2.3	127	51.1
OSK-W-20-2256	410.82	Lynx 361	including 1179.0	453160	5435686	125	-51	882.2	882.8	0.6	190	100
								894.0	896.2	2.2	4.63	
OSK-W-20-2256	410.82	Lynx 361	including 1179.0	453160	5435686	125	-51	898.0	900.0	2.0	11.3	
								978.9	980.0	1.1	4.94	
OSK-W-20-2256	410.82	Lynx 369	including 1179.0	453160	5435686	125	-51	982.2	982.9	0.7	10.5	
								855.0	868.0	13.0	21.0	17.0
OSK-W-20-2256-W1	410.82	Lynx 361	including 1101.0	453160	5435686	125	-51	862.5	863.2	0.7	174	100
								947.0	949.0	2.0	15.3	
OSK-W-20-2256-W1	410.82	Lynx 375	including 1101.0	453160	5435686	125	-51	947.0	948.0	1.0	29.7	
								815.0	817.0	2.0	3.17	
OSK-W-20-2256-W2	410.82	Triple Lynx	including 957.0	453160	5435686	125	-51	855.0	859.0	4.0	4.21	
								874.7	880.3	5.6	115	16.0
OSK-W-20-2256-W2	410.82	Lynx 361	including 957.0	453160	5435686	125	-51	876.5	877.1	0.6	1020	100
								931.9	936.0	4.1	3.78	
OSK-W-20-2256-W2	410.82	Lynx 369	including 957.0	453160	5435686	125	-51	931.9	932.2	0.3	12.0	
								935.0	936.0	1.0	8.94	
OSK-W-20-2256-W2	410.82	Lynx 369	including 957.0	453160	5435686	125	-51	940.0	945.0	5.0	25.6	
								940.0	941.0	1.0	51.4	
OSK-W-20-2256-W4	410.82	Lynx 361	including 1122.0	453160	5435686	125	-51	862.0	871.2	9.2	61.5	32.6
								863.0	864.0	1.0	281	100
OSK-W-20-2256-W4	410.82	Lynx 361	including 1122.0	453160	5435686	125	-51	870.0	871.2	1.2	171	100
								881.0	884.0	3.0	37.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
OSK-W-20-2280-W2	414.89	Lynx 368	1211.0	453304	5435639	127	-58	1012.2	1014.9	2.7	7.72	
OSK-W-20-2280-W2	414.89	Lynx 363	1211.0	453304	5435639	127	-58	1027.9	1031.3	3.4	5.60	
		including						1027.9	1028.3	0.4	28.3	
OSK-W-20-2280-W2	414.89	Lynx 364	1211.0	453304	5435639	127	-58	1072.6	1075.6	2.0	13.9	
		including						1074.2	1074.9	0.7	35.9	
OSK-W-20-2280-W2	414.89	Lynx 364	1211.0	453304	5435639	127	-58	1068.0	1066.0	3.0	9.71	
OSK-W-20-2280-W2	414.89	Lynx 370	1211.0	453304	5435639	127	-58	1113.4	1115.4	2.0	4.29	
		including						1113.7	1114.0	0.3	39.3	
OSK-W-20-2280-W3	414.89	Lynx 368	1191.0	453304	5435639	127	-58	1011.0	1013.0	2.0	9.31	
OSK-W-20-2280-W3	414.89	Lynx 364	1191.0	453304	5435639	127	-58	1075.0	1079.0	3.0	10.1	
OSK-W-20-2281	403.88	F17 6003	171.0	452630	5435548	149	-47	125.0	129.0	4.0	3.08	
		including						125.0	126.0	1.0	7.28	
		and						128.5	129.0	0.5	7.46	
OSK-W-20-2282	409.39	Bobcat	852.0	452875	5435181	148	-56	308.4	310.8	2.4	6.13	
		including						309.0	309.5	0.5	16.6	
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	808.0	811.4	5.4	33.5	29.0
		including						810.8	811.3	0.5	73.1	
		and						811.7	812.0	0.3	182	100
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	819.0	821.0	2.0	7.27	
		including						819.6	820.0	0.4	24.1	
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	823.2	825.5	2.3	4.30	
		including						823.6	824.4	0.8	26.6	
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	935.0	937.0	2.0	18.5	
		including						936.0	936.7	0.7	40.8	
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	1001.0	1003.2	2.2	44.6	23.6
		including						1002.7	1003.2	0.5	194	100
OSK-W-20-2283	424.95	Triple Lynx	1151.0	452997	5435607	135	-50	1018.0	1020.0	2.0	19.3	
		including						1018.9	1019.5	0.6	54.4	
OSK-W-20-2283-W1	424.95	Lynx 365	1035.0	452997	5435607	135	-50	553.9	556.0	2.1	7.37	
		including						554.5	555.3	0.8	16.7	
OSK-W-20-2283-W1	424.95	Triple Lynx	1035.0	452997	5435607	135	-50	794.5	797.7	3.2	23.1	
OSK-W-20-2283-W1	424.95	Triple Lynx	1035.0	452997	5435607	135	-50	818.0	820.0	4.0	6.80	
OSK-W-20-2288	409.37	Caribou 2527	749.0	452875	5435181	146	-51	169.6	172.0	2.4	6.44	
OSK-W-20-2288	409.37	Caribou 2527	749.0	452875	5435181	146	-51	193.0	195.0	2.0	13.8	
		including						194.0	194.6	0.6	24.5	
OSK-W-20-2288	409.37	Caribou 2527	749.0	452875	5435181	146	-51	204.7	206.8	2.1	3.77	
OSK-W-20-2288	409.37	Lynx SW	749.0	452875	5435181	146	-51	467.0	469.8	2.8	8.13	
		including						467.4	467.4	0.4	38.9	
OSK-W-20-2288	409.37	Lynx 356	749.0	452875	5435181	146	-51	624.4	633.9	9.5	12.0	
		including						624.4	630.0	0.6	27.9	
		and						632.7	633.3	0.6	28.8	
OSK-W-20-2289	406.3	F17 6003	141.0	452682	5435527	149	-47	98.6	101.0	2.4	10.7	
		including						100.0	101.0	1.0	28.1	
OSK-W-20-2291	409.25	F17 6003	131.0	452682	5435521	158	-48	89.7	92.0	2.3	18.2	
		including						89.7	90.5	0.8	24.3	
		and						90.5	91.3	0.8	26.7	
OSK-W-20-2292	420.07	Lynx	1059.0	453035	5435561	125	-54	390.0	392.0	2.0	7.38	
		including						391.7	392.0	0.3	19.9	
OSK-W-20-2292	420.07	Triple Lynx	1059.0	453035	5435561	125	-54	835.4	837.8	2.4	4.47	
OSK-W-20-2292	420.07	Lynx 361	1059.0	453035	5435561	125	-54	845.0	847.0	2.0	11.8	
		including						845.8	846.3	0.5	43.0	
OSK-W-20-2292	420.07	Lynx 363	1059.0	453035	5435561	125	-54	852.0	854.0	2.0	3.87	
		including						852.0	852.7	0.7	10.9	
OSK-W-20-2292	420.07	Lynx 364	1059.0	453035	5435561	125	-54	882.0	884.0	2.0	6.01	
		including						883.0	884.0	1.0	15.7	
OSK-W-20-2292	420.07	Lynx 372	1059.0	453035	5435561	125	-54	1007.2	1009.2	2.0	49.8	21.0
		including						1008.8	1009.2	0.4	244	100
OSK-W-20-2292-W1	420.07	Lynx 361	1149.0	453035	5435561	125	-54	835.9	838.0	2.1	3.39	
OSK-W-20-2292-W1	420.07	Lynx 361	1149.0	453035	5435561	125	-54	840.0	843.5	3.5	3.65	
		including						840.0	840.4	0.4	7.83	
		and						843.0	843.5	0.5	9.84	
OSK-W-20-2292-W1	420.07	Lynx 363	1149.0	453035	5435561	125	-54	857.0	859.3	2.3	26.0	
		including						858.3	859.3	1.0	57.6	
OSK-W-20-2292-W1	420.07	Lynx 364	1149.0	453035	5435561	125	-54	889.5	892.0	2.5	97.8	32.2
		including						890.3	891.1	0.8	305	100
OSK-W-20-2292-W1	420.07	Lynx 374	1149.0	453035	5435561	125	-54	1040.7	1043.0	2.3	395	15.4
		including						1042.3	1043.6	0.3	3020	100
OSK-W-20-2292-W2	420.07	Lynx 375	1002.0	453035	5435561	125	-54	909.3	910.0	0.7	3.65	
OSK-W-20-2292-W2	420.07	Lynx 361	942.9	453035	5435561	125	-54	817.0	819.0	2.0	4.11	
OSK-W-20-2293	406.07	F17 6003	183.0	452658	5435549	145	-44	114.6	117.3	2.7	5.30	
		including						114.6	114.9	0.3	11.0	
		and						116.8	117.3	0.5	10.1	
OSK-W-20-2293	406.07	F17 6005	183.0	452658	5435549	145	-44	119.0	120.4	2.5	5.25	
		including						122.0	122.4	0.4	18.0	
OSK-W-20-2295	414.85	Triple Lynx	987.0	452933	5435473	132	-51	651.2	658.0	6.8	12.4	
		including						652.4	652.7	0.3	28.7	
		and						653.4	654.0	0.6	45.9	
		and						656.1	656.7	0.6	56.9	
OSK-W-20-2295	414.85	Triple Lynx	987.0	452933	5435473	132	-51	891.7	893.7	2.0	11.6	
		including						891.7	892.7	1.0	23.0	
OSK-W-20-2295-W1	414.85	Triple Lynx	960.0	452933	5435473	132	-51	648.6	651.4	2.8	45.1	30.1



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-19-0442A	205.38	Lynx 308	123.4	453268	5435108	136	-30	54.5	58.0	3.5	9.86	
WST-19-0165A	204.99	Lynx 310	126.7	453290	5435116	130	-15	57.0	59.0	2.0	9.81	
		including						58.0	59.0	1.0	18.4	
WST-19-0161A	207.7	227 113	132.4	453234	5434710	311	-38	61.0	65.0	4.0	8.71	
		including						61.0	62.0	1.0	19.5	
WST-19-0165A	204.99	Lynx 310	126.7	453290	5435116	130	-15	63.0	65.0	2.0	10.6	
WST-19-0065A	250.03	Zone 27	132.9	451958	5434734	198	-12	64.8	68.3	3.5	4.02	
WST-19-0054A	252.53	227	155.5	451959	5434734	157	46	66.0	68.7	2.7	9.37	
		including						67.7	68.7	1.0	23.3	
WST-19-0065A	250.03	Zone 27	132.9	451958	5434734	198	-12	72.3	75.3	3.0	13.1	
WST-19-0160A	207.62	227 113	125.4	453234	5434710	314	-49	83.9	87.5	3.6	8.06	
WST-19-0165A	204.99	Lynx 304	126.7	453290	5435116	130	-15	84.0	86.0	2.0	4.56	
WST-19-0265B	204.16	Lynx 306	108.6	453298	5435066	166	1	85.0	87.0	2.0	27.3	
		including						85.7	86.3	0.6	90.7	
WST-19-0065A	250.03	227	132.9	451958	5434734	198	-12	86.4	89.9	3.5	12.0	
		including						86.4	87.1	0.7	36.5	
WST-19-0273a	205.77	Lynx 304	114.4	453290	5435116	138	11	91.0	95.1	2.1	77.7	34.7
		including						91.3	92.0	0.7	229	100
WST-19-0161A	207.7	227 115	132.4	452234	5434710	311	-38	101.0	110.0	9.0	18.5	
WST-19-0142A	205.38	Lynx 305	123.4	453268	5435108	136	-30	103.0	105.0	2.0	5.92	
		including						103.6	103.9	0.3	38.4	
		including						105.0	107.0	2.0	62.3	
WST-19-0273a	205.77	Lynx 306	114.4	453290	5435116	138	11	107.0	109.2	2.2	19.4	18.6
		including						107.5	107.9	0.4	105	100
WST-19-0142A	205.38	Lynx 304	123.4	453268	5435108	136	-30	110.0	112.7	2.7	81.0	40.9
		including						110.8	112.8	2.0	100.0	
WST-19-0160A	207.62	227 102	125.4	453234	5434710	314	-49	121.4	123.5	2.4	7.15	
WST-19-0222A	249.02	Caribou 206	321.9	453208	5434898	145	5	228.0	230.0	2.0	4.52	
WST-19-0222A	249.02	Caribou 206	321.9	453208	5434898	145	5	236.0	238.0	2.0	6.66	
		including						236.0	237.0	1.0	13.1	
WST-19-0222A	249.02	Caribou 217	321.9	453208	5434898	145	5	292.0	294.4	2.4	3.07	
WST-19-0222A	249.02	Caribou 217	321.9	453208	5434898	145	5	302.5	304.6	2.1	83.8	19.3
		including						304.2	304.6	0.4	439	100
WST-20-0433A	115.07	Lynx 311	156.8	453450	5435264	155	-32	65.5	68.9	3.4	4.49	
		including						68.1	68.4	0.3	35.0	
WST-20-0012D	134.18	Lynx 311	146.1	453226	5435116	174	-62	61.0	63.0	2.0	3.10	
		including						62.5	63.0	0.5	8.88	
WST-20-0391A	155.34	Lynx 304	174.4	453359	5435209	135	8	91.6	94.1	2.5	6.21	
		including						93.4	94.1	0.7	17.6	
WST-20-0391A	155.34	Lynx 304	174.4	453359	5435209	135	8	98.3	100.5	2.2	3.47	
WST-20-0014A	155	Lynx 304	123.5	453359	5435209	137	1	100.2	102.2	2.0	5.49	
WST-20-0361A	114.9	Lynx 313	165.5	453450	5435264	163	-35	110.0	113.0	2.0	4.31	
		including						110.0	110.6	0.6	14.3	
WST-20-0433A	115.07	Lynx 304	156.8	453450	5435264	155	-32	117.0	119.1	2.1	7.84	
		including						117.6	117.9	0.3	36.1	
WST-20-0385A	116.2	Lynx 304	164.0	453493	5435286	166	-36	119.1	121.4	2.3	7.53	
		including						120.1	120.5	0.4	39.6	
WST-20-0433A	115.07	Lynx 359	156.8	453450	5435264	155	-32	122.0	124.0	2.0	10.9	
		including						122.9	123.4	0.5	39.1	
WST-20-0361A	114.9	Lynx 359	165.5	453450	5435264	163	-35	126.7	128.8	2.1	4.97	
		including						127.6	128.4	0.8	12.9	
WST-20-0385A	116.2	Lynx	164.0	453493	5435286	166	-36	128.0	130.0	2.0	19.3	
		including						128.7	129.2	0.5	75.8	
WST-20-0378A	115.98	Lynx 304	176.5	453493	5435287	143	-41	132.0	134.4	2.4	4.54	
		including						133.5	133.9	0.4	18.8	
WST-20-0389A	114.74	Lynx 304	616.0	453452	5435266	115	-46	162.3	164.3	2.0	94.4	50.9
		including						163.0	164.0	1.0	187	100
WST-20-0389A	114.74	Lynx 304	616.0	453452	5435266	115	-46	169.3	171.5	2.2	23.5	14.9
		including						169.6	169.9	0.3	163	100
WST-20-0342A	114.54	Lynx 304	678.6	453452	5435266	116	-47	172.6	175.0	2.4	5.15	
		including						174.6	175.0	0.4	18.0	
WST-20-0389A	114.74	Lynx 341	616.0	453452	5435266	115	-46	192.0	194.3	2.3	9.23	
		including						192.0	192.6	0.6	23.5	
WST-20-0341A	134.49	Lynx 4	492.5	453228	5435126	163	-42	306.1	308.2	2.1	86.0	19.9
		including						306.1	306.5	0.4	447	100
WST-20-0389A	114.74	Lynx 321	616.0	453452	5435266	115	-46	322.0	324.9	2.3	4.44	
		including						323.2	323.9	0.7	14.4	
WST-20-0341A	134.49	Lynx 4	492.5	453228	5435126	163	-42	346.1	348.1	2.0	10.6	
		including						347.3	347.7	0.4	50.2	
WST-20-0342A	114.54	Lynx 313	678.6	453452	5435266	116	-47	551.0	553.6	2.6	4.60	
		including						551.1	553.6	0.5	17.9	
WST-20-0389A	114.74	Lynx 340	616.0	453452	5435266	115	-46	553.9	555.9	2.0	3.44	
		including						553.9	554.3	0.4	15.7	
WST-20-0342A	114.54	Lynx 340	678.6	453452	5435266	116	-47	565.3	568.0	2.7	3.77	
		including						565.3	565.6	0.3	20.1	
WST-18-0023	262.9	227	102.3	453280	5434973	179	-36	44.4	47.0	2.6	1.36	
		including						44.4	44.7	0.3	25.5	
WST-18-0024	262.84	Mutand	180.6	452280	5434973	170	-39	25.7	28.1	2.4	26.5	
WST-18-0025	264.38	227	102.4	452280	5434974	159	12	33.0	35.0	2.0	7.96	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
			including					85.5	86.1	0.6	129	100
WST-19-0092	223.17	Lynx 311	107.7	453210	5435116	123	-22	87.0	89.0	2.0	3.33	
			including					88.1	88.4	0.3	17.5	
WST-19-0093	223.35	Lynx 311	120.6	453219	5435116	123	-13	72.8	74.7	2.1	24.8	
			including					73.2	73.7	0.5	100	100
WST-19-0093	223.35	Lynx 308	120.6	453219	5435116	123	-13	85.3	89.3	3.0	42.1	
WST-19-0094	223.45	Lynx 311	93.6	453219	5435116	136	-14	62.7	65.1	2.4	2.91	
WST-19-0097	223.4	Lynx 311	96.5	453218	5435115	152	-12	65.9	68.0	2.1	14.2	
			including					65.9	66.5	0.6	46.3	
WST-19-0098	223.36	Lynx 311	84.7	453218	5435115	157	-14	66.0	68.7	2.7	88.7	25.6
			including					66.6	67.2	0.6	159	100
WST-19-0099	223.15	Lynx 311	99.5	453219	5435116	131	-28	76.5	78.5	2.0	28.5	15.7
			including					77.9	78.2	0.3	185	100
WST-19-0100	223.55	Lynx 311	90.6	453219	5435116	137	-20	69.4	72.5	3.1	24.1	18.6
			including					72.2	72.5	0.3	260	100
WST-19-0101	223.39	Lynx 311	90.4	453219	5435116	137	-25	73.0	75.0	2.0	7.66	
			including					74.0	74.3	0.3	47.9	
WST-19-0102	223.52	Lynx 311	84.6	453218	5435115	162	-12	65.6	68.1	2.5	6.32	
			including					66.3	66.5	0.2	46.3	
WST-19-0106	223.25	Lynx 311	135.6	453218	5435115	152	-18	65.0	68.0	3.0	10.2	
			including					66.8	67.3	0.5	36.9	
WST-19-0106	223.25	Lynx 310	135.6	453218	5435115	152	-18	108.7	111.0	2.3	5.04	
			including					109.8	110.1	0.3	33.0	
WST-19-0106	223.25	Lynx 304	135.6	453218	5435115	152	-18	126.6	130.7	4.1	64.2	11.6
			including					126.6	127.0	0.4	639	100
WST-19-0107	223.13	Lynx 311	135.6	453218	5435115	152	-22	66.0	68.6	2.6	9.94	
			including					67.8	68.6	0.8	25.8	
WST-19-0108	223.24	Lynx 311	135.6	453219	5435115	147	-19	67.1	69.4	2.3	22.5	
			including					67.6	68.6	0.9	54.7	
WST-19-0111	223.15	Lynx 311	132.0	453219	5435116	141	-23	70.4	72.5	2.1	13.3	
			including					71.8	72.5	0.7	37.8	
WST-19-0112	223.13	Lynx 311	138.7	453219	5435116	141	-28	70.8	75.1	2.3	17.2	
WST-19-0113	222.94	Lynx 311	138.5	453219	5435116	137	-29	75.4	77.7	2.3	62.9	20.7
			including					75.4	75.8	0.4	468	100
WST-19-0114	222.91	Lynx 311	135.6	453219	5435116	147	-33	71.0	73.3	2.3	5.89	
			including					71.7	72.4	0.7	18.3	
WST-19-0115	223.01	Lynx 311	141.4	453219	5435116	141	-32	72.4	74.8	2.4	17.1	
			including					73.0	73.6	0.6	68.1	
WST-19-0116	222.87	Lynx 311	144.5	453219	5435116	137	-33	67.8	69.1	1.3	26.9	12.6
			including					69.0	69.3	0.3	267	100
WST-19-0116	222.87	Lynx 310	144.5	453219	5435116	137	-33	99.0	104.2	5.2	3.91	
			including					103.6	104.2	0.6	19.6	
WST-19-0117	223.78	Lynx 308	162.5	453220	5435116	121	-1	84.5	89.5	5.0	132	34.2
			including					84.5	86.0	1.5	428	91.1
			including					85.5	86.0	0.5	922	100
WST-19-0118	206.01	Lynx 311	108.8	453252	5435110	161	-14	44.0	47.0	3.0	18.0	
			including					46.4	47.0	0.6	81.9	
WST-19-0119	205.72	Lynx 311	156.7	453252	5435110	144	-35	55.7	57.9	2.2	3.94	
			including					56.4	56.9	0.5	16.5	
WST-19-0119	205.72	Lynx 310	156.7	453252	5435110	144	-35	87.0	89.0	2.0	106	25.2
			including					88.5	89.0	0.5	425	100
WST-19-0119	205.72	Lynx 311	156.7	453252	5435110	144	-35	97.6	99.7	2.1	4.09	
WST-19-0119	205.72	Lynx 305	156.7	453252	5435110	144	-35	108.0	110.0	2.0	8.07	
WST-19-0120	205.78	Lynx 311	135.7	453253	5435110	134	-33	59.2	61.2	2.0	7.34	
			including					59.2	59.9	0.7	29.7	
WST-19-0120	205.79	Lynx 304	135.7	453253	5435110	134	-33	128.3	130.7	2.4	10.5	
WST-19-0121	206.33	Lynx 308	131.5	453253	5435110	134	3	54.4	58.0	3.6	8.66	
WST-19-0121	206.33	Lynx 305	131.5	453253	5435110	134	3	108.4	110.6	2.0	9.53	
			including					109.4	109.8	0.4	46.0	
WST-19-0122	206.04	Lynx 311	138.4	453253	5435110	137	-7	44.0	46.0	2.0	32.9	15.3
			including					44.8	45.1	0.3	217	100
WST-19-0122	206.04	Lynx 308	138.4	453253	5435110	137	-7	55.0	57.0	2.0	50.8	26.2
			including					55.9	56.5	0.5	199	100
WST-19-0123	205.86	Lynx 308	135.4	453253	5435110	132	-17	58.5	61.2	2.7	3.51	
			including					60.6	61.2	0.6	9.03	
WST-19-0123	205.86	Lynx 304	135.4	453253	5435110	132	-17	113.6	116.0	2.4	6.77	
WST-19-0124	205.44	Lynx 311	81.2	453253	5435110	128	-30	60.9	65.6	4.7	37.2	16.5
			including					60.9	61.6	0.7	239	100
WST-19-0125	206.06	Lynx 311	64.1	453252	5435110	150	-17	47.0	49.0	2.0	85.3	31.1
			including					47.5	48.0	0.5	317	100
WST-19-0125	206.06	Lynx 308	64.1	453252	5435110	150	-17	60.0	62.0	2.0	7.86	
WST-19-0126	205.69	Lynx 311	69.6	453252	5435110	143	-7	42.0	44.0	2.0	6.69	
			including					42.9	43.5	0.6	21.2	
WST-19-0126	205.69	Lynx 311	69.6	453252	5435110	143	-7	50.0	52.5	2.5	11.7	
			including					50.4	50.8	0.4	72.2	
WST-19-0128	205.61	Lynx 311	138.6	453252	5435110	137	-28	51.4	54.4	3.0	10.7	
			including					54.1	54.4	0.3	86.3	
WST-19-0129	205.59	Lynx 311	66.6	453252	5435109	151	-27	60.5	62.6	2.1	4.59	
			including					62.3	62.6	0.3	30.7	
WST-19-0130	205.59	Lynx 311	141.5	453252	5435110	134	-33	50.8	54.3	3.5	37.0	24.3



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
			including									
WST-19-0131	206.05	Lynx 311	128.8	453252	5435110	143	34	53.6	54.3	0.7	154	100
			including					50.0	52.4	2.4	13.8	
								50.0	50.3	0.3	75.2	
WST-19-0131	206.05	Lynx 308	128.8	453252	5435110	143	34	56.6	59.1	2.5	92.1	28.6
			including					58.0	58.3	0.3	393	100
			including					58.7	59.1	0.4	277	100
WST-19-0131	206.05	Lynx 305	128.8	453252	5435110	143	34	82.5	84.6	2.1	12.9	
WST-19-0132	207.01	Lynx 308	129.4	453252	5435110	143	16	51.2	58.5	7.3	14.5	9.91
			including					53.5	54.0	0.5	167	100
WST-19-0132	207.01	Lynx 310	129.4	453252	5435110	143	16	72.1	74.1	2.0	27.3	
			including					72.1	75.1	1.0	54.2	
WST-19-0132	207.01	Lynx	129.4	453252	5435110	143	16	78.5	80.7	2.2	3.03	
WST-19-0132	207.01	Lynx 304	129.4	453252	5435110	143	16	104.6	107.3	2.7	6.68	
			including					106.0	106.5	0.5	19.8	
WST-19-0132	207.01	Lynx	129.4	453252	5435110	143	16	122.0	124.0	2.0	4.17	
			including					123.5	124.0	0.5	14.2	
WST-19-0133	206.13	Lynx	129.4	453252	5435110	154	27	45.0	47.4	2.4	16.2	
			including					45.0	45.4	0.4	86.0	
WST-19-0133	206.13	Lynx 311	129.4	453252	5435110	154	27	52.9	59.1	6.2	12.9	12.4
			including					52.9	53.2	0.3	75.4	
			including					57.0	52.3	0.3	42.7	
WST-19-0133	206.13	Lynx	129.4	453252	5435110	154	27	58.3	59.6	0.3	100	100
			including					67.2	69.3	2.1	4.63	
			including					68.2	68.5	0.3	30.7	
WST-19-0133	206.13	Lynx 306	129.4	453252	5435110	154	27	110.1	113.1	3.0	26.2	15.8
			including					110.1	113.1	3.0	26.2	15.8
WST-19-0134	206.82	Lynx 308	126.5	453251	5435110	154	34	51.9	54.0	2.1	10.8	
			including					51.9	52.2	0.3	68.4	
WST-19-0134	206.82	Lynx 308	126.5	453251	5435110	154	34	58.1	60.1	2.0	16.6	
			including					58.8	59.7	0.9	35.6	
WST-19-0134	206.82	Lynx 310	126.5	453251	5435110	154	34	71.5	73.7	2.2	6.5	
			including					72.2	72.8	0.6	38.2	
WST-19-0134	206.82	Lynx 304	126.5	453251	5435110	154	34	110.8	113.0	2.2	149	27.3
			including					110.8	113.1	0.3	994	100
WST-20-0135	134.4	Lynx 311	444.4	453226	5435125	187	-58	72.0	74.3	2.3	4.26	
			including					73.9	74.3	0.4	14.0	
WST-20-0135	134.4	Lynx SW	444.4	453226	5435125	187	-58	293.0	295.1	2.1	35.1	19.2
			including					293.7	294.1	0.4	184	100
WST-20-0135	134.4	Lynx SW	444.4	453226	5435125	187	-58	351.8	354.7	2.9	3.15	
			including and					351.8	352.3	0.5	8.58	
								354.1	354.7	0.6	7.36	
WST-20-0135	134.4	Lynx SW	444.4	453226	5435125	187	-58	360.4	362.6	2.2	13.4	
			including					360.4	361.4	1.0	28.9	
WST-20-0135	134.4	Lynx SW	444.4	453226	5435125	187	-58	397.3	399.4	2.1	23.6	14.5
			including					397.8	398.1	0.3	164	100
WST-19-0136	206.33	Lynx 308	107.5	453268	5435107	149	12	41.1	45.1	4.0	8.51	
WST-19-0136	206.33	Lynx 308	107.5	453268	5435107	149	12	46.0	48.0	2.0	4.21	
WST-19-0136	206.33	Lynx 310	107.5	453268	5435107	149	12	67.7	69.8	2.1	15.9	
WST-19-0136	206.33	Lynx 304	107.5	453268	5435107	149	12	84.8	100.2	7.4	5.98	
			including					95.5	95.8	0.3	34.6	
WST-19-0137	206.42	Lynx 308	120.4	453268	5435108	136	13	50.4	56.3	5.9	17.5	15.9
			including					52.4	53.0	0.6	51.8	
								55.9	56.3	0.4	124	100
WST-19-0137	206.42	Lynx 305	129.4	453268	5435108	136	13	96.0	98.9	2.0	19.4	
WST-19-0137	206.42	Lynx 304	129.4	453268	5435108	136	13	107.0	109.1	2.1	63.6	50.1
WST-19-0138	206.11	Lynx 311	120.4	453268	5435108	136	3	38.0	40.0	2.0	13.5	
			including					38.9	39.6	0.7	38.0	
WST-19-0138	206.11	Lynx 308	120.4	453268	5435108	136	3	50.0	52.0	2.0	45.9	18.0
			including					50.4	50.7	0.3	285	100
WST-19-0138	206.11	Lynx	120.4	453268	5435108	136	3	68.0	70.4	2.4	5.52	
			including					68.5	69.4	0.9	14.5	
WST-19-0138	206.11	Lynx 304	120.4	453268	5435108	136	3	96.0	98.0	2.0	3.04	
			including					96.5	97.1	0.6	9.91	
WST-19-0138	206.11	Lynx 304	120.4	453268	5435108	136	3	100.0	100.3	0.3	63.2	39.3
			including					100.6	101.5	0.9	183	100
WST-19-0139	205.69	Lynx 308	120.5	453266	5435107	134	-8	52.2	54.6	2.4	4.08	
WST-19-0139	205.69	Lynx 304	120.5	453266	5435107	134	-8	103.0	105.0	2.0	119	46.5
			including					103.0	103.9	0.9	262	100
WST-19-0140	205.52	Lynx	120.4	453266	5435107	134	-16	42.0	44.0	2.0	7.58	
			including					43.1	43.4	0.3	48.2	
WST-19-0140	205.52	Lynx 308	120.4	453266	5435107	134	-16	53.4	57.7	4.3	9.00	
			including					53.4	53.6	0.4	76.0	
WST-19-0140	205.52	Lynx 304	120.4	453266	5435107	134	-16	102.8	105.4	2.6	10.3	
WST-19-0141	205.36	Lynx 308	120.4	453266	5435107	134	-22	53.0	55.4	2.4	3.91	
			including					53.7	54.4	0.7	11.8	
WST-19-0141	205.36	Lynx 308	120.4	453266	5435107	134	-22	59.0	61.1	2.1	10.9	
			including					59.0	61.3	0.3	79.7	
WST-19-0141	205.36	Lynx 305	120.4	453266	5435107	134	-22	88.4	90.5	2.1	18.4	
WST-19-0141	205.36	Lynx 304	120.4	453266	5435107	134	-22	103.2	105.4	2.2	5.89	
			including					105.1	105.4	0.3	42.7	
WST-19-0143	204.92	Lynx 311	135.3	453266	5435107	134	-38	53.0	55.1	2.1	115	40.5



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
			including					53.8	54.3	0.5	342	100
			including					54.8	55.1	0.3	221	100
WST-19-0143	204.92	Lynx 308	135.3	453266	5435107	134	-38	69.7	75.8	2.1	26.1	
WST-19-0143	204.92	Lynx 308	135.3	453266	5435107	134	-38	69.7	70.4	0.7	48.3	
WST-19-0143	204.92	Lynx 308	135.3	453266	5435107	134	-38	81.0	85.0	2.0	4.85	
WST-19-0143	204.92	Lynx 308	135.3	453266	5435107	134	-38	81.7	82.1	0.4	23.3	
WST-19-0143	204.92	Lynx 308	135.3	453266	5435107	134	-38	117.5	119.7	2.2	3.27	
WST-19-0144	206.02	Lynx 310	123.4	453268	5435109	128	2	57.1	60.0	2.9	5.64	
WST-19-0144	206.02	Lynx 310	123.4	453268	5435109	128	2	57.1	57.5	0.4	22.1	
WST-19-0144	206.02	Lynx 310	123.4	453268	5435109	128	2	68.6	70.8	2.2	9.42	
WST-19-0144	206.02	Lynx 310	123.4	453268	5435109	128	2	70.5	70.8	0.3	28.4	
WST-19-0144	206.02	Lynx 310	123.4	453268	5435109	128	2	101.6	104.0	2.4	47.2	
WST-19-0144	206.02	Lynx 310	123.4	453268	5435109	128	2	102.8	104.0	1.2	80.3	
WST-19-0145	204.37	Lynx 310	141.5	453290	5435116	142	-45	68.8	72.5	2.7	86.9	15.2
WST-19-0145	204.37	Lynx 310	141.5	453290	5435116	142	-45	68.8	69.1	0.3	746	100
WST-19-0145	204.37	Lynx 310	141.5	453290	5435116	142	-45	103.3	105.9	2.6	33.2	
WST-19-0145	204.37	Lynx 310	141.5	453290	5435116	142	-45	103.3	105.6	0.3	98.9	
WST-19-0145	204.37	Lynx 310	141.5	453290	5435116	142	-45	108.5	112.6	4.1	12.2	
WST-19-0146	204.4	Lynx 308	159.6	453289	5435116	175	-44	63.0	65.0	2.0	4.84	
WST-19-0146	204.4	Lynx 308	159.6	453289	5435116	175	-44	63.8	64.1	0.3	31.8	
WST-19-0146	204.4	Lynx 310	159.6	453289	5435116	175	-44	77.0	79.0	2.0	3.51	
WST-19-0146	204.4	Lynx 310	159.6	453289	5435116	175	-44	88.0	90.0	2.0	63.7	50.2
WST-19-0146	204.4	Lynx 310	159.6	453289	5435116	175	-44	89.0	90.0	1.0	127	100
WST-19-0146	204.4	Lynx 310	159.6	453289	5435116	175	-44	105.4	109.4	4.0	5.60	
WST-19-0148	205.32	Lynx 311	144.6	453268	5435108	128	-39	55.5	57.6	2.1	10.5	
WST-19-0148	205.32	Lynx 311	144.6	453268	5435108	128	-39	56.8	57.2	0.4	51.7	
WST-19-0148	205.32	Lynx 311	144.6	453268	5435108	128	-39	77.8	80.1	2.3	11.6	
WST-19-0148	205.32	Lynx 311	144.6	453268	5435108	128	-39	79.7	80.1	0.4	35.4	
WST-19-0148	205.32	Lynx 311	144.6	453268	5435108	128	-39	112.0	114.2	2.2	59.3	41.8
WST-19-0148	205.32	Lynx 311	144.6	453268	5435108	128	-39	112.0	112.7	0.7	155	100
WST-19-0148	205.32	Lynx 311	144.6	453268	5435108	128	-39	118.8	121.2	2.4	6.31	
WST-19-0148	205.32	Lynx 311	144.6	453268	5435108	128	-39	120.5	121.2	0.7	18.6	
WST-19-0149	204.99	Lynx 311	90.4	453252	5435110	159	-28	49.0	55.2	2.2	106	68.4
WST-19-0149	204.99	Lynx 311	90.4	453252	5435110	159	-28	49.0	49.4	0.4	199	100
WST-19-0149	204.99	Lynx 311	90.4	453252	5435110	159	-28	50.7	51.2	0.5	188	100
WST-19-0151	204.86	Lynx 311	72.6	453290	5435116	152	-16	76.0	79.4	2.4	4.09	
WST-19-0151	204.86	Lynx 311	72.6	453290	5435116	152	-16	34.0	36.0	2.0	30.4	20.9
WST-19-0151	204.86	Lynx 311	72.6	453290	5435116	152	-16	35.2	35.6	0.4	148	100
WST-19-0151	204.86	Lynx 311	72.6	453290	5435116	152	-16	51.0	53.1	2.1	32.0	30.0
WST-19-0151	204.86	Lynx 311	72.6	453290	5435116	152	-16	51.8	52.4	0.6	107	100
WST-19-0152	204.48	Lynx 308	130.6	453290	5435116	154	-27	52.3	55.2	2.9	3.89	
WST-19-0152	204.48	Lynx 308	130.6	453290	5435116	154	-27	52.3	52.7	0.4	15.1	
WST-19-0153	206.18	Lynx 308	114.6	453289	5435116	162	25	45.9	50.4	4.5	15.9	
WST-19-0153	206.18	Lynx 308	114.6	453289	5435116	162	25	45.9	47.0	1.1	51.0	
WST-19-0154	206.17	Lynx 308	123.6	453288	5435116	175	26	47.0	49.1	2.1	6.85	
WST-19-0154	206.17	Lynx 308	123.6	453288	5435116	175	26	48.0	49.6	0.6	18.8	
WST-19-0154	206.17	Lynx 308	123.6	453288	5435116	175	26	55.0	57.0	2.0	8.65	
WST-19-0154	206.17	Lynx 308	123.6	453288	5435116	175	26	56.0	56.5	0.5	33.5	
WST-19-0154	206.17	Lynx 310	123.6	453288	5435116	175	26	73.0	75.2	2.2	95.5	27.9
WST-19-0154	206.17	Lynx 310	123.6	453288	5435116	175	26	74.0	74.6	0.6	340	100
WST-19-0154	206.17	Lynx 310	123.6	453288	5435116	175	26	78.0	80.3	2.3	4.93	
WST-19-0154	206.17	Lynx 310	123.6	453288	5435116	175	26	79.3	79.8	0.5	21.3	
WST-19-0154	206.17	Lynx 310	123.6	453288	5435116	175	26	102.1	104.2	2.1	7.04	
WST-19-0154	206.17	Lynx 310	123.6	453288	5435116	175	26	102.6	102.9	0.3	47.5	
WST-19-0154	206.17	Lynx 310	123.6	453288	5435116	175	26	106.2	109.0	2.8	12.8	
WST-19-0154	206.17	Lynx 310	123.6	453288	5435116	175	26	106.2	106.9	0.7	46.7	
WST-19-0155	205.32	Lynx 311	136.8	453268	5435108	124	-32	51.0	53.3	2.3	5.60	
WST-19-0155	205.32	Lynx 311	136.8	453268	5435108	124	-32	67.0	69.0	2.0	13.8	
WST-19-0155	205.32	Lynx 311	136.8	453268	5435108	124	-32	68.0	69.0	1.0	27.9	
WST-19-0155	205.32	Lynx 311	136.8	453268	5435108	124	-32	96.7	100.0	3.3	4.67	
WST-19-0155	205.32	Lynx 311	136.8	453268	5435108	124	-32	104.5	107.0	2.5	5.79	
WST-19-0155	205.32	Lynx 311	136.8	453268	5435108	124	-32	112.0	114.0	2.0	3.04	
WST-19-0156	204.24	Lynx 311	141.6	453289	5435116	161	-39	46.0	48.9	2.9	10.4	
WST-19-0156	204.24	Lynx 311	141.6	453289	5435116	161	-39	47.8	49.6	0.8	30.2	
WST-19-0156	204.24	Lynx 305	141.6	453289	5435116	161	-39	98.5	101.0	2.5	21.3	16.5
WST-19-0157	203.96	Lynx 311	102.6	453289	5435116	164	-47	99.6	100.0	0.4	190	100
WST-19-0157	203.96	Lynx 311	102.6	453289	5435116	164	-47	48.2	50.8	2.6	9.84	
WST-19-0157	203.96	Lynx 308	102.6	453289	5435116	164	-47	49.8	50.3	0.7	33.1	
WST-19-0158	203.93	Lynx 305	150.5	453290	5435116	140	-50	70.0	72.0	2.0	3.86	
WST-19-0158	203.93	Lynx 304	150.5	453290	5435116	140	-50	119.3	121.3	2.0	10.3	
WST-19-0159	207.13	227 101	182.8	452234	5434710	296	-59	150.0	147.9	2.9	9.86	
WST-19-0159	207.13	227 101	182.8	452234	5434710	296	-59	147.0	147.0	0.0	22.7	
WST-19-0159	207.13	227 101	182.8	452234	5434710	296	-59	166.0	168.0	2.0	3.93	
WST-19-0162	207.63	227 corridor	255.2	452236	5434711	946	-54	66.9	70.9	4.0	5.85	
WST-19-0162	207.63	227 corridor	255.2	452236	5434711	946	-54	68.7	69.2	0.5	18.4	
WST-19-0164	205.12	Lynx 308	129.6	453290	5435116	138	-7	50.0	52.0	2.0	6.85	
WST-19-0164	205.12	Lynx 310	129.6	453290	5435116	138	-7	50.0	50.9	0.9	45.1	
WST-19-0164	205.12	Lynx 310	129.6	453290	5435116	138	-7	67.0	69.0	2.0	3.34	
WST-19-0164	205.12	Lynx 310	129.6	453290	5435116	138	-7	72.0	74.0	2.0	14.0	
WST-19-0164	205.12	Lynx 310	129.6	453290	5435116	138	-7	72.3	72.9	0.6	43.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-19-0164	205.12	Lynx 320	including 129.6	453290	5435116	138	-7	79.6	82.0	2.4	8.98	
								79.6	80.5	0.9	22.3	
WST-19-0164	205.12	Lynx 304	including 129.6	453290	5435116	138	-7	88.0	90.0	2.0	30.3	
								88.6	89.2	0.6	19.7	
WST-19-0166	205.06	Lynx 305	including 120.6	453290	5435116	130	-5	73.0	75.0	2.0	4.66	
								73.4	73.9	0.5	17.7	
WST-19-0167	204.78	Lynx 308	including 123.6	453290	5435116	138	-15	51.0	53.0	2.0	15.1	
								51.4	53.9	0.5	57.2	
WST-19-0167	204.78	Lynx 308	including 123.6	453290	5435116	138	-15	57.0	59.0	2.0	8.55	
WST-19-0167	204.78	Lynx 330	including 123.6	453290	5435116	138	-15	64.9	69.2	4.3	20.7	
								66.6	67.0	0.4	64.1	
WST-19-0167	204.78	Lynx 304	including 123.6	453290	5435116	138	-15	87.1	90.0	2.9	89.2	57.0
								87.4	88.2	0.8	217	100
WST-19-0168	204.46	Lynx 308	including 111.6	453291	5435116	127	-26	44.6	46.8	2.2	6.94	
								45.4	45.8	0.4	28.5	
WST-19-0168	204.46	Lynx 330	including 111.6	453291	5435116	127	-26	63.5	65.5	2.0	14.8	
								64.2	64.7	0.5	58.4	
WST-19-0168	204.46	Lynx 304	including 111.6	453291	5435116	127	-26	73.0	75.0	2.0	5.66	
WST-19-0168	204.46	Lynx 304	including 111.6	453291	5435116	127	-26	87.9	90.0	2.1	151	76.9
								87.9	88.6	0.7	198	100
WST-19-0169	204.88	Lynx 308	including 138.7	453291	5435116	122	-6	88.6	89.5	0.9	197	100
								42.9	43.0	0.1	6.30	
								42.9	43.3	0.4	31.1	
WST-19-0169	204.88	Lynx 308	including 138.7	453291	5435116	122	-6	53.0	55.0	2.0	12.0	
								54.0	54.5	0.5	47.6	
WST-19-0169	204.88	Lynx 304	including 138.7	453291	5435116	122	-6	98.0	100.8	2.8	16.7	
								99.5	100.0	0.5	90.5	
WST-19-0170	204.85	Lynx 308	including 138.6	453291	5435116	117	-16	47.0	50.0	3.0	2.23	
WST-19-0170	204.85	Lynx 330	including 138.6	453291	5435116	117	-16	65.0	67.6	2.6	9.74	
								67.1	67.6	0.5	50.5	
WST-19-0170	204.85	Lynx 305	including 138.6	453291	5435116	117	-16	79.5	83.5	2.0	5.46	
								81.0	81.5	0.5	24.0	
WST-19-0170	204.85	Lynx 304	including 138.6	453291	5435116	117	-16	127.0	129.8	2.8	5.50	
								128.5	129.8	1.3	11.8	
WST-19-0172	204.43	Lynx 330	including 147.6	453291	5435116	117	-29	71.0	75.5	2.5	50.9	22.3
								71.4	71.9	0.5	241	100
WST-19-0172	204.43	Lynx 305	including 147.6	453291	5435116	117	-29	76.6	78.9	2.3	32.4	
								77.0	77.4	0.4	85.5	
WST-19-0172	204.43	Lynx 304	including 147.6	453291	5435116	117	-29	86.6	89.3	2.7	22.7	
								87.6	88.5	0.9	43.5	
WST-19-0172	204.43	Lynx 304	including 147.6	453291	5435116	117	-29	90.9	93.0	2.1	4.09	
								92.5	93.0	0.5	12.1	
WST-19-0177	205.39	Lynx 304	including 111.5	453291	5435116	119	5	91.0	93.1	2.1	9.13	
								92.0	92.4	0.4	43.9	
WST-19-0177	205.39	Lynx 304	including 111.5	453291	5435116	119	5	100.3	104.0	3.7	6.31	
WST-19-0177	205.39	Lynx 304	including 111.5	453291	5435116	119	5	106.0	110.0	4.0	4.67	
WST-19-0178	205.65	Lynx 336	including 117.5	453292	5435116	125	12	87.8	90.0	2.2	9.82	
								88.4	89.1	0.7	26.9	
WST-19-0179	182.74	Lynx 311	including 102.2	453272	5435107	182	-21	84.0	86.0	2.0	36.2	
								34.8	35.6	0.8	89.6	
WST-19-0179	182.74	Lynx 311	including 102.2	453272	5435107	182	-21	39.0	41.0	2.0	3.01	
WST-19-0179	182.74	Lynx 305	including 102.2	453272	5435107	182	-21	57.0	59.0	2.0	3.43	
WST-19-0179	182.74	Lynx 305	including 102.2	453272	5435107	182	-21	81.3	83.9	2.6	10.9	
								83.4	83.9	0.5	35.0	
WST-19-0180	182.96	Lynx 305	including 100.2	453272	5435107	186	-11	89.4	91.6	2.2	3.62	
WST-19-0181	182.92	Lynx 311	including 129.6	453273	5435108	158	-23	35.9	38.0	2.1	3.91	
								36.3	36.8	0.5	16.0	
WST-19-0181	182.92	Lynx 304	including 129.6	453273	5435108	158	-23	118.8	121.0	2.2	14.1	
								119.1	119.6	0.5	54.8	
WST-19-0182	182.77	Lynx 311	including 114.2	453273	5435107	194	-21	38.0	40.0	2.0	33.3	
								39.2	40.0	0.8	83.1	
WST-19-0183	263.96	227 103	including 106.1	452281	5434974	148	4	37.0	39.0	2.0	3.92	
								37.8	38.1	0.4	98.1	
WST-19-0184	263.67	227 104	including 105.7	452281	5434975	128	-5	79.1	82.1	2.0	4.41	
								80.0	80.8	0.8	10.5	
WST-19-0185	263.29	227	including 100.7	452281	5434975	128	-23	1.0	3.0	2.0	6.20	
WST-19-0186	264.83	227 103	including 105.9	452281	5434974	155	21	35.0	37.0	2.0	4.17	
								36.3	36.6	0.3	27.2	
WST-19-0187	186.56	227 115	including 138.6	452118	5434606	320	6	108.4	110.5	2.1	6.02	
								109.7	110.0	0.3	40.4	
WST-19-0187	186.56	227	including 138.6	452118	5434606	320	6	124.2	126.4	2.2	3.83	
								125.8	126.1	0.3	18.1	
WST-19-0188	185.62	Caribou	including 144.5	452118	5434606	320	-37	62.0	67.0	5.0	3.46	
								63.5	64.1	0.6	12.4	
WST-19-0188	185.62	227 101	including 144.5	452118	5434606	320	-37	98.0	100.0	2.0	4.93	
WST-19-0188	185.62	227 115	including 144.5	452118	5434606	320	-37	105.9	109.0	3.1	76.6	39.1
								106.9	107.7	0.8	199	100
WST-19-0189	187.04	227 101	including 138.5	452119	5434606	326	16	103.0	105.0	2.0	8.23	
								103.7	104.6	0.9	16.6	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-19-0228	223.68	Lynx 308	including 150.6	453216	5435115	128	14	81.0	83.0	2.0	25.1	20.4
								82.1	82.5	0.4	124	100
WST-19-0229	223.7	Lynx 308	including 111.6	453216	5435114	140	11	68.8	70.9	2.1	4.54	
								70.6	70.9	0.3	26.7	
WST-19-0229	223.7	Lynx 311	including 111.6	453216	5435114	140	11	76.6	76.6	2.0	5.34	
								77.5	76.2	0.7	11.4	
WST-19-0230	223.83	Lynx	including 150.6	453215	5435114	161	20	50.0	52.0	2.0	8.98	
								50.0	52.0	1.0	17.8	
WST-19-0230	223.83	Lynx 308	including 150.6	453215	5435114	161	20	70.0	72.0	2.0	13.7	
								70.0	70.3	0.3	80.4	
WST-19-0230	223.83	Lynx 306	including 150.6	453215	5435114	161	20	129.9	132.0	2.1	4.91	
								130.8	131.2	0.4	25.3	
WST-19-0230	223.83	Lynx 323	including 150.6	453215	5435114	161	20	146.0	148.5	2.5	8.52	
WST-19-0231	223.66	Lynx 308	including 153.6	453215	5435114	161	10	69.0	71.6	2.6	5.17	
								71.0	71.6	0.6	16.6	
WST-19-0231	223.25	Lynx 308	including 147.6	453215	5435114	161	-4	66.0	68.0	2.0	10.5	
WST-19-0231	223.62	Lynx	including 93.7	453215	5435114	183	12	88.0	90.0	2.0	4.36	
WST-19-0234	223.82	Lynx 311	including 156.6	453216	5435114	150	17	69.2	72.6	3.4	153	17.8
								69.2	69.5	0.3	1630	100
WST-19-0234	223.82	Lynx 304	including 156.6	453216	5435114	150	17	118.0	121.0	2.0	10.8	
								120.7	121.0	0.3	67.4	
WST-19-0235	223.6	Lynx 308	including 158.6	453216	5435114	150	9	69.6	71.6	2.0	25.4	23.5
								70.3	70.6	0.3	113	100
WST-19-0235	223.6	Lynx 320	including 158.6	453216	5435114	150	9	101.0	103.6	2.6	6.88	
								103.2	103.6	0.4	42.6	
WST-19-0235	223.6	Lynx 304	including 158.6	453216	5435114	150	9	118.8	121.1	2.3	7.89	
								120.6	121.1	0.5	30.3	
WST-19-0236	223.18	Lynx 304	including 168.6	453216	5435114	150	8	118.8	121.9	3.1	4.63	
WST-19-0237	224.11	Lynx 308	including 96.6	453216	5435114	173	22	72.0	74.9	2.9	4.86	
								74.6	74.9	0.3	26.5	
WST-19-0238	223.78	Lynx	including 96.6	453216	5435114	173	12	89.1	91.1	2.0	4.32	
WST-19-0239	223.22	Lynx 311	including 90.6	453215	5435114	173	1	66.6	69.1	2.5	9.88	
								68.5	69.1	0.6	37.9	
WST-19-0240	223.17	Lynx 308	including 177.6	453217	5435115	135	-3	74.4	77.0	2.6	8.52	
								74.4	74.8	0.4	56.2	
WST-19-0242	206.1	Lynx 320	including 71.7	453307	5435063	119	31	4.0	6.0	2.0	5.15	
								4.0	5.0	1.0	10.1	
WST-19-0242	206.1	Lynx	including 71.7	453307	5435063	119	31	100.0	12.0	2.0	8.15	
								10.0	11.0	1.0	16.1	
WST-19-0242	206.1	Lynx 320	including 71.7	453307	5435063	119	31	16.0	18.8	2.8	20.2	14.7
								17.4	17.8	0.4	139	100
WST-19-0243	206.59	Lynx 320	including 67.3	453306	5435063	124	42	15.0	17.3	2.3	5.08	
								16.5	16.8	0.3	31.9	
WST-19-0243	206.59	Lynx 304	including 67.3	453306	5435063	124	42	46.2	48.2	2.0	10.1	
								46.6	46.9	0.3	65.1	
WST-19-0244	205.52	Lynx 320	including 72.7	453306	5435063	124	23	12.0	15.3	3.3	8.22	
								15.0	15.3	0.3	40.2	
WST-19-0244	205.52	Lynx 305	including 72.7	453306	5435063	124	23	37.0	39.0	2.0	21.1	16.3
								37.8	38.1	0.3	132	100
WST-19-0244	205.52	Lynx 304	including 72.7	453306	5435063	124	23	40.6	44.0	3.4	26.9	
WST-19-0245	207.12	Lynx 320	including 69.0	453305	5435063	138	40	17.1	19.9	2.8	8.54	
								17.1	17.4	0.3	52.4	
WST-19-0246	206.58	Lynx 320	including 72.6	453305	5435063	143	40	7.0	9.0	2.0	5.09	
WST-19-0246	206.58	Lynx 320	including 72.6	453305	5435063	143	40	12.5	15.0	2.5	5.06	
								14.7	15.0	0.3	33.9	
WST-19-0246	206.58	Lynx 305	including 72.6	453305	5435063	143	40	33.0	35.0	2.0	3.47	
								34.7	35.0	0.3	21.8	
WST-19-0246	206.58	Lynx 306	including 72.6	453305	5435063	143	40	58.0	60.1	2.1	3.55	
								59.3	60.1	0.8	9.15	
WST-19-0247	205.88	Lynx 320	including 72.5	453305	5435063	155	33	5.0	9.8	4.8	3.66	
								9.5	8.8	0.7	22.2	
WST-19-0247	205.88	Lynx 304	including 72.5	453305	5435063	155	33	40.6	42.6	2.0	29.8	
								40.6	43.4	0.8	73.5	
WST-19-0248	205.26	Lynx 304	including 72.8	453305	5435063	155	20	35.6	38.1	2.5	5.76	
								36.3	36.6	0.3	40.2	
WST-19-0249	224.03	Lynx 308	including 114.5	453217	5435115	134	20	83.0	85.0	2.0	17.3	
								83.8	84.2	0.4	80.3	
WST-19-0249	224.03	Lynx 320	including 114.5	453217	5435115	134	20	88.0	90.5	2.5	3.73	
								88.6	88.9	0.3	30.2	
WST-19-0249	224.03	Lynx 305	including 114.5	453217	5435115	134	20	110.0	112.0	2.0	54.4	32.8
								110.4	111.0	0.6	172	100
WST-19-0250	223.51	Lynx 308	including 162.5	453217	5435115	139	8	70.0	72.0	2.0	4.02	
								70.6	70.9	0.3	26.1	
WST-19-0250	223.51	Lynx 308	including 162.5	453217	5435115	139	8	77.4	80.0	2.6	30.2	19.9
								78.2	78.5	0.3	189	100
WST-19-0250	223.51	Lynx 320	including 162.5	453217	5435115	139	8	97.5	99.8	2.3	3.05	
								98.3	98.7	0.4	16.3	
WST-19-0250	223.51	Lynx 304	including 162.5	453217	5435115	139	8	125.0	127.0	2.0	8.30	
								125.0	125.3	0.3	55.1	
WST-19-0251	223.91	Lynx 308	including 155.1	453217	5435115	143	17	69.8	72.3	2.5	135	32.1



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acumult (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
			including									100
WST-19-0251	223.91	Lynx 308	155.1	453217	5435115	143	17	69.8	70.6	0.8	422	
			including					75.6	76.0	2.4	6.11	
WST-19-0252	223.67	Lynx 308	156.6	453217	5435115	143	12	76.3	76.8	0.5	25.2	
			including					68.5	70.6	2.1	7.31	
WST-19-0252	223.67	Lynx 308	156.6	453217	5435115	143	12	75.7	77.9	2.2	8.78	
			including					77.6	77.9	0.3	37.1	
WST-19-0252	223.67	Lynx 320	156.6	453217	5435115	143	12	90.9	93.0	2.1	6.29	
			including					92.0	92.6	0.6	21.9	
WST-19-0253	223.58	Lynx 308	156.5	453217	5435115	143	6	70.4	72.7	2.3	38.4	
			including					71.9	72.7	0.8	72.9	
WST-19-0253	223.58	Lynx 304	156.5	453217	5435115	143	6	121.0	123.1	2.1	6.82	
			including					122.7	123.1	0.4	34.0	
WST-19-0253	223.58	Lynx 323	156.5	453217	5435115	143	6	140.9	152.3	2.4	7.49	
			including					150.5	151.0	0.5	35.3	
WST-19-0254	223.43	Lynx 311	168.0	453217	5435115	143	1	59.3	63.7	2.4	17.1	13.6
			including					61.4	62.1	0.7	129	100
WST-19-0254	223.43	Lynx 308	168.0	453217	5435115	143	1	69.0	72.6	2.6	5.84	
WST-19-0255	224.32	Lynx 311	93.0	453216	5435115	145	24	68.0	70.4	2.4	13.0	
			including					70.1	70.4	0.3	49.8	
WST-19-0255	224.32	Lynx 308	93.0	453216	5435115	145	24	76.0	78.0	2.0	6.97	
WST-19-0259	224.48	Lynx 311	96.5	453216	5435114	164	26	70.6	76.8	6.2	9.86	9.92
			including					75.0	75.5	0.5	100	100
WST-20-0260	205.57	Lynx 320	87.4	453298	5435067	169	34	8.8	10.9	2.1	10.1	
			including					8.8	8.4	0.6	26.9	
WST-20-0260	205.57	Lynx 304	87.4	453298	5435067	169	34	51.0	53.0	2.0	6.29	
			including					51.7	52.1	0.4	31.0	
WST-20-0261	205.36	Lynx 304	72.5	453298	5435066	169	25	55.0	57.0	2.0	8.28	
			including					56.7	56.2	0.5	32.9	
WST-19-0263	204.5	Lynx 305	105.5	453298	5435066	161	8	18.0	20.3	2.3	4.26	
			including					19.3	19.7	0.4	24.2	
WST-19-0263	204.5	Lynx 304	105.5	453298	5435066	161	8	49.9	52.4	2.5	8.46	
			including					51.2	53.8	0.6	22.1	
WST-19-0266	203.92	Lynx 320	120.6	453298	5435066	165	-11	8.0	10.0	2.0	3.95	
WST-19-0266	203.92	Lynx 304	120.6	453298	5435066	165	-11	53.4	55.4	2.0	113	33.7
			including					54.5	55.1	0.6	365	100
WST-19-0266	203.92	Lynx 306	120.6	453298	5435066	165	-11	92.8	95.0	2.2	58.5	22.9
			including					93.4	93.8	0.4	296	100
WST-19-0267	204.36	Lynx 319	108.6	453298	5435066	173	5	2.0	4.0	2.0	3.22	
WST-19-0267	204.36	Lynx 319	108.6	453298	5435066	173	5	33.0	35.0	2.0	6.29	
			including					33.6	34.1	0.5	25.0	
WST-19-0267	204.36	Lynx 306	108.6	453298	5435066	173	5	84.7	87.0	2.3	13.0	
			including					84.7	85.0	0.3	33.1	
WST-19-0269	204.16	Lynx 304	117.6	453298	5435066	176	-4	62.2	64.5	2.3	6.30	
WST-19-0270	204.43	Lynx 306	114.7	453298	5435066	179	6	91.0	93.0	2.0	3.14	
WST-19-0272	206.49	Lynx 304	111.6	453290	5435116	138	25	81.0	83.4	2.4	8.29	
			including					83.1	83.4	0.3	72.5	
WST-19-0274	208.75	Lynx 319	119.4	453290	5435116	120	50	77.8	80.0	2.2	13.2	
			including					79.0	80.0	1.0	28.6	
WST-19-0276	206.26	Lynx 316	111.3	453291	5435116	126	20	85.9	88.3	2.4	17.8	17.1
			including					86.6	87.0	0.4	105	100
WST-19-0276	206.26	Lynx 306	111.3	453291	5435116	126	20	87.2	90.3	2.1	6.38	
			including					97.8	98.1	0.3	42.3	
WST-19-0277	206.66	Lynx 341	117.2	453291	5435117	111	27	95.0	97.3	2.3	4.91	
			including					96.7	97.3	0.6	15.1	
WST-19-0278	205.61	Lynx 316	141.4	453291	5435116	111	6	91.9	93.9	2.0	7.27	
WST-20-0282	135.31	Lynx 311	81.5	453228	5435126	179	-18	48.5	50.9	2.0	7.94	
WST-20-0283	136.88	Lynx 311	213.8	453227	5435126	165	20	65.6	68.0	2.4	6.95	
			including					66.3	66.8	0.5	24.8	
WST-20-0284	135.17	Lynx 311	81.5	453228	5435126	182	-21	50.0	52.0	2.0	5.37	
WST-20-0284	135.17	Lynx 311	81.5	453228	5435126	182	-21	65.7	67.8	2.1	3.64	
WST-20-0285	136.83	Lynx 320	210.5	453227	5435126	161	25	113.9	116.0	2.1	9.93	
			including					114.8	115.3	0.5	15.3	
WST-20-0285	136.83	Lynx 319	210.5	453227	5435126	161	25	118.0	120.0	2.0	3.35	
			including					118.6	119.2	0.6	10.9	
WST-20-0286	136.36	Lynx 308	84.6	453228	5435126	153	16	54.3	56.3	2.0	99.2	55.1
			including					55.7	56.3	0.6	247	100
WST-20-0286	136.36	Lynx 311	84.6	453228	5435126	153	16	80.0	82.0	2.0	6.52	
			including					80.0	81.0	1.0	12.8	
WST-20-0287	135.8	Lynx 311	220.4	453228	5435126	153	5	51.9	54.2	2.3	31.4	28.3
			including					52.3	52.9	0.6	112	100
WST-20-0287	135.8	Lynx 319	220.4	453228	5435126	153	5	85.6	88.0	2.4	13.4	12.9
			including					87.7	88.0	0.3	105	100
WST-20-0287	135.8	Lynx 319	220.4	453228	5435126	153	5	105.4	112.0	6.6	19.1	18.3
			including					105.4	105.7	0.3	117	100
WST-20-0287	135.8	Lynx 304	220.4	453228	5435126	153	5	111.0	112.0	1.0	86.0	
			including					140.0	142.0	2.0	13.2	
WST-20-0288	135.45	Lynx 311	228.7	453228	5435127	152	-7	52.2	54.2	2.0	6.62	
WST-20-0290	135.75	Lynx 311	222.6	453229	5435127	140	2	55.0	57.3	2.3	20.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
including												
WST-20-0290	135.75	Lynx 320	222.6	453229	5435127	140	2	56.7	57.3	0.6	76.9	
including												
WST-20-0290	135.75	Lynx 319	222.6	453229	5435127	140	2	103.0	105.1	2.1	7.92	
WST-20-0290	135.75	Lynx 304	222.6	453229	5435127	140	2	103.0	103.8	0.8	19.9	
WST-20-0291	135.2	Lynx 311	159.7	453229	5435127	140	-9	115.4	117.6	2.2	4.39	
WST-20-0292	135.07	Lynx 311	282.0	453229	5435127	141	-22	135.6	139.3	3.7	10.7	
including												
WST-20-0292	135.07	Lynx	282.0	453229	5435127	141	-22	55.5	57.5	2.0	5.11	
including												
WST-20-0292	135.07	Lynx	282.0	453229	5435127	141	-22	51.5	52.5	1.0	18.8	
including												
WST-20-0294	135.15	Lynx 311	96.3	453228	5435126	131	13	124.8	127.0	2.2	28.5	
including												
WST-20-0295	135.27	Lynx 311	165.6	453229	5435127	131	-7	125.3	126.0	0.7	80.7	
including												
WST-20-0295	135.27	Lynx 311	165.6	453229	5435127	131	-7	67.9	68.8	0.9	45.5	
including												
WST-20-0295	135.27	Lynx 304	165.6	453229	5435127	131	-7	61.6	65.6	2.0	27.0	21.0
including												
WST-20-0295	135.27	Lynx 304	165.6	453229	5435127	131	-7	64.9	65.3	0.4	130	100
including												
WST-20-0295	135.27	Lynx 304	165.6	453229	5435127	131	-7	134.0	136.0	2.0	243	20.6
including												
WST-20-0295	135.27	Lynx 304	165.6	453229	5435127	131	-7	134.5	134.9	0.4	1240	100
including												
WST-20-0295	135.27	Lynx 304	165.6	453229	5435127	131	-7	142.0	144.0	2.0	337	17.9
including												
WST-20-0298	135.06	Lynx 311	283.7	453229	5435127	130	-36	142.4	142.7	0.3	22.80	
including												
WST-20-0298	135.06	Lynx 311	283.7	453229	5435127	130	-36	63.2	65.4	2.2	3.94	
including												
WST-20-0298	135.06	Lynx 320	283.7	453229	5435127	130	-36	65.0	65.4	0.4	21.0	
including												
WST-20-0298	135.06	Lynx 320	283.7	453229	5435127	130	-36	135.7	137.5	0.8	56.9	
including												
WST-20-0302	134.86	Lynx 311	120.4	453229	5435126	112	-29	74.0	76.2	2.2	6.09	
including												
WST-19-0305	224.4	Lynx 308	132.5	453217	5435115	133	27	75.6	76.2	0.6	17.7	
including												
WST-19-0305	224.4	Lynx 310	132.5	453217	5435115	133	27	82.4	81.3	2.1	44.2	38.5
including												
WST-19-0305	224.4	Lynx 310	132.5	453217	5435115	133	27	90.5	91.3	0.8	115	100
including												
WST-19-0305	224.4	Lynx 304	132.5	453217	5435115	133	27	94.0	96.1	2.1	3.14	
including												
WST-19-0305	224.4	Lynx 304	132.5	453217	5435115	133	27	115.0	117.0	2.0	27.6	19.1
including												
WST-19-0306	224.63	Lynx	150.5	453217	5435115	149	31	91.7	116.0	0.3	157	100
including												
WST-19-0306	224.63	Lynx 304	150.5	453217	5435115	149	31	135.0	95.0	2.0	5.49	
including												
WST-19-0306	224.63	Lynx 304	150.5	453217	5435115	149	31	94.0	96.3	0.3	35.4	
including												
WST-19-0306	224.63	Lynx 306	150.5	453217	5435115	149	31	121.8	120.8	2.0	25.9	15.6
including												
WST-19-0306	224.63	Lynx 306	150.5	453217	5435115	149	31	122.7	123.0	0.3	189	100
including												
WST-19-0307	224.64	Lynx 311	153.5	453217	5435115	159	32	136.5	138.6	2.1	6.53	
including												
WST-19-0307	224.64	Lynx 306	153.5	453217	5435115	159	32	136.5	137.3	0.8	16.8	
including												
WST-19-0307	224.64	Lynx 306	153.5	453217	5435115	159	32	76.0	78.5	2.5	3.68	
including												
WST-19-0307	224.64	Lynx 306	153.5	453217	5435115	159	32	128.2	130.2	2.0	10.8	
including												
WST-19-0308	163.23	Lynx 311	159.7	453292	5435139	172	-12	133.2	135.2	2.0	47.2	38.2
including												
WST-19-0308	163.23	Lynx 310	159.7	453292	5435139	172	-12	133.9	134.5	0.6	130	100
including												
WST-19-0308	163.23	Lynx 320	159.7	453292	5435139	172	-12	52.6	54.7	2.1	4.56	
including												
WST-19-0308	163.23	Lynx 320	159.7	453292	5435139	172	-12	53.6	54.1	0.5	16.9	
including												
WST-19-0308	163.23	Lynx 319	159.7	453292	5435139	172	-12	81.1	81.4	2.3	3.48	
including												
WST-19-0308	163.23	Lynx	159.7	453292	5435139	172	-12	95.0	98.3	3.3	4.09	
including												
WST-19-0308	163.23	Lynx	159.7	453292	5435139	172	-12	148.5	150.7	2.2	5.98	
including												
WST-20-0309	162.93	Lynx 311	165.5	453292	5435139	172	-23	150.1	150.7	0.6	21.5	
including												
WST-20-0310	162.61	Lynx 311	96.5	453292	5435139	169	-33	58.0	60.5	2.5	14.0	
including												
WST-20-0310	162.61	Lynx 311	96.5	453292	5435139	169	-33	58.5	59.5	1.0	34.8	
including												
WST-20-0311	163.23	Lynx 311	96.6	453292	5435140	152	-15	63.7	65.7	2.0	376	34.4
including												
WST-20-0311	163.23	Lynx 311	96.6	453292	5435140	152	-15	63.7	64.2	0.5	1465	100
including												
WST-20-0312	164.03	Lynx 311	123.6	453292	5435139	146	12	54.0	56.1	2.1	5.75	
including												
WST-20-0312	164.03	Lynx 311	123.6	453292	5435139	146	12	57.9	60.3	2.4	9.84	
including												
WST-20-0312	164.03	Lynx 311	123.6	453292	5435139	146	12	59.8	60.3	0.5	35.8	
including												
WST-20-0312	164.03	Lynx 308	123.6	453292	5435139	146	12	59.0				



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-20-0319	163.44	Lynx 323	117.8	453293	5435140	134	-3	58.7	62.3	3.6	23.6	21.1
			including					60.5	60.9	0.4	122	100
			and					61.9	62.3	0.4	80.5	
WST-20-0319	163.44	Lynx 323	117.8	453293	5435140	134	-3	66.9	69.8	3.0	24.3	19.8
								69.4	69.8	0.4	141	100
WST-20-0319	163.44	Lynx 308	117.8	453293	5435140	134	-3	77.6	80.0	2.4	3.95	
WST-20-0319	163.44	Lynx 320	117.8	453293	5435140	134	-3	86.0	88.0	2.0	8.09	
			including					86.0	86.5	0.5	31.4	
WST-20-0319	163.44	Lynx 304	117.8	453293	5435140	134	-3	94.5	92.1	2.6	27.6	
			including					94.5	94.9	0.4	94.4	
WST-20-0320	163.22	Lynx 323	123.6	453293	5435140	138	-16	73.0	75.6	2.6	15.5	
			including					74.0	75.6	0.7	44.5	
WST-20-0321	163.03	Lynx 303	132.7	453293	5435140	127	-22	50.2	53.0	2.8	4.32	
								50.2	53.0	0.8	15.1	
WST-20-0321	163.03	Lynx 323	132.7	453293	5435140	127	-22	65.4	67.8	2.4	3.55	
WST-20-0322	163.74	Lynx 323	153.5	453293	5435140	124	7	68.8	71.0	2.2	24.6	13.8
			including					68.8	69.1	0.3	179	100
WST-20-0322	163.74	Lynx	153.5	453293	5435140	124	7	129.5	131.5	2.0	12.3	
			including					130.6	131.5	0.9	26.0	
WST-20-0323	163.78	Lynx 323	150.5	453293	5435140	115	6	68.5	70.5	2.0	104	35.9
			including					69.1	69.8	0.7	296	100
WST-19-0324	225.11	Lynx 311	120.4	453216	5435115	168	38	87.5	90.0	2.5	3.36	
								88.5	89.0	0.5	15.6	
WST-19-0325	224.98	Lynx 304	144.3	453217	5435115	121	27	123.0	125.0	2.0	9.52	
			including					123.0	123.8	0.8	23.7	
WST-19-0327	224.93	Lynx 311	147.2	453218	5435115	129	34	94.3	96.5	2.2	13.9	
			including					94.3	96.1	0.6	37.7	
WST-19-0328	225.09	Lynx 304	144.4	453217	5435115	139	39	118.0	120.0	2.0	26.9	
			including					118.5	119.0	0.5	99.1	
WST-20-0329	225.11	Lynx	144.4	453217	5435115	147	37	137.6	140.0	2.4	4.25	
			including					137.9	138.2	0.3	32.8	
WST-20-0331	114.14	Lynx 304	132.7	453411	5435230	137	-1	85.0	87.8	2.8	8.41	
			including					87.0	87.8	0.8	34.6	
WST-20-0332	113.75	Lynx 304	219.1	453411	5435230	139	-16	92.0	94.6	2.6	14.3	
			including					92.0	92.3	0.3	53.3	
WST-20-0333	113.53	Lynx 304	135.5	453411	5435230	140	-24	94.0	96.1	2.1	43.3	
			including					95.6	96.1	0.5	17.9	
WST-20-0334	113.32	Lynx 325	142.4	453411	5435230	140	-36	60.0	62.0	0.9	4.32	
WST-20-0334	113.32	Lynx 304	141.4	453411	5435230	140	-36	94.7	97.3	2.6	56.9	53.6
			including					96.0	97.3	1.3	107	100
WST-20-0335	113.26	Lynx	141.7	453411	5435230	141	-42	32.0	34.3	2.3	4.51	
WST-20-0335	113.26	Lynx 303	141.7	453411	5435230	141	-42	51.0	53.5	2.5	4.47	
WST-20-0335	113.26	Lynx 359	141.7	453411	5435230	141	-42	117.3	119.5	2.2	5.35	
			including					118.0	118.7	0.7	16.0	
WST-20-0336	113.22	Lynx 311	147.5	453411	5435230	134	-44	50.4	56.0	5.6	3.97	
			including					50.4	54.4	1.0	8.12	
WST-20-0336	113.22	Lynx 323	147.5	453411	5435230	134	-44	55.0	56.0	1.0	11.0	
			including					103.0	105.0	1.0	50.2	43.6
WST-20-0336	113.22	Lynx 304	147.5	453411	5435230	134	-44	103.4	104.4	1.0	98.7	85.4
			including					121.9	124.0	2.1	21.7	
WST-20-0337	113.9	Lynx 323	203.2	453411	5435230	145	-6	122.4	122.9	0.5	74.2	
			including					68.0	70.1	2.1	6.21	
WST-20-0337	113.9	Lynx 304	203.2	453411	5435230	145	-6	69.4	70.1	0.7	12.6	
			including					90.0	92.5	2.5	6.80	
WST-20-0337	113.9	Lynx	203.2	453411	5435230	145	-6	90.0	90.3	0.3	38.7	
			including					102.5	104.6	2.1	4.69	
WST-20-0338	113.87	Lynx	111.7	453410	5435229	146	-12	104.3	106.6	0.3	27.7	
			including					74.5	76.7	2.2	4.23	
WST-20-0338	113.87	Lynx 304	111.7	453410	5435229	146	-12	74.5	75.3	0.8	9.99	
WST-20-0338	113.71	Lynx	294.7	453410	5435229	146	-18	85.5	87.9	2.4	8.42	
WST-20-0339	113.71	Lynx	294.7	453410	5435229	146	-18	55.0	57.5	2.5	5.43	
			including					93.0	95.4	2.4	37.3	32.3
WST-20-0339	113.71	Lynx HW	294.7	453410	5435229	146	-18	93.5	94.1	0.6	120	100
WST-20-0339	113.71	Lynx HW	294.7	453410	5435229	146	-18	182.0	184.7	2.7	4.49	
WST-20-0339	113.71	Lynx HW	294.7	453410	5435229	146	-18	191.2	194.3	3.1	5.35	
WST-20-0339	113.71	Lynx HW	294.7	453410	5435229	146	-18	199.1	202.2	3.1	4.57	
WST-20-0340	113.53	Lynx	135.4	453410	5435229	147	-26	62.0	64.5	2.5	6.79	
			including					64.0	64.5	0.5	31.5	
WST-20-0340	113.53	Lynx	135.4	453410	5435229	147	-26	78.5	80.6	2.1	8.07	
			including					78.5	79.2	0.7	29.9	
WST-20-0340	113.53	Lynx 304	135.4	453410	5435229	147	-26	87.7	89.7	2.0	69.2	62.2
			including					88.3	89.1	0.8	118	100
WST-20-0340	113.53	Lynx 359	135.4	453410	5435229	147	-26	111.0	113.0	2.0	4.40	
WST-20-0343	114.59	Lynx 311	177.3	453410	5435229	158	8	80.9	83.2	2.3	11.1	
			including					60.9	61.3	0.4	60.0	
WST-20-0343	114.59	Lynx 304	177.3	453410	5435229	158	8	86.9	88.9	2.0	3.90	
WST-20-0345	263.27	Mailard	401.1	452282	5434975	136	-21	1.0	4.1	3.1	11.4	
			including					1.0	2.5	1.5	20.9	
WST-20-0345	263.27	Caribou corridor	401.1	452282	5434975	136	-21	361.7	363.9	2.2	3.75	
			including					362.3	363.1	0.8	9.43	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Acimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-20-0350	154.15	Lynx 325	174.5	453359	5435209	142	-31	41.6	44.4	2.8	9.18	
		including						41.6	42.4	0.8	29.3	
WST-20-0350	154.15	Lynx 304	174.5	453359	5435209	142	-31	113.5	116.0	2.5	17.6	
		including						114.0	114.9	0.9	45.7	
WST-20-0350	154.15	Lynx 359	174.5	453359	5435209	142	-31	128.5	131.0	2.5	55.5	
		including						129.2	129.9	0.7	96.8	
WST-20-0351	154.44	Lynx 304	180.5	453359	5435209	142	-19	96.0	98.0	2.0	4.25	
		including						96.9	97.6	0.7	10.9	
WST-20-0352	154.67	Lynx 325	177.4	453359	5435209	140	-10	32.3	36.0	3.7	16.2	
		including						35.0	36.0	1.0	46.8	
WST-20-0352	154.67	Lynx 304	177.4	453359	5435209	140	-10	97.0	99.0	2.0	5.96	
WST-20-0355	115.18	Lynx 304	246.7	453451	5435264	145	-24	110.6	112.7	2.1	4.58	
		including						110.6	111.2	0.6	12.8	
WST-20-0356	115.30	Lynx 304	241.7	453451	5435264	147	-14	111.5	113.7	2.2	5.08	
WST-20-0357	114.64	Lynx 323	102.6	453451	5435265	143	-40	114.6	117.2	2.6	5.36	
		including						114.6	115.1	0.5	10.9	
WST-20-0358	114.48	Lynx 323	168.0	453451	5435265	146	-43	118.5	120.7	2.2	8.66	
		including						118.5	119.5	1.0	16.8	
WST-20-0358	114.48	Lynx 304	168.0	453451	5435265	146	-43	127.5	130.0	2.5	98.2	12.4
		including						128.7	129.1	0.4	230	100
WST-20-0359	115.36	Lynx 304	244.6	453450	5435264	151	-17	107.0	109.3	2.3	3.04	
WST-20-0360	115.19	Lynx 304	254.0	453450	5435264	151	-23	108.0	110.0	2.0	18.7	
		including						108.6	108.9	0.3	86.6	
WST-20-0360	115.19	Lynx 359	254.0	453450	5435264	151	-23	126.2	128.4	2.2	10.0	
		including						126.5	126.8	0.3	51.5	
WST-20-0360	115.19	Lynx 359	254.0	453450	5435264	151	-23	129.6	131.7	2.1	5.11	
WST-20-0361	115.26	Lynx 304	294.6	453450	5435264	152	-28	113.0	115.2	2.2	4.02	
WST-20-0361	115.26	Lynx 359	294.6	453450	5435264	152	-28	125.4	127.8	2.4	25.5	12.5
		including						125.4	125.7	0.3	204	100
WST-20-0362	115.35	Lynx 359	247.6	453450	5435264	156	-34	119.0	121.0	2.0	3.45	
WST-20-0363	115	Lynx 311	153.8	453450	5435264	157	-30	68.9	71.0	2.1	4.49	
WST-20-0363	115	Lynx 304	153.8	453450	5435264	157	-30	115.5	118.0	2.5	3.56	
		including						116.3	116.7	0.4	17.9	
WST-20-0363	115	Lynx 359	153.8	453450	5435264	157	-30	122.0	124.5	2.5	16.3	
		including						123.0	123.8	0.8	50.2	
WST-20-0364	115.13	Lynx 304	282.4	453450	5435264	157	-25	110.0	112.0	2.0	7.37	
		including						111.3	111.6	0.3	17.9	
WST-20-0365	115.57	Lynx	141.6	453450	5435264	158	-8	90.4	92.6	2.2	9.46	
		including						92.2	92.6	0.4	50.8	
WST-20-0365	115.57	Lynx 359	141.6	453450	5435264	158	-8	120.7	123.0	2.3	3.44	
		including						122.7	123.0	0.3	14.6	
WST-20-0371	115.77	Lynx 304	162.7	453493	5435287	145	-47	136.8	138.9	2.1	13.7	
		including						138.3	138.9	0.6	43.9	
WST-20-0372	115.95	Lynx 304	450.7	453493	5435287	148	-42	126.5	128.5	2.0	5.67	
		including						127.7	128.0	0.3	31.4	
WST-20-0372	115.95	Lynx 304	450.7	453493	5435287	148	-42	130.0	132.7	2.7	23.2	17.5
		including						132.3	132.7	0.4	139	100
WST-20-0372	115.95	Lynx HW	450.7	453493	5435287	148	-42	189.2	191.5	2.3	7.73	
		including						190.9	191.5	0.6	26.1	
WST-20-0372	115.95	Lynx 322	450.7	453493	5435287	148	-42	205.6	207.8	2.2	108	31.7
		including						206.6	207.2	0.6	378	100
WST-20-0372	115.95	Lynx 4	450.7	453493	5435287	148	-42	431.7	434.0	2.3	21.6	
		including						433.2	434.0	0.8	61.4	
WST-20-0373	116.12	Lynx 304	168.4	453493	5435287	155	-41	131.1	133.2	2.1	11.7	
		including						132.8	133.2	0.4	40.2	
WST-20-0374	115.93	Lynx 304	174.6	453493	5435287	152	-45	135.3	139.4	4.1	17.5	
		including						135.3	136.0	0.7	71.3	
		and						138.5	138.8	0.3	52.9	
WST-20-0375	115.84	Lynx 304	186.4	453493	5435287	156	-49	144.4	147.2	2.8	25.9	
		including						145.7	146.4	0.7	81.8	
WST-20-0376	116.05	Lynx 359	165.7	453493	5435286	161	-39	129.9	132.0	2.1	37.3	
		including						129.9	130.2	0.3	93.6	
WST-20-0377	115.99	Lynx 304	174.7	453493	5435286	161	-42	125.1	127.2	2.1	4.56	
WST-20-0377	115.99	Lynx 359	174.7	453493	5435286	161	-42	137.5	141.0	3.5	28.7	21.6
		including						138.0	138.3	0.3	79.1	
		and						138.6	139.0	0.4	161	100
WST-20-0378	115.78	Lynx 304	252.7	453493	5435287	144	-50	146.0	148.3	2.3	20.6	
		including						147.0	147.7	0.7	45.9	
WST-20-0378	115.78	Lynx	252.7	453493	5435287	144	-50	200.0	202.2	2.2	18.6	
		including						200.5	200.9	0.4	95.3	
WST-20-0380	136.1	Lynx 311	84.5	453228	5435126	159	11	52.9	55.6	2.7	30.6	30.4
		including						56.2	57.2	1.0	125	100
WST-20-0381	136.07	Lynx 311	81.6	453228	5435126	145	9	54.1	56.4	2.3	38.1	35.2
		including						54.1	54.9	0.8	109	100
WST-20-0382	135.41	Lynx 309	157.7	453228	5435126	147	-3	52.1	54.4	2.3	6.08	
WST-20-0383	135.24	Lynx 309	91.9	453227	5435125	155	-17	50.0	52.0	2.0	3.03	
		including						50.4	51.3	0.9	6.69	
WST-20-0384	116.29	Lynx 304	156.7	453493	5435286	160	-35	125.0	127.0	2.0	25.5	
		including						125.0	125.4	0.4	62.8	
		and						126.5	127.0	0.5	90.0	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) assay	Au (g/t) cut to 100 g/t
WST-20-0386	116.03	Lynx 304	177.7	453493	5435286	163	-47	134.1	138.3	4.2	41.2	20.6
		including						138.0	138.3	0.3	369	100
WST-20-0387	115.66	Lynx 304	207.6	453493	5435287	152	-52	151.8	153.8	2.0	6.27	
		including						151.8	152.2	0.4	30.9	
WST-20-0388	134.18	Lynx 4	536.0	453227	5435125	109	-55	284.6	287.5	2.9	38.5	23.2
		including						285.9	287.5	0.6	176	100
WST-20-0390	114.97	Lynx 304	174.6	453450	5435264	158	-36	111.0	113.8	2.8	22.9	18.2
		including						112.1	112.6	0.5	127	100
WST-20-0392	155.09	Lynx 323	180.5	453359	5435209	126	2	82.8	84.8	2.0	8.12	
		including						83.4	83.8	0.4	26.3	
WST-20-0392	155.09	Lynx 323	180.5	453359	5435209	126	2	88.0	90.2	2.2	5.49	
WST-20-0392	155.09	Lynx 304	180.5	453359	5435209	126	2	107.0	109.7	2.7	11.2	
		including						108.4	108.8	0.4	70.9	
WST-20-0393	154.02	Lynx 325	174.5	453358	5435208	153	-37	148.9	151.5	2.6	4.68	
		including						50.0	50.7	0.7	10.2	
WST-20-0393	154.02	Lynx 304	174.5	453358	5435208	153	-37	113.2	115.9	2.7	5.34	
		including						114.3	114.8	0.5	18.8	
WST-20-0394	154.27	Lynx 325	171.6	453358	5435208	152	-26	95.1	97.3	2.2	11.7	
WST-20-0394	154.27	Lynx 311	171.6	453358	5435208	152	-26	70.9	72.8	2.0	4.35	
WST-20-0394	154.27	Lynx 304	171.6	453358	5435208	152	-26	107.0	109.3	2.3	24.2	23.2
		including						107.0	107.7	0.7	78.9	75.7
WST-20-0395	154.51	Lynx 303	168.5	453358	5435208	153	-16	50.0	52.0	2.0	6.45	
WST-20-0396	118.26	Lynx HW	165.4	453493	5435287	158	20	138.5	141.1	2.6	3.54	
		including						140.3	140.6	0.3	20.2	
WST-20-0397	118.75	Lynx 301	162.4	453493	5435287	150	26	136.6	138.6	2.0	10.7	
		including						137.7	138.1	0.4	52.1	
WST-20-0400	118.27	Lynx 301	171.8	453493	5435287	167	16	158.0	160.2	2.2	11.2	
		including						159.0	160.2	1.2	19.7	
WST-20-0402	119.18	Lynx 301	162.4	453493	5435287	147	32	142.1	144.4	2.3	25.8	14.3
		including						142.1	142.4	0.3	189	100
WST-20-0404	117.38	Lynx 304	192.4	453493	5435286	163	-4	109.1	111.1	2.0	5.90	
		including						110.4	111.1	0.7	16.0	
WST-20-0404	117.38	Lynx 321	192.4	453493	5435286	163	-4	137.5	139.6	2.1	6.17	
WST-20-0407	117.74	Lynx 315	210.5	453495	5435288	106	9	175.4	180.5	5.1	4.24	
WST-20-0409	116.75	Lynx 323	168.6	453450	5435264	155	21	85.4	87.4	2.0	3.37	
WST-20-0411	117.99	Lynx HW	171.4	453450	5435264	156	38	148.2	150.4	2.2	38.1	36.1
		including						149.2	149.9	0.7	107	100
WST-20-0412	117.24	Lynx 323	165.4	453450	5435264	164	24	97.6	99.9	2.3	9.21	
		including						99.6	99.9	0.3	48.5	
WST-20-0412	117.24	Lynx 328	165.4	453450	5435264	164	24	155.0	157.2	2.2	3.06	
		including						156.9	157.2	0.3	11.2	
WST-20-0413	163.14	Lynx 323	138.7	453293	5435140	122	-20	77.0	79.0	2.0	3.44	
WST-20-0413	163.14	Lynx 308	138.7	453293	5435140	122	-20	85.8	88.0	2.2	24.3	
		including						85.9	85.9	1.1	48.3	
WST-20-0413	163.14	Lynx 304	138.7	453293	5435140	122	-20	99.5	101.7	2.2	18.9	
		including						101.2	101.7	0.5	69.6	
WST-20-0414	163.17	Lynx 323	120.6	453293	5435140	136	-13	59.7	62.0	2.3	4.43	
		including						61.1	62.4	0.3	24.9	
WST-20-0415	163.33	Lynx 308	130.6	453293	5435141	117	-7	80.0	82.0	2.0	9.34	
		including						80.0	81.0	1.0	14.0	
WST-20-0415	163.33	Lynx 308	130.6	453293	5435141	117	-7	85.0	87.0	2.0	3.83	
WST-20-0416	134.54	Lynx 301	801.4	453228	5435126	138	-52	326.4	329.6	3.2	27.6	
WST-20-0416	134.54	Lynx 301	801.4	453228	5435126	138	-52	336.0	338.1	2.1	4.13	
WST-20-0416	134.54	Lynx 327	801.4	453228	5435126	138	-52	695.2	697.2	0.2	9.85	
		including						695.8	696.3	0.5	18.7	
		and						696.3	696.6	0.3	27.4	
WST-20-0416	134.54	Lynx 327	801.4	453228	5435126	138	-52	710.1	712.5	2.4	4.03	
		including						710.1	710.7	0.6	16.0	
WST-20-0417	134.43	Lynx 339	759.2	453228	5435126	138	-50	65.0	67.5	2.5	4.81	
WST-20-0417	134.43	Lynx 307	759.2	453228	5435126	138	-50	84.0	86.2	2.2	13.1	
		including						85.0	85.7	0.7	38.6	
WST-20-0417	134.43	Lynx 307	759.2	453228	5435126	138	-50	190.6	192.6	2.0	22.4	
		including						190.6	191.2	0.6	41.5	
WST-20-0417	134.43	Lynx 307	759.2	453228	5435126	138	-50	316.0	318.2	2.2	17.6	
WST-20-0417	134.43	Lynx 307	759.2	453228	5435126	138	-50	368.0	370.0	2.0	3.21	
WST-20-0417	134.43	Lynx 4	759.2	453228	5435126	138	-50	428.2	430.2	2.0	4.06	
WST-20-0417	134.43	Lynx 350	759.2	453228	5435126	138	-50	680.8	683.2	2.4	48.0	44.0
		including						481.3	482.2	0.9	114	100
WST-20-0417	134.43	Lynx 350	759.2	453228	5435126	138	-50	487.8	490.0	2.2	4.34	
WST-20-0417	134.43	Lynx 312	759.2	453228	5435126	138	-50	687.0	689.1	2.1	3.28	
		including						687.8	687.8	0.5	11.7	
WST-20-0418	134.5	Lynx 307	744.4	453228	5435126	140	-49	271.1	273.1	2.0	23.8	
WST-20-0418	134.5	Lynx 307	744.4	453228	5435126	140	-49	440.9	443.2	2.3	6.59	
WST-20-0420	116.46	Lynx 323	165.5	453450	5435264	155	10	79.4	81.7	2.3	4.11	
		including						81.4	81.7	0.3	29.1	
WST-20-0420	116.46	Lynx 321	165.5	453450	5435264	155	10	150.0	152.3	2.1	19.0	
		including						151.2	152.1	0.9	43.5	
WST-20-0421	116.79	Lynx 323	168.4	453450	5435264	162	10	87.6	90.0	2.4	3.87	
		including						88.2	88.5	0.3	28.3	
WST-20-0421	116.79	Lynx 321	168.4	453450	5435264	162	16	151.0	153.2	2.2	4.96	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2020

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) spot	Au (g/t) cut to 100 g/t
WST-20-0500	135.34	Lynx 304	165.5	453228	5435126	139	-30	132.0	134.5	2.5	10.1	
		including						132.9	133.6	0.7	35.9	
WST-20-0506	155.92	Lynx 311	141.3	453357	5435208	175	20	82.7	85.1	2.4	6.21	
WST-20-0508	124.41	Lynx 311	138.4	453316	5435165	136	-12	51.4	53.5	2.1	6.04	
		including						52.8	53.1	0.3	37.7	
WST-20-0508	124.41	Lynx 323	138.4	453316	5435165	136	-12	70.5	72.8	2.3	9.05	
WST-20-0508	124.41	Lynx 308	138.4	453316	5435165	136	-12	77.4	80.0	2.6	4.45	
		including						77.7	78.1	0.4	21.9	
WST-20-0508	124.41	Lynx 304	138.4	453316	5435165	136	-12	93.9	96.0	2.1	94.9	22.0
		including						93.9	94.3	0.4	483	100
WST-20-0508	124.41	Lynx 359	138.4	453316	5435165	136	-12	109.0	111.2	2.2	19.2	
		including						110.7	111.2	0.5	71.7	
WST-20-0511	125.16	Lynx 308	162.3	453316	5435165	137	8	82.5	84.4	1.9	15.8	
		including						83.4	84.0	0.6	79.7	
WST-20-0511	125.16	Lynx 304	162.3	453316	5435165	137	8	92.0	94.0	2.0	9.36	
		including						93.6	94.0	0.4	45.0	
WST-20-0515	68.92	Lynx 323	186.4	453418	5435305	158	-33	156.0	158.0	2.0	24.4	20.4
		including						157.0	157.4	0.4	120	100
WST-20-0515	68.92	Lynx 304	186.4	453418	5435305	158	-33	169.0	171.0	2.0	25.0	21.0
		including						169.0	169.4	0.4	120	100
WST-20-0543	123.64	Lynx 323	144.4	453315	5435165	150	-40	74.3	76.6	0.3	90700	100
WST-20-0569	230.85	Lynx 356	525.5	453104	5435065	165	-59	310.5	312.7	2.2	327	28.2
		including						310.5	311.1	0.6	1195	100