



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	
EAG-11-269ext	2575	FW3U	997.5	452471	5434647	325	53	737.1	744.0	6.9	7.71		
			<i>including</i>						739.7	740.7	1.0	42.1	
EAG-11-269ext	2575	FW4	997.5	452471	5434647	325	53	886.6	898.3	11.7	0.10		
EAG-11-254 ext	2500	FW3U	754.5	452369	5434676	323	56	684.1	690.9	6.8	24.7		
			<i>including</i>						686.5	688.7	2.2	59.7	
EAG-13-525 ext	2700		698.6	452643	5434618	331.0	-60.2	No significant results					
OBM-15-552	2400	Caribou S1	1247.5	452390	5434440	329	60	449.0	452.0	3.0	5.70		
OBM-15-552	2400	-	1247.5	452390	5434440	329	60	707.0	711.0	4.0	2.28		
OBM-15-552	2400	FW1	1247.5	452390	5434440	329	60	743.0	757.0	14.0	0.43		
OBM-15-552	2400	-	1247.5	452390	5434440	329	60	881.0	882.0	1.0	29.2		
			<i>including</i>						881.0	881.5	0.5	57.3	
OBM-15-552	2400	-	1247.5	452390	5434440	329	60	901.0	901.8	0.8	15.6		
OBM-15-552	2402	-	1247.5	452390	5434440	329	60	929.0	931.0	2.0	3.29		
			<i>including</i>						929.8	930.3	0.5	8.83	
OBM-15-552	2400	FW3	1247.5	452390	5434440	329	60	937.0	942.8	5.8	1.98		
			<i>including</i>						937.7	938.2	0.5	17.5	
OBM-15-552	2400	Footwall of FW3	1247.5	452390	5434440	329	60	951.5	951.8	0.3	11.0		
OBM-15-552	2400	FW4	1247.5	452390	5434440	329	60	1163.5	1164.5	1.0	8.09		
OBM-15-553	2125	-	47.7	452173	5434312	328	60	Hole abandonned					
OBM-15-554	2125	Caribou W2	1135.5	452173	5434312	330	60	335.1	339.0	3.9	0.41		
OBM-15-554	2125	FW3	1135.5	452173	5434312	330	60	922.0	924.0	2.0	1.85		
OBM-15-554	2125	-	1135.5	452173	5434312	330	60	1082.8	1085.0	2.2	3.10		
OBM-15-554	2125	FW4	1135.5	452173	5434312	330	60	1094.0	1097.2	3.2	2.43		
OBM-15-554	2125	Footwall of FW4	1135.5	452173	5434312	330	60	1102.0	1105.0	3.0	6.33		
			<i>including</i>						1102.0	1103.0	1.0	18.2	
OBM-15-555	2400	-	285.0	452428	5434395	330	60	282.8	284.2	1.4	14.9		
OBM-15-556	1850	FW1	1112.8	451900	5434190	330	60	677.0	677.3	0.3	65.4		
OBM-15-556	1850	FW3	1112.8	451900	5434190	330	60	832.8	841.0	8.2	0.07		
OBM-15-556	1850	FW4	1112.8	451900	5434190	330	60	1057.1	1062.1	5.0	0.41		
OBM-15-557	2400	-	1282.5	452428	5434395	330	60	200.1	202.1	2.0	4.12		
									200.1	200.8	0.7	9.94	
OBM-15-557	2400	-	1282.5	452428	5434395	330	60	350.7	351.2	0.5	9.33		
OBM-15-557	2400	Caribou S1	1282.5	452428	5434395	330	60	479.5	485.3	5.8	0.75		
OBM-15-557	2400	FW1	1282.5	452428	5434395	330	60	852.7	855.0	2.3	4.19		
			<i>including</i>						853.4	854.3	0.9	7.64	
OBM-15-557	2400	-	1282.5	452428	5434395	330	60	894.5	901.3	6.8	5.27		
			<i>including</i>						894.5	894.8	0.3	25.90	
OBM-15-557	2400	FW3	1282.5	452428	5434395	330	60	971.0	981.3	10.3	3.80		
			<i>including</i>						975.9	980.6	4.7	7.46	
			<i>and</i>						975.9	976.9	1.0	23.4	
OBM-15-557	2400	-	1282.5	452428	5434395	330	60	1136.7	1143.0	6.3	3.67		
			<i>including</i>						1136.7	1137.5	0.8	20.6	
OBM-15-558	2750	-	118.5	452750	5434560	330	60	Hole abandonned					
OBM-15-559	2750	-	1321.0	452750	5434560	330	60	271.5	272.5	1.0	6.06		
OBM-15-559	2750	Caribou S3 footwall	1321.0	452750	5434560	330	60	545.8	547.0	1.2	6.76		
OBM-15-559	2750	Potential new lens	1321.0	452750	5434560	330	60	628.9	631.7	2.8	5.24		
OBM-15-559	2750	Potential new lens	1321.0	452750	5434560	330	60	646.5	666.9	20.4	7.04		
			<i>including</i>						646.5	650.5	4.0	12.9	
			<i>and</i>						646.5	647.5	1.0	39.0	
			<i>and</i>						654.0	657.4	3.4	12.8	
			<i>and</i>						662.5	666.9	4.4	8.90	
OBM-15-559	2750	Potential new lens	1321.0	452750	5434560	330	60	681.0	684.7	3.7	10.0		
OBM-15-559	2750	Potential new lens	1321.0	452750	5434560	330	60	751.0	761.0	10.0	7.00		
OBM-15-559	2750	-	1321.0	452750	5434560	330	60	976.1	979.0	2.9	5.74		
			<i>including</i>						977.3	978.0	0.7	23.0	
OBM-15-560	2550	Caribou S1	1509.5	452670	5434250	333	57	701.9	708.0	6.1	11.0		
			<i>including</i>						702.3	703.4	1.1	45.7	
			<i>and</i>						705.1	707.0	2.0	8.38	
OBM-15-560	2550	Vein in Red Dog	1509.5	452670	5434250	333	57	737.8	738.3	0.5	69.6		
OBM-15-560	2550	FW0	1509.5	452670	5434250	333	57	957.0	959.0	2.0	12.5		
			<i>including</i>						958.0	959.0	1.0	18.6	
OBM-15-560	2550	FW1	1509.5	452670	5434250	333	57	1123.0	1136.0	13.0	5.71		
			<i>including</i>						1131.5	1132.4	0.9	41.0	
			<i>and</i>						1132.4	1133.0	0.6	21.3	
OBM-15-560	2550	Splay FW3	1509.5	452670	5434250	333	57	1196.8	1203.0	6.2	11.1		
			<i>including</i>						1199.4	1199.9	0.5	48.1	
OBM-15-561	2300	shallow mineralization	61.0	452184	5434596	330	52	21.0	22.0	1.0	121		
OBM-15-562	2400	Zone 27	126.0	452195	5434777	150	64	77.0	89.0	12.0	0.98		
OBM-15-563	2375	-	232.5	452240	5434676	330	50	No significant results					
OBM-15-564	2675	Potential new lens	1528.5	452755	5434370	330	60	436.6	439.9	3.3	22.3		
			<i>including</i>						439.5	439.9	0.4	171	
OBM-15-564	2675	Caribou S1	1528.5	452755	5434370	330	60	666.7	674.1	7.4	5.59		
			<i>including</i>						666.7	668.8	2.1	17.9	
OBM-15-564	2675	-	1528.5	452755	5434370	330	60	865.4	867.8	2.4	8.29		
OBM-15-564	2675	New potential lens	1528.5	452755	5434370	330	60	947.0	954.0	7.0	7.49		
			<i>including</i>						948.8	949.3	0.5	85.4	
OBM-15-564	2675	FW1	1528.5	452755	5434370	330	60	1102.9	1105.0	2.1	7.19		
OBM-15-564	2675	Hanging wall of FW3	1528.5	452755	5434370	330	60	1268.9	1271.0	2.1	4.09		
OBM-15-564	2675	Hanging wall of FW3	1528.5	452755	5434370	330	60	1286.9	1288.9	2.0	5.10		
			<i>including</i>						1286.9	1287.4	0.5	18.5	
OBM-15-564	2675	FW3	1528.5	452755	5434370	330	60	1295.0	1297.1	2.1	5.32		
OBM-15-565	2375	Caribou	286.5	452265	5434632	330	50	30.0	39.0	9.0	3.59		
			<i>including</i>						30.5	31.0	0.5	19.3	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-656	2500	Caribou footwall	337.5	452358	5434679	329	48	67.7	73.4	5.7	6.19	
		including						72.5	73.4	0.9	24.4	
OBM-16-656	2500	New zone	337.5	452358	5434679	329	48	195.5	198.3	2.8	3.39	
		including						197.8	198.3	0.5	9.20	
OBM-16-656	2500	Hanging wall of Zone 27	337.5	452358	5434679	329	48	255.2	261.0	5.8	9.04	
		including						260.0	260.5	0.5	73.8	
OBM-16-656	2500	Zone 27	337.5	452358	5434679	329	48	273.3	276.4	3.1	30.6	
		including						274.2	275.3	1.1	70.8	
OBM-16-656	2500	Zone 27	337.5	452358	5434679	329	48	296.0	299.0	3.0	8.30	
		including						296.0	297.0	1.0	22.2	
OBX-16-657	Explo		262.5	448718	5433925	360	55	No significant results				
OBM-16-658	2650	Caribou South 1	925.5	452612	5434621	333	60	380.0	382.0	2.0	45.8	
		including						380.0	381.0	1.0	90.0	
OBM-16-658	2650	Caribou South 3	925.5	452612	5434621	333	60	450.0	454.0	4.0	1.66	
OBM-16-658	2650	New zone	925.5	452612	5434621	333	60	519.0	527.0	8.0	8.90	
		including						521.0	521.8	0.8	18.8	
		and						522.4	523.4	1.0	37.1	
OBM-16-658	2650	Caribou North 2	925.5	452612	5434621	333	60	562.4	564.5	2.1	3.96	
OBM-16-658	2650	Zone 27-3	925.5	452612	5434621	333	60	675.0	676.8	1.8	3.98	
		including						676.0	676.8	0.8	8.80	
OBM-16-658	2650	FW3	925.5	452612	5434621	333	60	851.0	854.0	3.0	0.19	
OBX-16-659	Explo		241.5	448629	5433901	356	46	No significant results				
OBM-16-660	2500	Caribou	427.5	452376	5434670	329	52	93.0	98.7	5.7	2.16	
OBM-16-660	2500	Caribou	427.5	452376	5434670	329	52	125.1	132.0	6.9	7.25	
		including						129.6	130.7	1.1	24.3	
OBM-16-660	2500	Zone 27	427.5	452376	5434670	329	52	301.7	305.4	3.7	2.24	
OBX-16-661	Explo		556.5	448773	5433866	330	59	No significant results				
OBM-16-662	2525	Hanging wall of Caribou	211.5	452422	5434666	330	53	129.3	131.4	2.1	3.09	
OBM-16-662	2525	Caribou	211.5	452422	5434666	330	53	173.7	179.7	6.0	0.95	
OBM-16-663	2525	New zone	451.5	452402	5434658	330	53	233.7	236.1	2.4	30.2	
		including						233.7	234.4	0.7	169	
OBM-16-663	2525	Zone 27 hanging wall	451.5	452402	5434658	330	53	366.8	371.0	4.2	2.92	
		including						366.8	367.2	0.4	11.4	
		and						370.0	371.0	1.0	5.11	
OBM-16-663	2525	Zone 27	451.5	452402	5434658	330	53	383.5	395.2	11.7	5.38	
		including						384.3	388.5	4.2	10.9	
OSK-W-17-663-W1	2525	FW3U	451.5	452402	5434658	330	53	648.0	650.0	2	4.64	
OBM-16-664	2500	Caribou	499.5	452394	5434619	330	54	172.9	175.9	3.0	7.34	
		including						173.7	174.6	0.9	17.8	
OBM-16-664	2500	Zone 27	499.5	452394	5434619	330	54	439.3	449.5	10.2	4.64	
		including						439.3	440.0	0.7	29.7	
		and						449.0	449.5	0.5	19.1	
OBM-16-664	2500	Crustiform vein	499.5	452394	5434619	330	54	453.0	453.3	0.3	178	
OBX-16-665	Explo		21.0	449316	5434379	335	48	Hole abandoned				
OBX-16-666	Explo	New zone	421.5	449316	5434385	335	48	151.5	152.5	1.0	44.1	
OBX-16-666	Explo	Sheared vein	421.5	449316	5434385	335	48	284.0	284.3	0.3	184	
OBM-16-667	2500	Quartz-tourmaline vein	526.5	452406	5434601	330	55	111.6	114.0	2.4	3.70	
		including						111.6	112.6	1.0	8.86	
OBM-16-667	2500	Caribou	526.5	452406	5434601	330	55	Cross-cut by late felsic dyke				
OBM-16-667	2500	Zone 27	526.5	452406	5434601	330	55	482.5	485.5	3.0	0.81	
OSK-OBM-16-667	2500	FW3	852	452410	5434597	330	-55	660.5	669.0	8.5	12.5	
		including						663.0	665.0	2.0	37.4	
		including						663.0	664.2	1.2	50.1	
OBM-16-668	2575	Caribou hanging wall	442.5	452448	5434673	330	45	129.1	131.5	2.4	4.67	
OBM-16-668	2575	Caribou	442.5	452448	5434673	330	45	Cross-cut by late felsic dyke				
		including						130.0	130.6	0.6	17.6	
OBM-16-668	2575	New Zone	442.5	452448	5434673	330	45	197.0	199.0	2.0	6.36	
		including						198.0	199.0	1.0	12.7	
OBM-16-668	2575	New Zone	442.5	452448	5434673	330	45	220.5	223.0	2.5	29.3	
		including						222.1	223.0	0.9	76.1	
OBM-16-668	2575	Zone 27	442.5	452448	5434673	330	45	351.6	355.6	4.0	7.54	
OBM-16-669	2625	Caribou South 2	403.5	452502	5434709	330	45	141.0	143.0	2.0	0.66	
OBM-16-669	2625	Caribou	403.5	452502	5434709	330	45	175.8	177.8	2.0	2.98	
OBM-16-669	2625	Caribou footwall	403.5	452502	5434709	330	45	189.0	192.0	3.0	3.02	
		including						189.0	189.8	0.8	6.76	
OBM-16-669	2625	New zone	403.5	452502	5434709	330	45	307.0	309.0	2.0	5.00	
OBM-16-669	2625	Zone 27	403.5	452502	5434709	330	45	330.0	332.3	2.3	0.84	
OBM-16-669	2625	Zone 27 footwall	403.5	452502	5434709	330	45	384.7	387.2	2.5	3.92	
OBX-16-670	Explo		421.5	448298	5432987	333	45	No significant results				
OBM-16-671	2450	Caribou	490.5	452370	5434591	330	57	Cross-cut by late felsic dike				
OBM-16-671	2450	New zone	490.5	452370	5434591	330	57	89.5	93.0	3.5	3.62	
		including						92.0	93.0	1.0	8.04	
OBM-16-671	2450	Crustiform vein	490.5	452370	5434591	330	57	339.4	342.0	2.6	15.9	
		including						339.4	339.8	0.4	152	
OBM-16-671	2450	New zone	490.5	452370	5434591	330	57	361.4	365.9	4.5	5.99	
OBM-16-671	2450	Tourmaline vein	490.5	452370	5434591	330	57	377.1	379.2	2.1	7.37	
		including						378.6	379.2	0.6	19.5	
OBM-16-671	2450	Zone 27	490.5	452370	5434591	330	57	466.5	470.8	4.3	0.49	
OBM-16-672	2150	Caribou West 2	352.5	452107	5434431	333	47	82.5	87.0	4.5	1.69	
OBM-16-672	2150	Zone 27	352.5	452107	5434431	333	47	Cross-cut by I2F				
OBM-16-673	2650	Crustiform veining	496.5	452518	5434738	330	57	117.0	119.6	2.6	3.19	
		including						118.8	119.6	0.8	7.61	
OBM-16-673	2650	Caribou South 2	496.5	452518	5434738	330	57	132.0	134.3	2.3	2.27	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OBM-16-673	2650	Caribou	496.5	452518	5434738	330	57	226.5	236.7	10.2	0.88	
OBM-16-673	2650	Zone 27 hanging wall	496.5	452518	5434738	330	57	450.0	453.3	3.3	0.84	
OBM-16-674	2125	New zone	172.5	451922	5434714	150	60	17.0	19.0	2.0	7.71	
		<i>including</i>						17.7	18.0	0.3	50.1	
OBM-16-674	2125	Zone 27 footwall	172.5	451922	5434714	150	60	61.0	64.0	3.0	2.98	
		<i>including</i>						63.0	64.0	1.0	7.19	
OBM-16-674	2125	Zone 27 footwall	172.5	451922	5434714	150	60	72.0	74.0	2.0	6.62	
		<i>including</i>						72.7	74.0	1.3	9.77	
OBM-16-674	2125	Zone 27 footwall	172.5	451922	5434714	150	60	76.2	78.8	2.6	4.10	
OBM-16-674	2125	Zone 27	172.5	451922	5434714	150	60	106.3	113.0	6.7	16.6	
		<i>including</i>						106.3	107.0	0.7	47.0	
		<i>and</i>						110.4	111.8	1.4	45.7	
OBM-16-674	2125	Zone 27 hanging wall	172.5	451922	5434714	150	60	159.0	161.2	2.2	10.4	
		<i>including</i>						159.6	161.2	1.6	14.3	
OBM-16-675	2425	Caribou	433.5	452335	5434611	332	55	98.6	101.0	2.4	0.52	
OBM-16-675	2425	New zone	433.5	452335	5434611	332	55	297.6	301.7	4.1	8.23	
OBM-16-675	2425	Crustiform vein	433.5	452335	5434611	332	55	331.0	333.0	2.0	9.10	
		<i>including</i>						331.5	331.9	0.4	42.8	
OBM-16-675	2425	Zone 27	433.5	452335	5434611	332	55	395.9	400.2	4.3	3.18	
OBM-16-676	2350	Quartz vein	157.5	452261	5434544	330	54	25.2	26.0	0.8	43.4	
OBM-16-676	2350	Caribou West 4	157.5	452261	5434544	330	54	124.5	127.0	2.5	0.49	
OBM-16-677	2350	Zone 27 upper	126.5	452178	5434723	328	51	43.8	46.0	2.2	3.34	
		<i>including</i>						43.8	45.0	1.2	5.73	
OBM-16-677	2350	Zone 27	126.5	452178	5434723	328	51	70.5	73.0	2.5	4.26	
OBM-16-678	2475	Caribou	187.5	452349	5434663	328	52	71.0	73.0	2.0	2.07	
OBM-16-679	2450	Zone 27 upper	139.5	452254	5434791	325	65	50.0	53.6	3.6	2.09	
OBM-16-679	2450	Zone 27	139.5	452254	5434791	325	65	106.5	112.1	5.6	1.35	
OBM-16-680	2800		19.5	452622	5434834	331	53					Abandoned
OBM-16-681	2800	New zone	373.5	452622	5434834	331	53	78.0	80.2	2.2	4.97	
OBM-16-681	2800	Caribou South 2	373.5	452622	5434834	331	53					Cross-cut by late felsic dike
OBM-16-682	2475	Zone 27	130.5	452271	5434798	331	55	56.0	58.0	2.0	3.47	
		<i>including</i>						57.6	58.0	0.4	16.4	
OBM-16-683	2425		40.5	452314	5434640	330	53					Abandoned
OBM-16-684	2500	Caribou	211.5	452382	5434627	330	53	130.0	134.0	4.0	5.22	
		<i>including</i>						132.0	133.0	1.0	15.0	
OBM-16-685	2425	Caribou	385.5	452314	5434637	332	53	41.4	43.7	2.3	0.82	
OBM-16-685	2425	Zone 27	385.5	452314	5434637	332	53	321.7	333.4	11.7	5.40	
		<i>including</i>						321.7	325.0	3.3	9.63	
OBM-16-686	2475	Zone 27 hanging wall	196.5	452206	5434907	153	57	133.5	139.0	5.5	3.89	
		<i>including</i>						133.5	134.5	1.0	19.5	
OBM-16-686	2475	Zone 27	196.5	452206	5434907	153	57	153.0	155.0	2.0	2.39	
		<i>including</i>						154.5	155.0	0.5	6.36	
OBM-16-686	2475	Zone 27 footwall	196.5	452206	5434907	153	57	179.0	181.4	2.4	1.39	
OBM-16-687	2550	New zone	571.5	452475	5434593	330	56	105.0	107.0	2.0	3.36	
OBM-16-687	2550	New zone	571.5	452475	5434593	330	56	194.0	197.0	3.0	4.32	
OBM-16-687	2550	Caribou - Caribou South 1 connexion	571.5	452475	5434593	330	56	309.0	311.6	2.6	0.35	
OBM-16-687	2550	New zone (between Caribou S1 and Caribou N2)	571.5	452475	5434593	330	56	354.0	361.0	7.0	6.61	
		<i>including</i>						354.8	355.4	0.6	67.0	
OBM-16-687	2550	Zone 27	571.5	452475	5434593	330	56	537.9	540.0	2.1	4.78	
		<i>including</i>						537.9	539.2	1.3	7.69	
OBM-16-688	2500		10.1	452247	5434899	148	61					Abandoned
OBM-16-689	2725	Caribou	688.5	452629	5434689	330	54	359.5	370.1	10.8	1.06	
		<i>including</i>						359.8	360.8	1.0	3.45	
OBM-16-689	2725	New zone	688.5	452629	5434689	330	54	492.3	495.4	3.1	9.12	
		<i>including</i>						492.3	493.4	1.1	25.1	
OBM-16-689	2725	Zone 27 hanging wall	688.5	452629	5434689	330	54	577.0	579.3	2.3	4.54	
OBM-16-689	2725	Zone 27 hanging wall	688.5	452629	5434689	330	54	587.3	589.4	2.1	4.65	
OBM-16-689	2725	Zone 27	688.5	452629	5434689	330	54	594.0	602.0	8.0	4.36	
		<i>including</i>						597.4	599.3	1.9	12.1	
		<i>and</i>						601.0	602.0	1.0	6.81	
OBM-16-689	2725	Zone 27 footwall	688.5	452629	5434689	330	54	615.7	618.0	2.3	9.85	
		<i>including</i>						616.4	617.1	0.7	23.7	
OBM-16-690	2500	Zone 27	199.5	452241	5434921	150	54	117.4	124.9	7.2	0.33	
OBM-16-691	2250	Caribou	329.1	452454	5434638	331	53	198.4	200.8	2.4	4.26	
OBM-16-692	2525	Crustiform vein	183.5	452270	5434933	150	54	42.6	47.0	4.4	13.2	
		<i>including</i>						42.6	44.9	2.3	23.9	
		<i>including</i>						43.0	44.0	1.0	27.9	
		<i>and</i>						44.6	44.9	0.3	81.1	
OBM-16-692	2525	Zone 27	183.5	452270	5434933	150	54	161.9	164.0	2.1	0.66	
OBM-16-693	2525	Caribou	541.5	452442	5434600	331	54	280.3	283.2	2.9	8.22	
		<i>including</i>						282.5	283.2	0.7	31.5	
OBM-16-693	2525	Caribou - Caribou South 1 connexion	541.5	452442	5434600	331	54	297.0	299.6	2.6	5.14	
OBM-16-693	2525	Caribou North 2	541.5	452442	5434600	331	54	336.0	339.9	3.9	0.11	
OBM-16-693	2525	Zone 27	541.5	452442	5434600	331	54	499.0	501.0	2.0	3.23	
OBM-16-693	2525	Zone 27 footwall	541.5	452442	5434600	331	54	504.8	507.0	2.2	3.28	
		<i>including</i>						505.5	505.9	0.4	13.3	
OBM-16-694	2650	Crustiform vein	91.5	452366	5434998	150	56	19.6	21.6	2.0	7.52	
		<i>including</i>						19.6	20.3	0.7	20.5	
OBM-16-695	2850		148.5	452701	5434784	332	61					Abandoned
OBM-16-696	2850	Caribou	511.5	452709	5434811	333	61	348.2	351.5	3.3	5.50	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
including								790.4	790.7	0.3	37.1	
OSK-W-16-743	2525	FW0	1561.5	452651	5434237	334.2	-64.3	1007.0	1009.7	2.7	2.52	
OSK-W-16-743	2525	FW1	1561.5	452651	5434237	334.2	-64.3	1173.6	1183.3	9.7	3.37	
including								1179.2	1179.8	0.6	13.3	
OSK-W-16-743	2525	FW2	1561.5	452651	5434237	334.2	-64.3	1233.7	1236.3	2.6	303	47.0
including								1233.7	1235.8	2.1	375	57.7
OSK-W-16-743	2525	FW3	1561.5	452651	5434237	334.2	-64.3	1366.0	1368.2	2.2	5.55	
OSK-W-16-743-W1	2528	CS1	1489.5	452651	5434237	333.3	-64.1	774.0	776.0	2.0	1.10	
including								774.6	775.0	0.4	5.05	
OSK-W-16-743-W1	2528	FW0	1489.5	452651	5434237	333.3	-64.1	1000.5	1005.7	5.2	5.77	
including								1001.3	1003.7	2.4	11.0	
OSK-W-16-743-W1	2528	FW0 FW	1489.5	452651	5434237	333.3	-64.1	1060.0	1063.0	3.0	3.62	
including								1060.0	1060.5	0.5	7.97	
OSK-W-16-743-W1	2528	FW2 HW	1489.5	452651	5434237	333.3	-64.1	1243.5	1245.6	2.1	6.77	
OSK-W-16-743-W1	2528	FW2	1489.5	452651	5434237	333.3	-64.1	1251.8	1254.4	2.6	8.13	
including								1252.1	1252.9	0.8	24.0	
OSK-W-16-743-W1	2528	FW3	1489.5	452651	5434237	333.3	-64.1	1394.0	1396.0	2.0	6.29	
including								1394.0	1394.9	0.9	12.9	
OSK-W-16-743-W2	2528	CS1	1626.7	452651	5434237	333.3	-64.1	748.0	751.0	3.0	10.3	
including								749.6	751.0	1.4	21.5	
OSK-W-16-743-W2	2528	FW0	1626.7	452651	5434237	333.3	-64.1	1160.0	1162.9	2.9	3.52	
OSK-W-16-743-W2	2528	FW2	1626.7	452651	5434237	333.3	-64.1	1373.7	1376.3	2.6	9.1	
including								1374.5	1375.3	0.8	27.5	
OSK-W-16-744	2775	New zone	690.9	452665	5434733	331.0	-55.9	268.0	270.5	2.5	5.24	
including								269.0	270.5	1.5	8.35	
OSK-W-16-744	2775	Caribou	690.9	452665	5434733	331.0	-55.9	365.0	374.0	9.0	5.00	
including								372.0	373.0	1.0	31.2	
OSK-W-16-744	2775	Caribou North 2	690.9	452665	5434733	331.0	-55.9	417.4	419.9	2.5	4.44	
including								419.5	419.9	0.4	20.0	
OSK-W-16-744	2775	Zone 27	690.9	452665	5434733	331.0	-55.9	578.0	594.0	16.0	4.92	
including								578.0	582.0	4.0	15.2	
OSK-W-16-746	2650	Caribou	874.5	452550	5434673	330.5	57.1	343.0	348.2	5.2	5.50	
including								344.8	345.2	0.4	47.2	
OSK-W-16-746	2650	Caribou North 2	874.5	452550	5434673	330.5	57.1	378.2	378.9	0.7	0.16	
OSK-W-16-746	2650	New zone	874.5	452550	5434673	330.5	57.1	455.4	457.7	2.3	3.87	
including								456.9	457.7	0.8	9.29	
OSK-W-16-746	2650	Vein	874.5	452550	5434673	330.5	57.1	603.0	606.7	3.7	16.5	
OSK-W-16-747	2475	Quartz-tourmaline vein	548.1	452449	5434488	331.0	-56.5	153.0	155.0	2.0	3.66	
including								154.0	154.3	0.3	23.6	
OSK-W-16-747	2475	Caribou	548.1	452449	5434488	331.0	-56.5	298.3	300.7	2.4	13.7	
including								298.3	299.3	1.0	31.5	
OSK-W-16-747	2475	Caribou South 1	548.1	452449	5434488	331.0	-56.5	417.0	419.0	2.0	11.4	
including								417.8	418.3	0.5	45.3	
OSK-W-16-747	2475	Caribou North 1	548.1	452449	5434488	331.0	-56.5	467.1	468.9	1.8	2.17	
OSK-W-16-747	2475	Zone 27 ; cross-cut by Red Dog	548.1	452449	5434488	331.0	-56.5	527.1	533.5	6.4	0.67	
OSK-W-16-749	2458	CS1	553	452486	5434389	332.0	-57.0	504.6	510.0	5.4	12.7	
including								504.6	505.3	0.7	35.2	
including								506.0	510.0	4.0	10.7	
OSK-W-16-749	2458	CS1 FW	553	452486	5434389	332.0	-57.0	522.0	525.1	3.1	3.4	
OSK-W-16-750	3557	Crustiform vein	1580	453439	5434933	332.0	-65.0	418.2	420.5	2.3	17.00	
OSK-W-16-750	3557	Caribou	1580	453439	5434933	332.0	-65.0	709.0	711.0	2.0	41.80	
OSK-W-16-750	3557	UnderDog	1580	453439	5434933	332.0	-65.0	983.5	985.8	2.3	14.80	
including								984.6	985.2	0.6	56.00	
OSK-W-16-750	3557	UnderDog	1580	453439	5434933	332.0	-65.0	1430.0	1432.0	2.0	4.65	
OSK-W-16-751	3200	Caribou - Shear Zone	943.5	453032	5434930	335.0	-63.7	403.0	407.7	4.7	3.09	
OSK-W-16-751	3200	Caribou - Shear Zone	943.5	453032	5434930	335.0	-63.7	466.9	469.0	2.1	5.21	
including								466.9	467.8	0.9	11.45	
OSK-W-16-751	3200	Caribou						504.6	507.0	2.4	3.17	
OSK-W-16-751	3200	CN2	943.5	453032	5434930	335.0	-63.7	519.2	521.5	2.3	6.57	
OSK-W-16-751	3200	Zone 27	943.5	453032	5434930	335.0	-63.7	795.6	796.9	1.3	0.07	
OSK-W-16-753	2725	Caribou South 3	756.5	452756	5434465	332.0	-58.0	666.5	674.0	7.5	7.92	
including								666.5	670.1	3.6	14.1	
OSK-W-16-753	2725	Caribou	756.5	452756	5434465	332.0	-58.0	688.0	690.7	2.7	4.09	
OSK-W-16-754	2675	CS1	1564.5	452766	5434303	331.0	-59.1	724.4	726.5	2.1	7.15	
including								724.9	725.5	0.6	24.6	
OSK-W-16-754	2675	FW0	1564.5	452766	5434303	331.0	-59.1	1108.0	1111.0	3.0	4.94	
including								1110.0	1111.0	1.0	11.9	
OSK-W-16-754	2675	FW0 FW	1564.5	452766	5434303	331.0	-59.1	1128.4	1131.0	2.6	3.66	
including								1129.2	1129.5	0.3	22.00	
OSK-W-16-754	2675	FW3	1564.5	452766	5434303	331.0	-59.1	1422.7	1430.0	7.3	9.76	
including								1424.0	1425.6	1.6	34.6	
OSK-W-16-755	3379	Lynx	1078.5	453214	5434971	335.0	-64.0	63.0	69.0	6.0	11.8	
including								64.0	64.9	0.9	67.1	
OSK-W-16-755	3379	Lynx Footwall	1078.5	453214	5434971	335.0	-64.0	147.0	149.0	2.0	8.12	
including								147.4	147.9	0.5	30.4	
OSK-W-16-755	3379	Caribou Hangingwall	1078.5	453214	5434971	335.0	-64.0	188.5	191.0	2.5	3.30	
including								189.5	190.2	0.7	10.6	
OSK-W-16-755	3379	Caribou	1078.5	453214	5434971	335.0	-64.0	568.0	572.9	4.9	2.11	
including								569.7	570.2	0.5	11.6	
OSK-W-16-755	3379	CN2	1078.5	453214	5434971	335.0	-64.0	617.0	621.8	4.8	2.08	
OSK-W-16-755	3379	Vein	1078.5	453214	5434971	335.0	-64.0	668.0	670.0	2.0	5.60	
OSK-W-16-755-W1	3375	CN2	685.5	453213	5434973	335.8	-64.5	670.7	674.5	3.8	0.61	
OSK-W-16-756	2750	CS1	803	452809	5434392	331.0	-58.0	672.8	675.4	2.6	3.29	
including								673.8	674.6	0.8	9.66	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-787	3500	CN2 extension	1207.3	453324	5435040	333.4	-62.6	517.0	521.8	4.8	3.48	
		<i>including</i>						521.2	521.8	0.6	13.1	
OSK-W-17-788	3450	Lynx HW	376.5	453329	5434932	331.5	-66.1	164.5	166.5	2	3.09	
OSK-W-17-788	3450	Lynx	376.5	453329	5434932	331.5	-66.1	233.0	250.3	17.3	17.0	12.8
		<i>including</i>						236.4	236.9	0.5	153	
		<i>and</i>						239.0	240.0	1	128	
OSK-W-17-788	3450	Lynx FW	376.5	453329	5434932	331.5	-66.1	295.0	297.0	2	6.2	
		<i>including</i>						296.6	297.0	0.4	25.7	
OSK-W-17-788	3450	Lynx FW	376.5	453329	5434932	331.5	-66.1	301.0	303.0	2	3.76	
OSK-W-17-789	2500	CS1	1279.5	452546	5434390	331.0	-58.0	526.1	533.5	7.4	5.12	
		<i>including</i>						527.9	530.0	2.1	16.4	
OSK-W-17-789	2500	CS1 FW	1279.5	452546	5434390	331.0	-58.0	538.9	544.1	5.2	7.31	6.39
		<i>including</i>						543.8	544.1	0.3	116	
OSK-W-17-789	2500	CS1 FW	1279.5	452546	5434390	331.0	-58.0	583.2	585.7	2.5	3.3	
		<i>including</i>						584.4	585.0	0.6	13.3	
OSK-W-17-789	2500	FW0	1279.5	452546	5434390	331.0	-58.0	796.8	799.9	3.1	3.01	
OSK-W-17-789	2500	FW1	1279.5	452546	5434390	331.0	-58.0	853.0	860.9	7.9	19.4	16.4
		<i>including</i>						853.0	857.5	4.5	29.7	
OSK-W-17-789	2500	FW1 FW	1279.5	452546	5434390	331.0	-58.0	883.9	885.9	2	9.15	
		<i>including</i>						884.9	885.6	0.7	24.1	
OSK-W-17-789	2500	FW3	1279.5	452546	5434390	331.0	-58.0	964.0	966.3	2.3	8.20	
		<i>including</i>						965.0	965.3	0.3	61.7	
OSK-W-17-789-W1	2500	FW0	1198.5	452546	5434390	331.0	-58.0	799.5	804.4	4.9	5.63	
		<i>including</i>						801.9	802.5	0.6	20.4	
OSK-W-17-789-W1	2500	FW1	1198.5	452546	5434390	331.0	-58.0	877.1	880.6	3.5	11.0	
OSK-W-17-789-W1	2500	FW3 HW	1198.5	452546	5434390	331.0	-58.0	995.4	997.5	2.1	3.50	
		<i>including</i>						995.4	996.0	0.6	10.5	
OSK-W-17-789-W1	2500	FW3	1198.5	452546	5434390	331.0	-58.0	1004.1	1006.7	2.6	14.6	
		<i>including</i>						1005.2	1006.0	0.8	34.3	
OSK-W-17-789-W2	2500	FW1	1195.5	452546	5434388	332.5	-59.3	882.0	884.3	2.3	5.00	
OSK-W-17-789-W2	2500	FW1 FW	1195.5	452546	5434388	332.5	-59.3	906.5	909.2	2.7	4.79	
OSK-W-17-789-W2	2500	FW3	1195.5	452546	5434388	332.5	-59.3	1014.0	1017.0	3.0	8.02	
OSK-W-17-790	3600	Lynx FW	451.5	453456	5434998	321.0	-58.6	261.6	265.2	3.6	11.3	
		<i>including</i>						261.6	262.3	0.7	28.7	
		<i>and</i>						264.7	265.2	0.5	39.9	
OSK-W-17-790	3600	Lynx FW	451.5	453456	5434998	321.0	-58.6	269.5	272.5	3	4.32	
		<i>including</i>						269.5	270.6	1.1	10.1	
OSK-W-17-790	3600	Lynx 2	451.5	453456	5434998	321.0	-58.6	293.0	295.0	2	8.61	
OSK-W-17-790	3600	Lynx 2	451.5	453456	5434998	321.0	-58.6	303.8	308.8	5	6.00	
OSK-W-17-790	3600	Lynx 2	451.5	453456	5434998	321.0	-58.6	316.9	325.5	8.6	10.5	10.3
		<i>including</i>						324.8	325.5	0.7	102	100
OSK-W-17-790	3600	VNCR	451.5	453456	5434998	321.0	-58.6	392.5	394.7	2.2	10.9	
OSK-W-17-792	3575	Lynx	439.5	453446	5434960	334.5	-64.0	309.5	318.7	9.2	42.1	25.2
		<i>including</i>						313.3	314.2	0.9	56.0	
		<i>and</i>						315.6	317.6	2	162	
OSK-W-17-792	3575	Crustiform vein	439.5	453446	5434960	334.5	-64.0	380.8	384.5	3.7	2.51	
OSK-W-17-799	3650	Lynx HW	451.5	453481	5435037	331.9	-74.0	309.3	311.2	1.9	10.6	
OSK-W-17-799	3650	Lynx	451.5	453481	5435037	331.9	-74.0	319.8	324.4	4.6	50.9	49.7
		<i>including</i>						319.8	320.7	0.9	106	100
		<i>and</i>						323.1	324.4	1.3	82.7	
OSK-W-17-799	3650	Lynx FW	451.5	453481	5435037	331.9	-74.0	339.8	344.2	4.4	63.8	41.4
		<i>including</i>						341.5	342.3	0.8	223	
OSK-W-17-799	3650	Crustiform vein	451.5	453481	5435037	331.9	-74.0	402.0	408.5	6.5	11.0	
OSK-W-17-800	3500	Lynx 1	415.5	453366	5434943	330.1	-57.5	193.6	196.0	2.4	16.5	
		<i>including</i>						194.1	195.0	0.9	40.4	
OSK-W-17-800	3500	VNCR	415.5	453366	5434943	330.1	-57.5	306.0	308.8	2.8	35.2	25.4
		<i>including</i>						306.5	307.2	0.7	139	
OSK-W-17-802	3475	Lynx 2	400.5	453376	5434896	330.2	-53.8	293.1	298.0	4.9	10.4	
		<i>including</i>						297.0	298.0	1	37.5	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	400.5	453376	5434896	330.2	-53.8	363.0	366.1	3.1	24.9	
		<i>including</i>						365.3	366.1	0.8	73.2	
OSK-W-17-802	3475	Crustiform vein - Lynx corridor	400.5	453376	5434896	330.2	-53.8	378.7	381.3	2.6	3.99	
		<i>including</i>						379.3	380.5	1.2	6.77	
OSK-W-17-803	3450	Lynx HW	412.5	453305	5434943	331.1	-64.2	137.0	139.3	2.3	5.23	
		<i>including</i>						137.0	138.5	1.5	7.74	
OSK-W-17-803	3450	Lynx	412.5	453305	5434943	331.1	-64.2	169.0	171.9	2.9	19.1	
OSK-W-17-803	3450	Crustiform vein - Lynx corridor	412.5	453305	5434943	331.1	-64.2	372.0	374.3	2.3	6.38	
		<i>including</i>						372.0	373.2	1.2	11.1	
OSK-W-17-804	2100	Z27 HW	201	451941	5434625	342.2	-42.3	69.5	71.5	2	3.59	
		<i>including</i>						69.5	69.8	0.3	19.1	
OSK-W-17-804	2100	Z27	201	451941	5434625	342.2	-42.3	83.9	86.6	2.7	3.65	
		<i>including</i>						86.3	86.6	0.3	27.4	
OSK-W-17-804	2100	Z27-1	201	451941	5434625	342.2	-42.3	97.4	99.5	2.1	1.5	
OSK-W-17-805	3350	Lynx 2	322.5	453200	5434910	332	-56	225.5	230.5	5.0	12.4	
		<i>including</i>						227.4	230.5	3.1	17.7	
		<i>including</i>						230.0	230.5	0.5	64.6	
OSK-W-17-806	3400	Lynx 2	388.5	453261	5434949	331.3	-59.8	214.6	217.5	2.9	3.13	
		<i>including</i>						214.6	215.5	0.9	8.2	
OSK-W-17-807	2325	FW0	1171.5	452311	5434424	329.7	-65.2	623.5	626.5	3	3.89	
OSK-W-17-807	2325	FW1	1171.5	452311	5434424	329.7	-65.2	715.5	717.5	2	19.2	
		<i>including</i>						715.5	716.0	0.5	51.5	
OSK-W-17-807-W1	2325	FW1	1195.5	452311	5434424	329.7	-65.2	730.2	734.6	4.4	8.20	
		<i>including</i>						734.0	734.6	0.6	56.3	
OSK-W-17-807-W1	2325	FW3 HW	1195.5	452311	5434424	329.7	-65.2	907.0	916.4	9.4	9.01	



Windfall Lake Gold Project
Quebec, Canada
Assay Results
Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
<i>including</i>								913.3	915.7	2.4	20.7	
OSK-W-17-807-W2	2325	UnderDog	1195.5	452311	5434424	329.7	-65.2	868.5	870.5	2	7.15	
OSK-W-17-807-W2	2325	Underdog	1156.5	452306	5434421	319.5	-58.3	1070.5	1072.5	2.0	4.29	
<i>including</i>								1070.5	1071.5	1.0	8.20	
OSK-W-17-810	2100	Z27 HW	225	451949	5434615	331.4	-59.8	93.1	98.0	4.9	7.25	
<i>including</i>								93.8	95.7	1.9	16.4	
OSK-W-17-810	2100	Z27	225	451949	5434615	331.4	-59.8	108.7	111.0	2.3	6.54	
<i>including</i>								109.2	110.2	1	14.9	
OSK-W-17-811	3725	Lynx 1	433.5	453469	5435216	149.5	-76.2	152.5	156.0	3.5	3.01	
OSK-W-17-812	3625	Lynx 1	379.2	453461	5435034	330.2	-64.8	194.7	196.5	1.8	0.98	
OSK-W-17-812	3625	Lynx 2	379.2	453461	5435034	330.2	-64.8	298.5	301.0	2.5	26.0	14.0
<i>including</i>								299.7	300.0	0.3	200	
OSK-W-17-812	3625	Lynx 2	379.2	453461	5435034	330.2	-64.8	304.8	308.9	4.1	18.6	12.5
<i>including and</i>								304.8	305.1	0.3	59.7	
<i>including and</i>								307.3	307.6	0.3	184	
OSK-W-17-813	2600	CS1	667.5	452610	5434457	331.0	-62.6	522.8	525.0	2.2	4.16	
OSK-W-17-814	2100	Z27-1	204	451927	5434612	328.6	-62.0	118.5	120.5	2	189	25.1
<i>including</i>								120.0	120.5	0.5	756	100
OSK-W-17-816	3722	Lynx 1	1051.5	453470	5435215	147.1	-69.1	670.0	672.8	2.8	5.24	
<i>including</i>								672.4	672.8	0.4	14.7	
OSK-W-17-816	3722	Lynx 4	1051.5	453470	5435215	147.1	-69.1	797.1	804.8	7.7	11.7	
<i>including</i>								799.3	800.0	0.75	68.3	
<i>including</i>								804.5	804.8	0.3	85.9	
OSK-W-17-816	3725	Lynx 1	1051.5	453470	5435215	147.1	-69.1	192.5	194.5	2.0	9.46	
<i>including</i>								192.5	193.5	1.0	18.7	
OSK-W-17-817	3609	Lynx 2	821.8	453334	5435231	144.7	-60.4	273.3	275.3	2.0	4.40	
<i>including</i>								273.3	273.7	0.4	14.0	
OSK-W-17-817	3609	Lynx 1	821.8	453334	5435231	144.7	-60.4	289.5	292.0	2.5	3.46	
<i>including</i>								291.0	292.0	1.0	8.33	
OSK-W-17-817	3609	New - Lynx corridor	821.8	453334	5435231	144.7	-60.4	594.0	596.0	2.0	13.3	
<i>including</i>								595.3	596.0	0.7	34.2	
OSK-W-17-820	2667	CS1 FW	1105.5	452669	5434484	333.0	-65.2	616.5	619.0	2.5	936	32.1
<i>including and</i>								616.5	617.5	1.0	29.3	
<i>including and</i>								618.5	619.0	0.5	4620	
OSK-W-17-821	2700	FW1	1258.6	452738	5434475	333.6	-65.9	1041.5	1044.0	2.5	1.48	
OSK-W-17-821	2700	FW3	1258.6	452738	5434475	333.6	-65.9	1174.5	1177.8	3.3	9.27	
<i>including</i>								1176.6	1177.8	1.2	21.00	
OSK-W-17-821	2725	FW0 FW	1258.6	452738	5434475	333.6	-65.9	875.1	977.3	2.2	5.25	
<i>including</i>								976.1	976.7	0.6	15.4	
OSK-W-17-823	2550	CS1 HW	620.3	452565	5434414	330.1	-56.6	486.9	494.0	7.1	13.5	
<i>including</i>								490.0	492.0	2	37.7	
OSK-W-17-823	2550	CS1	620.3	452565	5434414	330.1	-56.6	526.4	533.5	7.1	0.41	
OSK-W-17-823	2550	CS1 FW	620.3	452565	5434414	330.1	-56.6	552.2	554.3	2.1	5.43	
OSK-W-17-823	2550	Caribou corridor	620.3	452565	5434414	330.1	-56.6	574.6	577.2	2.6	4.70	
<i>including</i>								575.3	576.4	1.1	10.8	
OSK-W-17-823-W1	2550	CS1 HW	618	452565	5434414	330.1	-56.6	503.0	508.4	5.4	8.05	
<i>including</i>								507.1	508.4	1.3	23.8	
OSK-W-17-823-W1	2550	CS1	618	452565	5434414	330.1	-56.6	535.0	537.4	2.4	18.6	
<i>including</i>								535.0	536.0	1	43.9	
OSK-W-17-824	2099	Z27	220	451948	5434608	330.2	-67.2	28.4	31.0	2.6	195	16.7
<i>including</i>								29.6	30.0	0.4	1260	
OSK-W-17-824	2099	Z27-1	220	451948	5434608	330.2	-67.2	150.9	152.9	2	3.28	
OSK-W-17-825	3525	Lynx 2	579	453252	5435182	145.4	-54.2	226.1	228.1	2.0	4.06	
OSK-W-17-825	3525	Lynx 1	579	453252	5435182	145.4	-54.2	265.2	266.9	1.7	3.18	
<i>including</i>								265.2	265.5	0.3	14.0	
OSK-W-17-825	3525	Lynx 1	579	453252	5435182	145.4	-54.2	267.9	270.7	2.8	6.71	
<i>including</i>								268.9	269.6	0.7	21.6	
OSK-W-17-825	3525	Lynx 1	579	453252	5435182	145.4	-54.2	274.0	276.2	2.2	6.88	
<i>including</i>								274.8	275.2	0.4	21.6	
OSK-W-17-825	3525	Lynx 1	579	453252	5435182	145.4	-54.2	280.5	283.9	3.4	23.8	
<i>including</i>								280.5	281.3	0.8	92.1	
OSK-W-17-825	3525	Lynx 1	579	453252	5435182	145.4	-54.2	289.8	292.5	2.7	5.27	
OSK-W-17-826	2800	FW0	1335	452799	5434556	329.6	-66.6	937.0	939.0	2.0	3.79	
OSK-W-17-826	2800	FW3 FW	1335	452799	5434556	329.6	-66.6	1316.6	1319.0	2.4	16.0	
<i>including</i>								1317.2	1319.0	1.8	21.3	
OSK-W-17-827	3425	Lynx 3	957	453173	5435126	144.9	-63.2	158.0	162.1	4.1	12.1	
<i>including</i>								160.0	161.5	1.5	30.0	
OSK-W-17-827	3418	Lynx 2	957	453173	5435126	144.9	-63.2	196.0	198.5	2.5	2.66	
OSK-W-17-827	3418	Lynx 1 FW	957	453173	5435126	144.9	-63.2	255.0	258.0	3	14.60	
OSK-W-17-827	3418	Lynx 1 HW	957	453173	5435126	144.9	-63.2	354.0	356.5	2.5	7.51	
<i>including</i>								354.0	355.5	1.5	12.40	
OSK-W-17-827	3418	VNCR - Lynx corridor	957	453173	5435126	144.9	-63.2	381.0	383.0	2.0	5.84	
<i>including</i>								381.5	382.3	0.8	12.5	
OSK-W-17-827	3418	New - Lynx corridor	957	453173	5435126	144.9	-63.2	469.0	472.0	3.0	3.63	
OSK-W-17-831	3825	Lynx 1	561	453548	5435282	330.1	-50	457.7	460.0	2.3	4.61	
OSK-W-17-832	3609	Lynx 3	573	453332	5435229	145.5	-54.5	85.0	87.3	2.3	14.1	
<i>including</i>								85.8	86.6	0.8	38.9	
OSK-W-17-834	3525	Lynx 2	402	453247	5435189	143.5	-59.2	277.6	280.0	2.4	16.6	
OSK-W-17-834	3525	Lynx 2	402	453247	5435189	143.5	-59.2	286.1	288.4	2.3	3.52	
<i>including</i>								286.1	286.5	0.4	16.15	
OSK-W-17-834	3525	Lynx 1	402	453247	5435189	143.5	-59.2	292.0	295.7	3.7	421	27.8
<i>including</i>								293.1	293.5	0.4	3740	
OSK-W-17-836	3825	Lynx HW	1045.4	453548	5435280	145.0	-68.0	210.0	214.5	4.5	4.56	



Windfall Lake Gold Project
 Quebec, Canada
 Assay Results
 Osisko Mining Inc. 2015-2017

Drill Hole	Section	Zone	Length (m)	UTM E	UTM N	Azimuth (°)	Dip (°)	From	To	Length (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t
OSK-W-17-876	3413	Lynx HW	393	453257	5434941.0	334.9	-47.7	93.8	97.0	3.2	1.65	
OSK-W-17-876	3413	Lynx 3	393	453257	5434941.0	334.9	-47.7	210.0	212.0	2.0	25.9	15.3
<i>including</i>								210.6	210.9	0.3	171	100
OSK-W-17-878	3596	Lynx HW	417	453454	5434984	329	-62	230.7	233.0	2.3	0.74	
OSK-W-17-878	3596	Lynx 1	417	453454	5434984	329	-62	250.0	252.0	2.0	1.81	
OSK-W-17-878	3596	Lynx 2	417	453454	5434984	329	-62	287.0	302.7	15.7	5.32	
<i>including</i>								292.7	293.0	0.3	100	
<i>including</i>								298.2	298.6	0.4	66.1	